Available online at www.sciencedirect.com
SCIENCE DIRECT®
Polyhedron 22 (2003) 3557–3582
POLYHEDRON
www.elsevier.com/locate/poly

Author Index to Volume 22

Abboud, K.A., see Brockman, J.T., 1765
Abboud, K.A., see Chakov, N.E., 1759
Abboud, K.A., see Sañudo, E.C., 2267
Abboud, K.A., see Soler, M., 1777
Abboud, K.A., see Tasiopoulos, A.J., 133
Abboud, K.A., see Woodward, J.D., 2821
Abdul Malik, K.M., see Akther, M., 355
Abedin, T.S.M., see Milway, V.A., 1271
Abeyta, V.W., see Stevens, J.E., 2241
Abramov, D.E., see Panyushkin, V.T., 271
Abu-Surrah, A.S., Al-Allaf, T.A.K., Klinga, M. and Ahlgren, M., Chiral palladium(II) and platinum(II) complexes of diaminocyclohexane: X-ray structures of (1*R*,2*R*)-(−)-1,2-diaminocyclohexane dihydrochloride and its corresponding oxalato platinum(II) complex, 1529
Abu-Youssef, M.A.M., see Goher, M.A.S., 975
Abu-Youssef, M.A.M., see Goher, M.A.S., 3137
Acuña-Cueva, E.R., Faure, R., Illán-Cabeza, N.A., Jiménez-Pulido, S.B., Moreno-Carretero, M.N. and Quirós-Olozábal, M., Synthesis and structural studies on new $M^{II}X_2L_2$ dihalocomplexes of 1-methyllumazine and 1,6,7-trimethyllumazine. Crystal structure of copper(II) and palladium(II) complexes, 483
Adams, H., Fenton, D.E. and McHugh, P.E., Di- and tetra-nuclear nickel(II) complexes of an unsymmetric compartmental ligand bearing a terdentate linear arm and a terdentate dipodal arm, 75
Adrover, B., see García-Raso, Á., 3255
Aguirre, G., see Ríos-Moreno, G., 563
Ahlgren, M., see Abu-Surrah, A.S., 1529
Ahmad, S., see Isab, A.A., 1349
Ahmed, R., see Akbar Ali, M., 1471
Ahrens, B., see Cotton, S.A., 1489
Ainscough, E.W., Brodie, A.M. and Derwahl, A., Tuneable crystal host properties in (pyridyloxy)cyclotetraphosphazenes, 189
Aizawa, K., see Furukawa, Y., 2277
Akashi, H., Chen, J., Hasegawa, H., Hashimoto, M., Hashimoto, T., Sakuraba, T. and Yagasaki, A., Synthesis and structural characterization of $[H_xCp^*TiMo_5O_{18}]^{(3-x)-}$ (x=0, 1, 2); new insights into protonation patterns in polyoxometalates, 2847
Akbar Ali, M., Mirza, A.H., Voo, C.W., Tan, A.L. and Bernhardt, P., The preparation of zinc(II) and cadmium(II) complexes of the pentadentate N_3S_2 ligand formed from 2,6-diacetylpyridine and *S*-benzyldithiocarbazate (H_2SNNNS) and the X-ray crystal structure of the novel dimeric $[Zn_2(SNNNS)_2]$ complex, 3433
Akbar Ali, M., Mirza, A.H., Nazimuddin, M., Ahmed, R., Gahan, L.R. and Bernhardt, P., Synthesis and characterization of mono- and bis-ligand zinc(II) and cadmium(II) complexes of the di-2-pyridylketone Schiff base of *S*-benzyl dithiocarbazate (Hdpksbz) and the X-ray crystal structures of the $[Zn(dpksbz)_2]$ and $[Cd(dpksbz)NCS]_2$ complexes, 1471
Akilan, P., Thirumavalavan, M. and Kandaswamy, M., Synthesis of mono and binuclear copper(II) complexes using new macrobicyclic tricompartmental unsymmetrical ligands: magnetic, electrochemical and catalytic studies, 3483
Akilan, P., Thirumavalavan, M. and Kandaswamy, M., Lateral macrobicyclic tricompartmental ligands: synthetic, spectral, magnetic, electrochemical and kinetic aspects of binuclear copper(II) complexes, 1407
Akther, M., Azam, K.A., Azad, S.M., Kabir, S.E., Abdul Malik, K.M. and Mann, R., Methyl C—H activation of 2,4,5-trimethylthiazole by a triosmium cluster: X-ray structures of $[(\mu\text{-H})Os_3(CO)_{10}\{\mu\text{-}\eta^2\text{-}CH_2C{=}NC(CH_3){=}C(CH_3)S\}]$ and $[(\mu\text{-H})_2Os_3(CO)_9\{\mu^3\text{-}\eta^2\text{-}CHC{=}C(CH_3)SC(CH_3)C{=}N\}]$, 355
Al-Allaf, T.A.K., see Abu-Surrah, A.S., 1529
Alberdi, G., see Vila, J.M., 241
Albert, J., Granell, J. and Tavera, R., The cyclopalladation reaction of benzylamine revisited, 287
Alberti, M., Šedo, O. and Havel, J., Laser ablation synthesis and TOF mass spectrometric identification of tellurium, sulfur and mixed tellurium–sulfur clusters, 2601
Albrecht, M., Kamptmann, S. and Fröhlich, R., 3,3′-{(1*E*,2*E*)-Hydrazine-1,2-diylidenedi[(*E*)methylylidene]}dibenzene-1,2-diol ($BCAz\text{-}H_4$): an easy to prepare but very useful building block for the self-assembly of triple-stranded helicates; the X-ray crystal structure of $Na_4[(BCAz)_3Ti_2]\cdot 7\ dmf\cdot H_2O$, 643
Alcock, N.W., see Korzeniak, T., 2183
Ali, M., see Panja, A., 1191
Aliaga, N., see Evangelisti, M., 2169
Aliaga-Alcalde, N., see Edwards, R.S., 1911
Alizadeh, M.H., Razavi, H., Zonoz, F.M. and Mohammadi, M.R., Synthesis, single-crystal structural determination and solution characterization of a new sandwich-type cadmium-containing heteropolytungstate, 933
Almeida, M., see Alves, H., 2481
Almeida, M., see Dias, J.C., 2447
Almeida, M., see Ribas, X., 2415
Alshehri, S.M., The kinetics of adduct formation between heteropolymetallic targets $(\mu_4\text{-O})N_4Cu_{4-x}M_xX_6$ and $Cu(NS)_2$ reagent in nitrobenzene, 2917
Altorfer, F., see Basler, R., 2471
Alves, H., Simao, D., Novais, H., Santos, I.C., Giminez-Saiz, C., Gamma, V., Waerenborgh, J.C., Henriques, R.T. and Almeida, M., $(n\text{-}Bu_4N)_2[Fe(dcbdt)_2]_2$. Synthesis, crystal structure and magnetic characterisation, 2481
Alves, H., see Dias, J.C., 2447
Alves, H., see Ribas, X., 2415
Alves, W.A., see Sant'Ana, A.C., 1673
Alyounes, D.M., see Philson, L.A., 3461
Amabilino, D.B., see Domingo, N., 2355
Amabilino, D.B., see Minguet, M., 2349
Amaral, F.F., see Perpétuo, G.J., 3355
Ambrosi, G., Formica, M., Fusi, V., Giorgi, L., Guerri, A., Micheloni, M., Pontellini, R. and Rossi, P., Synthesis, acid–base and coordination properties towards Cu(II), Zn(II) and Cd(II) ions of two new polyamino-phenolic ligands, including the crystal structure of a fully protonated ligand, 1135
Amirkhanov, V.M., see Trush, E.A., 1221
Amoedo-Portela, A., Carballo, R., Casas, J.S., García-Martínez, E., Sánchez-González, A., Sordo, J. and Vázquez-López, E.M., Bis(2-pyridylthio)methane complexes of cadmium(II) halides, 1077
Amorós, P., see Clemente-León, M., 2395

doi:10.1016/S0277-5387(03)00654-5

An, B.-L., Gong, M.-L., Zhang, J.-M. and Zheng, S.-L., Synthesis, bright luminescence and crystal structure of a novel neutral europium complex, 2719
Andruh, M., see Nedelcu, A., 789
Andruh, M., see Paraschiv, C., 1611
Andruh, M., see Tanase, S., 1315
Andruh, M., see Visinescu, D., 1385
Anslyn, E., see Sessler, J.L., 2963
Anzenbacher, P., see Sessler, J.L., 2963
Aoki, H., see Arita, R., 1883
Aoki, T., see Kaneko, T., 1845
Aoki, T., see Morita, Y., 2199
Aoyama, K., see Yano, M., 2003
Arčon, D., see Jagličić, Z., 2293
Ares, R., see Vila, J.M., 241
Argyriou, D.N., see Bordallo, H.N., 2045
Arif, N., see Silber, H.B., 3439
Arita, R., Suwa, Y., Kuroki, K. and Aoki, H., Possible flat-band ferromagnetism in an organic polymer, 1883
Aromí, G., see Evangelisti, M., 2169
Asali, K.J., see El-khateeb, M., 3105
Attia, A.S., El-Mashtoly, S.F. and El-Shahat, M.F., Synthesis, electrochemical and spectroscopic properties of dimeric oxomolybdenum(IV) and (VI) complexes containing terminal and bridged bidentate α-benzoinoxime ligands, 895
Aucott, S.M., Slawin, A.M.Z. and Woollins, J.D., Coordination chemistry of *o*-$Ph_2PNHC_6H_4P(S)Ph_2$ a P,S-donor ligand: synthesis of new Ru, Rh and Ir complexes, 361
Avecilla, F., see Esteban, D., 2709
Awaga, K., see Maruta, G., 1989
Awaga, K., see Okuno, T., 2311
Ayyappan, P., see Lin, W., 3037
Azad, S.M., see Akther, M., 355
Azam, K.A., see Akther, M., 355
Azim, Y., see Shakir, M., 3181

Balanda, M., see Korzeniak, T., 2183
Babb, J.E., Burrows, A.D., Harrington, R.W. and Mahon, M.F., Zinc thiosemicarbazide dicarboxylates: the influence of the anion shape on supramolecular structure, 673
Backov, R., see Woodward, J.D., 2821
Bacsa, J., see Chen, R., 2855
Badr, A.M.-A., see Goher, M.A.S., 975
Badr, A.M.-A., see Goher, M.A.S., 3137
Bag, K., see Dinda, J., 1367
Bai, Y., see Zhong, L.-F., 2647
Bakharev, O.N., see Morello, A., 1745
Balázs, G., see Balázs, L., 1719
Balázs, L., Balázs, G., Breunig, H.J., Ghesner, I. and Lork, E., Syntheses of isobutylantimony compounds, *cyclo*-R_nSb_n (n=4, 5), R_4Sb_2 and crystal structure of R_3SbBr_2; R=Me_2CHCH_2, 1719
Balakrishna, M.S., Panda, R. and Mague, J.T., Synthesis, structures, spectroscopic and electrochemical studies of Ru(II) complexes containing bis(phosphino)amine ligands. Crystal and molecular structures of *trans*-$[RuCl_2\{Ph_2PN(Me)PPh_2$-κP,κP$\}_2]$ and *trans*-$[RuCl_2\{Ph_2PN(^iPr)PPh_2$-κP,κP$\}_2]$, 587
Ban, Y., see Zhang, Y.-H., 1377
Banerjee, P., see Panja, A., 1191
Banerjee, S., Drew, M.G.B. and Ghosh, A., Construction of coordination polymers of cadmium(II) with mixed hexamethylenetetramine and terephthalate or thiocyanate ligands, 2933
Banger, K.K., see Ngo, S.C., 1575
Barakat, H., see El-khateeb, M., 3445
Barea, E., Navarro, J.A.R., salas, J.M., Masciocchi, N., Galli, S. and Sironi, A., $[Cu(4\text{-oxopyrimidinate})_2.nH_2O]_\infty$: a robust sodalite type metal-organic framework exhibiting a rich host–guest chemistry, 3051
Barron, A.R., see van Poppel, L.H., 9
Barszcz, B., Glowiak, T. and Detka, K., Synthesis, crystal structures and spectroscopic studies on *trans* and *cis* isomers of Co(II) complexes with 1-benzyl-2-hydroxymethylimidazole, 1329
Bartczak, T.J., see Dzięgielewski, J.O., 3307
Bartczak, T.J., see Machura, B., 2573
Bartczak, T.J., see Machura, B., 2869
Bartecki, A., see Kuźniarska-Biernacka, I., 997
Bartyzel, A., see Rzaczynska, Z., 2595
Baruah, T., see Kortus, J., 1871
Bašic, I., see Brničević, N., 1553
Baskett, M., Lahti, P.M. and Palacio, F., Coordination complexes of a silicon-linked organic tetranitroxide, 2363
Basler, R., Chaboussant, G., Cañada-Vilalta, C., Christou, G., Mutka, H., Janssen, S., Altorfer, F. and Güdel, H.-U., Magnetic and inelastic neutron scattering studies of a frustrated tetranuclear Mn^{3+} butterfly-type cluster, 2471
Bass, F., see McCann, M., 1595
Bastida, R., see Lodeiro, C., 1701
Batchelor, R.J., see Leznoff, D.B., 1735
Batista, A.A., see Santiago, M.O., 3205
Batten, S.R., see Price, D.J., 165
Batten, S.R., see Price, D.J., 2161
Bauer, E.M., Bellitto, C., Ibrahim, S.A., Mahmoud, M.R. and Righini, G., Ni(II)octadecylphosphonate: an inorganic/organic layered weak-ferromagnet, 2463
Baumgarten, M., see Zoppellaro, G., 2099
Baylies, C.J., see Rice, C.R., 755
Beattie, J.K., Klepetko, J.A., Masters, A.F. and Turner, P., The chemistry of cobalt acetate. VIII. New members of the family of oxo-centred trimers, $[Co_3(\mu_3\text{-}O)(\mu\text{-}O_2CCH_3)_{5-p}(\mu\text{-}OR)_pL_5]^{2+}$ (R=H, alkyl, L=ligand, p=0–4). The preparation and characterisation of the trimeric tetrakis(μ-acetato)-(μ-hydroxo)-μ_3-oxo-pentakis(pyridine)-tri-cobalt(III) hexafluorophosphate, $[Co_3(\mu_3\text{-}O)(\mu\text{-}O_2CCH_3)_4(\mu\text{-}OH)(C_5H_5N)_5][PF_6]_2$ and the preparation and crystal structure of the trimeric tris(μ-acetato)-(μ-hydroxo)-(μ-methoxo)-μ_3-oxo-pentakis(pyridine)-tri-cobalt(III) hexafluorophosphate·methanol·water solvate $[Co_3(\mu_3\text{-}O)(\mu\text{-}O_2CCH_3)_3(\mu\text{-}OH)(\mu\text{-}OCH_3)(C_5H_5N)_5][PF_6]_2{\cdot}CH_3OH{\cdot}0.25H_2O$, 947
Beckett, B.R., see Hamlin, J.J., 2249
Beckett, M.A., Rugen-Hankey, M.P. and Sukumar Varma, K., Synthesis and characterisation of *cyclo*-boratetrasiloxane, $(RBO)(Me_2SiO)_3$ (R = ^{n}Bu, Ar), derivatives, 3333
Beckett, M.A., Brassington, D.S., Coles, S.J., Gelbrich, T. and Hursthouse, M.B., Synthesis and characterisation of a series of Group 7 metal 2,2,2,2-dicarbonylbis(triorganophosphine)-*arachno*-2-metallatetraboranes, $[M(CO)_2L_2(B_3H_8)]$ (M=Re, Mn); crystal and molecular structures of $[Re(CO)_2(dppf)(B_3H_8)]$ and $[Mn(CO)_2(dppe)(B_3H_8)]$, 1627
Beer, P.D., see Pratt, M.D., 649
Beer, P.D., Cowley, A.R., Jeffery, J.C., Paul, R.L. and Wong, W.W.H., Self-assembled xanthate-transition metal polyether macrocycles and cryptands, 795
Begum, N., see Shakir, M., 3181
Bekaroğlu, Ö., see Ozan, N., 819
Belinsky, M.I., Antisymmetric double exchange and zero-field splittings in mixed-valence clusters, 2253
Bell, Z.R., see Paul, R.L., 781
Bellitto, C., see Bauer, E.M., 2463
Belose, M., Castro, J., Gascía-Vazquez, J.A., Pérez-Lourido, P., Romero , J. and Sousa, A., Different coordinative behaviour of methyl-substituted 2-pyridylsulfonamide derivatives as ligands in zinc complexes, 1099
Belser, P., see Querol, M., 655
Bendix, J., see Marshall, S.R., 2515
Benitez, I.O., see Culp, J.T., 2125
Bényei, A., see Kiss, E., 27

Bera, J.K., Vo, T.-T., Walton, R.A. and Dunbar, K.R., Hydrogen-bonding as a tool for building one-dimensional structures based on dimetal building blocks, 3009
Bera, S.K., see Deoghoria, S., 257
Bermejo, E., see Fostiak, L.M., 83
Bermejo, E., Castiñeiras, A., García, I. and West, D.X., Spectral and structural studies of mercury(II) complexes of 2-pyridineformamide *N*(4)-dimethylthiosemicarbazone, 1147
Bernhardt, P., see Akbar Ali, M., 1471
Bernhardt, P., see Akbar Ali, M., 3433
Bernstein, N., see Kortus, J., 1871
Bernt, I., see Saalfrank, R.W., 2985
Berry, K.J., see Price, D.J., 165
Berthet, J.-C., Nierlich, M. and Ephritikhine, M., A comparison of analogous 4f- and 5f-element compounds: syntheses and crystal structures of triphenylphosphine oxide complexes of lanthanide(III) and uranium(III) triflates and iodides $[MX_2(OPPh_3)_4][X]$ (X = OTf and M = Ce or U; X = I and M = Nd, Ce, La, U), 3475
Berthon-Gelloz, G., see Sessler, J.L., 2963
Bertolo, E., see Lodeiro, C., 1701
Bhaduri, S., see Edwards, R.S., 1911
Bhattacharya, R., see Ray, M.S., 617
Bian, H.-D., Xu, J.-Y., Gu, W., Yan, S.-P., Cheng, P., Liao, D.-Z. and Jiang, Z.-H., Synthesis, X-ray structure and magnetic properties of trinuclear copper(II) tridentate Schiff base complexes containing a partial cubane Cu_3O_4 core, 2927
Bian, Z.-X., Zhao, H.-Y. and Li, B.-G., Synthesis of cyanohydrin trimethylsilyl ethers of acylferrocenes, 1523
Binions, R., Carmalt, C.J. and Parkin, I.P., Germanium Phosphide coatings from the atmospheric pressure chemical vapour deposition of GeX_4(X=Cl or Br) and $PCy^{hex}H_2$, 1683
Bishop, M.M., Lee, A.H.W., Lindoy, L.F. and Turner, P., A comparative study of supramolecular assemblies containing *N*″-(5,6-dimethyl-1*H*-benzimidazol-2-yl)guanidine, 2-guanidinobenzimidazole and their Ni(II) complexes, 735
Biskupič, S., see Breza, M., 2863
Bjernemose, J., Hazell, A., McKenzie, C.J., Mahon, M.F., Nielsen, L.P., Raithby, P.R., Simonsen, O., Toftlund, H. and Wolny, J.A., Synthesis and characterization of ruthenium(II) complexes with polypicolylamine ligands, 875
Blake, A.J., see Rana, A., 3075
Blas, A.d., see Esteban, D., 2709
Blundell, S.J., Pratt, F.L., Lancaster, T., Marshall, I.M., Steer, C.A., Heath, S.L., Létard, J.-F., Sugano, T., Mihailovic, D. and Omerzu, A., μSR studies of organic and molecular magnets, 1973.
Blundell, S.J., see Pratt, F.L., 2307
Blundell, S.J., see Sugano, T., 2343
Bocelli, G., see Ray, M.S., 617
Bohra, R., see Sharma, N., 2943
Bolaño, S., Bravo, J., Carballo, R., Freijanes, E., García-Fontán, S. and Rodriguez-Seoane, P., Oxorhenium(V) complexes with bisphosphinite chelating coligands. The crystal structure of $[ReOCl_2(OMe)L^1]$, $[ReOCl_3L^2]$, $[ReOCl_2(OEt)L^2]$ and $[ReOCl_2\{Ph_2PO(CH_2)_2O\}\{PPh_2(OEt)\}]$ [L^1=$Cy_2PO(CH_2)_2OPCy_2$, L^2=$Ph_2PO(CH_2)_2OPPh_2$], 1711
Bolin, E., see Edwards, R.S., 1911
Bolour, A., see Walters, M.A., 941
Bomfim, J.A.S., de Souza, F.P., Filgueiras, C.A.L., de Sousa, A.G. and Gambardella, M.T.P., Diphosphine complexes of nickel: analogies in molecular structures and variety in crystalline arrangement, 1567
Bordallo, H.N., Chapon, L., Manson, J.L., Ling, C.D., Qualls, J.S., Hall, D. and Argyriou, D.N., Structural and magnetic behaviour of a guasi-1D antiferromagnetic chain compound $Cu(NCS)_2(pyz)$, 2045.
Borne, B.D., see Maeyer, J.T., 419
Borrás-Almenar, J.J., Coronado, E., Clemente-Juan, J.M., Palii, A. and Tsukerblat, B.S., Problem of the magnetic anisotropy in orbitally degenerate exchange and mixed-valence clusters, 2521
Borrás-Almenar, J.J., see Palii, A., 2537
Borrmann, H., see Janczak, J., 2689
Borsa, F., see Furukawa, Y., 2277
Borzov, M., see Krut'ko, D.P., 2885
Boskovic, C., see Sañudo, E.C., 2267
Bott, S.G., see van Poppel, L.H., 9
Boukheddaden, K., see Linares, J., 2453
Bousseksou, A., see Conséjo, C., 2441
Bower, J.F., Cotton, S.A., Fawcett, J., Hughes, R.S. and Russell, D.R., Praseodymium complexes of 2,2′-bipyridine; the crystal and molecular structures of $Pr(bipy)_3(NCS)_3$, $Pr(bipy)_2(NO_3)_3$, $Pr(bipy)_2Cl_3(OH_2)\cdot EtOH$ and $Pr(bipy)(S_2CNEt_2)_3$, 347
Bozic, B., see Querol, M., 655
Bradley, J.M., see Carling, S.G., 2317
Branco, J., see Carretas, J., 1425
Brandl, A.L., see Pereira, C.L.M., 2387
Brassington, D.S., see Beckett, M.A., 1627
Bravo, J., see Bolaño, S., 1711
Brechin, E.K., see Sañudo, E.C., 2267
Brechin, E.K., see Yang, E.-C., 1857
Brechin, E.K., Soler, M., Christou, G., Davidson, J., Hendrickson, D.N., Parsons, S. and Wernsdorfer, W., Magnetization tunneling in an enneanuclear manganese cage, 1771
Breunig, H.J., see Balázs, L., 1719
Breza, M., Biskupič, S. and Manová, A., On the structure of lead(II) complexes in aqueous solutions. Part IV. Binuclear clusters, 2863
Breza, M., On non-planarity of cyclotetraphosphazenes, 3243
Briody, J., see McCann, M., 1595
Brničević, N., Bašic, I., Hoxha, B., Planinić, P. and McCarley, R.E., Molybdenum and tungsten methoxo clusters with differently bonded methoxo groups. Crystal structure of $[Na(CH_3OH)_5]_2[Mo_6(\mu_3\text{-}Br)_8(OCH_3)_6]$, 1553
Brockman, J.T., Abboud, K.A., Hendrickson, D.N. and Christou, G., A new family of Mn_{12} single-molecule magnets: replacement of carboxylate ligands with diphenylphosphinates, 1765
Brodie, A.M., see Ainscough, E.W., 189
Brom, H.B., see Morello, A., 1745
Brook, D.J.R., see Stevens, J.E., 2241
Brooker, S., Iremonger, S.S. and Plieger, P.G., A new bis(phenol-armed) pyridazine-containing Schiff base ligand: synthesis, complexation and reduction to the amine ligand analogue, 665
Brough, A.R., see Smithson, R.J., 725
Brunner, H., Köllnberger, A. and Zabel, M., Optically active transition metal complexes. Part 133. Preparation, epimerization and crystallization of chiral-at-metal rhodium(III) half-sandwich complexes, 2639
Brunner, H., Zwack, T. and Zabel, M., Optically active transition metal complexes. Part 131. Synthesis and epimerization of chiral-at-metal (η^6-arene)ruthenium(II) and (η^6-arene)osmium(II) half-sandwich complexes, 861
Brylev, K.A., Naumov, N.G., Peris, G., Llusar, R. and Fedorov, V.E., Novel inorganic ionic compounds based on Re_6 chalcocyanide cluster complexes: synthesis and crystal structures of $[CuNH_3(trien)]_2[Re_6S_8(CN)_6]\cdot 7H_2O$, $[CuNH_3(trien)]_2[Re_6Se_8(CN)_6]$ and $[CuNH_3(trien)]_2[Re_6Te_8(CN)_6]\cdot H_2O$, 3383
Bugarčić, Ž., see Vasić, V., 279
Bukov, N.N., see Panyushkin, V.T., 271
Burghardt, T., see Wolter, A.U.B., 2139
Burrows, A.D., see Babb, J.E., 673
Butcher, R.J., see Saha, N.C., 375
Butcher, R.J., see Saha, N.C., 383
Byabartta, P., Jasimuddin, S.K., Mostafa, G., Lu, T.-H. and Sinha, C., The synthesis, spectral studies and electrochemistry of 1,10-(phenanthroline)-bis-{1-alkyl-2-(arylazo)imidazole}ruthenium(II) perchlorate. Single crystal X-ray structure of [Ru(phen)(Haai-

Me)$_2$]$(ClO_4)_2$ [phen=1,10-phenanthroline, HaaiMe=1-methyl-2-(phenylazo)imidazole], 849
Caballol, R., see Taratiel, D., 2409
Cabrero, A., see García-Raso, Á., 403
Cabrero, J., see Taratiel, D., 2409
Čakar, M., see Vasić, V., 279
Calle, E., see del Pilar García Santos, M., 1059
Camiolo, S., see Sessler, J.L., 2963
Campian, M., see Haiduc, I., 2895
Campo, J., see Luzón, J., 2301
Campo, J., Luzón, J., Palacio, F., Millán, A. and McIntyre, G.J., Superexchange interaction enhanced through spin delocalisation in $Rb_2FeBr_5{\cdot}H_2O$ as studied by polarised neutron diffraction, 2297
Cañada-Vilalta, C., see Basler, R., 2471
Cao, R., see Zhou, Y.-F., 1231
Carballo, R., see Amoedo-Portela, A., 1077
Carballo, R., see Bolaño, S., 1711
Carballo, R., see Rojas-González, P.X., 1027
Carballo, R., see Sánchez-Moreno, M.J., 1039
Carballo, R., Covelo, B., García-Martínez, E., Vázquez-López, E.M., Castiñeiras, A. and Niclós, J., The interaction of 2-methyllactic acid (H_2mL) with divalent metal cations. The structures of $[M(HmL)_2(H_2O)_2]$, M=Mn(II), Zn(II), 1051
Carling, S.G., Bradley, J.M., Visser, D. and Day, P., Magnetic and structural characterisation of the layered materials $AMnFe(C_2S_2O_2)_3$, 2317
Carlos, L.D., see Soares-Santos, P.C.R., 3529
Carlos, R.M., see Santiago, M.O., 3205
Carlton, L., see Circu, V., 3293
Carmalt, C.J., see Binions, R., 1683
Carmalt, C.J., Dinnage, C.W., Parkin, I.P., Peters, E.S., Molloy, K. and Colucci, M.A., The use of hexamethyldisilathiane for the synthesis of transition metal sulfides, 1255
Carmalt, C.J., Mileham, J.D., White, A.J.P., Williams, D.J. and Rushworth, S., Synthetic and structural studies on aluminium thiolate complexes, 2655
Carmalt, C.J., Parkin, I.P. and Peters, E.S., Atmospheric pressure chemical vapour deposition of WS_2 thin films on glass, 1499
Carmalt, C.J., Parkin, I.P. and Peters, E.S., Atmospheric pressure chemical vapour deposition of TiS_2 thin films on glass, 1263
Carretas, J., Branco, J., Marçalo, J., Domingos, Â. and Pires de Matos, A., Europium(II) and ytterbium(II) aryloxide chemistry: synthesis and crystal structure of $[Eu(OC_6H_3Bu^t_2\text{-}2,6)_2(THF)_3]{\cdot}0.75C_7H_8$ and $[Yb(OC_6H_3Bu^t_2\text{-}2,6)_2(NCMe)_4]$, 1425
Carroll, P.J., see Lalrempuia, R., 605
Carroll, P.J., see Lalrempuia, R., 1391
Carvalho, R.M., see Pérez, E.R., 3289
Casado, J., see del Pilar García Santos, M., 1059
Casas, J.S., see Amoedo-Portela, A., 1077
Casas, J.S., Castiñeiras, A., Condori, F., Couce, M.D., Russo, U., Sánchez, A., Seoane, R., Sordo, J. and Varela, J.M., Diorganotin(IV)-promoted deamination of amino acids by pyridoxal: SnR_2^{2+} complexes of pyridoxal 5′-phosphate and of the Schiff base pyridoxal-pyridoxamine (PLPM) and antibacterial activities of PLPM and $[SnR_2(PLPM\text{-}2H)]$ (R=Me, Et, Bu, Ph), 53
Casas, J.S., Castiñeiras, A., Parajó, Y., Pérez-Parallé, M.L., Sánchez, A., Sánchez-González, A. and Sordo, J., Pd(II) and Pt(II) complexes of 2,2′-biimidazole and its *N*,*N*′-dimethyl derivative. The crystal structure of $[\{PtBr(DMSO)\}_2(Me_2bim)]$ (Me_2bim=*N*,*N*′-dimethyl-2,2′-biimidazole), 1113
Castiñeiras, A., see Fostiak, L.M., 83
Castiñeiras, A., see Casas, J.S., 1113
Castiñeiras, A., see Sánchez-Moreno, M.J., 1039
Castiñeiras, A., see Rojas-González, P.X., 1027
Castiñeiras, A., see Carballo, R., 1051
Castiñeiras, A., see Casas, J.S., 53
Castiñeiras, A., see Bermejo, E., 1147
Castro, J., see Beloso, I., 1099
Castro, J.A., see García-Raso, Á., 403
Chaboussant, G., see Basler, R., 2471
Chakov, N.E., Abboud, K.A., Zakharov, L.N., Rheingold, A.L., Hendrickson, D.N. and Christou, G., Reaction of $[Mn_{12}O_{12}(O_2CR)_{16}(H_2O)_4]$ single-molecule magnets with non-carboxylate ligands, 1759
Chakraborty, I., see Das, S., 901
Chakravorty, A., see Das, S., 901
Chand, B., see Ray, U., 2587
Chand, B., Ray, U., Santra, P.K., Mostafa, G., Lu, T.-H. and Sinha, C., Synthesis, spectral characterization and X-ray crystal structures of mercury(II)-azoimine compounds, 1205
Chand, B.G., Ray, U.S., Mostafa, G., Lu, T.-H., Falvello, L.R., Soler, T., Tomás, M. and Sinha, C., Anion-directed structural diversity in the complexes of Cd(II)-arylazoimidazole: syn- thesis, spectral characterization and crystal structure, 3161
Chand, B.G., Ray, U.S., Cheng, J., Lu, T.-H. and Sinha, C., Studies on the zinc(II)-azoimine system. Single-crystal X-ray structure of $Zn(MeaaiMe)Cl_2{\cdot}H_2O$ and $Zn(HaaiMe)_2(NCS)_2$ (MeaaiMe=1-methyl-2-(*p*-tolylazo)imidazole, HaaiMe=1-methyl-2-(phenylazo) imidazole), 1213
Chandra, S.K., see Deoghoria, S., 257
Chaney, C.P., Hibbard, L.E.T., Horne, K.T., Howe, T.L.C., Powell, G.L. and Thurman, D.W., Preparation and crystal structures of dirhenium face-sharing bioctahedral complexes $Re_2(\mu\text{-}SR)_3X_4(PR_3)_2$, R=methyl, ethyl or phenyl and X=Cl or Br, 2625
Chantrapromma, S., see Dinda, J., 247
Chantrapromma, S., see Zhang, X.-J., 397
Chapman, K.W., see Kumagai, H., 1921
Chapon, L., see Bordallo, H.N., 2045
Chattopadhyay, S., see Maiti, N., 3109
Chaudhuri, S., see Ray, M.S., 617
Chaudhuri, S., see Saha, N.C., 375
Chaudhuri, S., see Saha, N.C., 383
Chaudhury, S., see Dey, S., 489
Chen, J., see Akashi, H., 2847
Chen, J.-H., see Lee, Y.-Y., 1633
Chen, M., see Yang, D.-X., 925
Chen, R., Bacsa, J. and Mapolie, S.F., {*N*-alkyl-*N*-[pyridin-2-ylmethylene] amine}dichloro palladium(II) complexes: synthesis, crystal structures and evaluation of their catalytic activities for ethylene polymerization, 2855
Chen, S.-M., see Wu, C.-D., 3091
Chen, X.-T., see Shi, Y.-J., 917
Cheng, J., see Chand, B.G., 1213
Cheng, J., see Ray, U., 2587
Cheng, G.-Z., see Yang, L.-F., 3547
Cheng, L., see Zhou, Shuang-L., 1019
Cheng, P., see Bian, H.-D., 2927
Cheng, P., see Dong, W., 3315
Cheng, Y.-X., see Tao, R.-J., 2911
Chérioux, F., Thomas, C.M., Monnier, T. and Süss-Fink, G., Specific reactivity of SH versus OH functions towards dinuclear arene ruthenium units: synthesis of cationic complexes of the type $[(arene)_2Ru_2(SR)_3]^+$, 543
Chiang, M.Y., see Dong, T.-Y., 1199
Chii, C.O.W., see Morris, D.G., 3345
Chippindale, A.M., see Vaqueiro, P., 2839
Chisholm, M.H., Davidson, E.R. and Quinlan, K.B., An investigation into the relative influence of alkoxide and thiolate ligands on the metal–carbon triple bond in $X_3M{\equiv}CH$ compounds, where M=Cr, Mo and W and X=OH, SH, OCH_3, SCH_3, OCF_3 and SCF_3 from electronic structure calculations, 145
Chisholm, M.H., Gallucci, J., Navarro-Llobet, D. and Zhen, H., Further investigation of the ring-opening polymerization of propylene oxide. Catecholate derivatives of Zn(II) and Al(III), 557

Choquesillo-Lazarte, D., see Rojas-González, P.X., 1027
Choquesillo-Lazarte, D., see Sánchez-Moreno, M.J., 1039
Christou, G., see Basler, R., 2471
Christou, G., see Brechin, E.K., 1771
Christou, G., see Brockman, J.T., 1765
Christou, G., see Chakov, N.E., 1759
Christou, G., see Deoghoria, S., 257
Christou, G., see Edwards, R.S., 1911
Christou, G., see Evangelisti, M., 2169
Christou, G., see Rumberger, E.M., 1865
Christou, G., see Sañudo, E.C., 2267
Christou, G., see Soler, M., 1783
Christou, G., see Soler, M., 1777
Christou, G., see Tasiopoulos, A.J., 133
Christou, G., see Yang, E.-C., 1727
Christou, G., see Yang, E.-C., 1857
Chung, C.-S., see Lu, T.-H., 535
Churakov, A., see Krut'ko, D.P., 2885
Chutia, P., Sharma, M., Das, P., Kumari, N., Woollins, J.D., Slawin, A.M.Z. and Dutta, D.K., Carbonyl complexes of ruthenium(II) with unsymmetrical phosphine–phosphinesulfide ligands of the type $Ph_2P(CH_2)_nP(S)Ph_2$, n=1–4, 2725
Cieslak-Golonka, M., see Maciejewska, G., 1415
Cini, R., see Defazio, S., 1355
Circu, V., Fernandes, M.A. and Carlton, L., Reactions of $[Rh(Tp^*)(PPh_3)_2]$ (Tp^* = hydrotris(3,5-dimethylpyrazolyl)-borate) involving fragmentation or loss of Tp^*. Structures of $[Rh(Cl)_2(H)(PPh_3)_2(pz^*)]$, $[(PPh_3)_2Rh(\mu\text{-}SC_6F_5)_2Rh(SC_6F_5)(H)(PPh_3)(pz^*)]$ (pz^* = 3, 5-dimethylpyrazole) and $[\{Rh(Cl)_2(PPh_3)_2\}_2Hg]$, 3293
Cisaová, I., see Haber, V., 3451
Ciunik, Z., see Kisala, J., 1645
Ciunik, Z., see Moszner, M., 3195
Ciunik, Z., see Ruman, T., 581
Ciurtin, D.M., Smith, M.D. and zur Loye, H.-C., New one- and two-dimensional cadmium iodide/pyrazinecarboxylate-based coordination polymers, 3043
Clark, D.L., see Giesbrecht, G.R., 153
Clarke, M.L., Slawin, A.M.Z. and Woollins, J.D., Platinum complexes of tertiary amine functionalised phosphines, 19
Clegg, W., see Liddle, S.T., 3507
Clemente, D.A., see Marzotto, A., 1289
Clemente-Juan, J.M., see Borrás-Almenar, J.J., 2521
Clemente-Juan, J.M., see Palii, A., 2537
Clemente-Juan, J.M., see Suaud, N., 2331
Clemente-León, M., Coronado, E., Forment-Aliaga, A., Martínez-Agudo, J.M. and Amorós, P., Mn_{12} single-molecule magnets incorporated into mesoporous MCM-41 silica, 2395
Codjovi, E., see Jeftić, J., 2155
Coles, M.P., see Soria, D.B., 2731
Coles, S.J., see Beckett, M.A., 1627
Coles, S.J., see Paver, M.A., 211
Coles, S.J., Denuault, G., Gale, P.A., Horton, P.N., Hursthouse, M.B., Light, M.E. and Warriner, C.N., Mono- and bis-ferrocene 2,5-diamidopyrrole clefts: solid-state assembly, anion binding and electrochemical properties, 699
Colucci, M.A., see Carmalt, C.J., 1255
Concolino, T.R., see Sañudo, E.C., 2267
Condori, F., see Casas, J.S., 53
Conséjo, C., Molnár, G., Goiran, M. and Bousseksou, A., Two-level Ising-like model for spin-crossover phenomenon including the magnetic field effect: the mean-field approximation and Monte Carlo resolutions, 2441
Constable, E.C., Housecroft, C.E., Neuburger, M., Poleschak, I. and Zehnder, M., Functionalised 2,2′-bipyridine ligands for the preparation of metallostars; X-ray structures of free ligands and preparation of copper(I) and silver(I) complexes, 93
Constable, E.C., Kariuki, B. and Mahmood, A., New approaches to sugar-functionalised 2,2′:6′,2″-terpyridines based upon tetrafluorophenoxy spacers; crystal and molecular structures of 4′-(tetrafluoro-4-hydroxyphenyl)-2,2′:6′,2″-terpyridine and 4′-(4-methoxytetrafluorophenyl)-2,2′:6′,2″-terpyridine, 687
Contreras, L., see Silber, H.B., 3439
Cope-Eatough, E.K., Mair, F.S., Pritchard, R.G., Warren, J.E. and Woods, R.J., Palladium co-ordination chemistry of β-diimines: a preparative and structural comparison with α-diimines, 1447
Coronado, E., Giménez, M.C., Gómez-García, C.J. and Romero, F.M., Synthesis, crystal structure and magnetic properties of $[Cr_2Cu_2(bpy)_4(ox)_5]\cdot 2H_2O$. An oxalato-bridged heterometallic tetramer, 3115
Coronado, E., Giménez-López. M.C., Gimenez-Saiz, C., Martinez-Agudo, J.M and Romero, FM., Synthesis, structure and magnetic properties of iron (II), cobalt (II) and nickel (II) complexes of 2,6-bis(pyrazol-3-yl)pyridiene and paramagnetic counterions, 2375
Coronado, E., see Borrás-Almenar, J.J., 2521
Coronado, E., see Clemente-León, M., 2395
Coronado, E., see Jagličić, Z., 2293
Coronado, E., see Palii, A., 2537
Coronado, E., see Suaud, N., 2331
Coronado, E., Galán-Mascarós, J.R., Giménez-Saiz, C., Gómez-García, C.J., Martínez-Agudo, J.M. and Martínez-Ferrero, E., Magnetic properties of hybrid molecular materials based on oxalato complexes, 2381
Coronado, E., Giménez-Saiz, C., Martínez-Agudo, J.M., Nuez, A., Romero, F.M. and Stoeckli-Evans, H., Design of chiral magnets: cyanide-bridged bimetallic assemblies based on cyclohexane-1,2-diamine, 2435
Coronado, E., Klokishner, S., Reu, O. and Tsukerblat, B., A pseudo-Jahn–Teller model of the photochromic effect in sodium nitroprusside, 2527
Costa, W., see Novak, M.A., 2391
Cotton, S.A., see Bower, J.F., 347
Cotton, S.A., Franckevicius, V., How, R.E., Ahrens, B., Ooi, L.L., Mahon, M.F., Raithby, P.R. and Teat, S.J., Synthesis of complexes of 2,2′:6′,2″-terpyridine and 1,10-phenanthroline with lanthanide thiocyanates; the molecular structures of $[Ln(terpy)_2(NCS)_3]$ (Ln=Pr, Nd), $[Nd(terpy)_2(NCS)_3]\cdot 2EtOH$ and $[Ln(phen)_3(NCS)_3]\cdot EtOH$ (Ln=Pr, Nd), 1489
Couce, M.D., see Casas, J.S., 53
Covelo, B., see Carballo, R., 1051
Cowley, A.R., see Beer, P.D., 795
Coyle, B., see McCann, M., 1595
Cragg, P.J., see Magennis, S.W., 745
Craig, J., see Magennis, S.W., 745
Crespo, M., Evangelio, E., Font-Bardía, M., Pérez, S. and Solans, X., Oxidative addition of methyl iodide to dimethylplatinum (II) compounds containing bulky and/or chiral ligands. Crystal structure of compound $[PtMe_3I\{1\text{-}(Me_2NCH_2\ CH_2NCH)C_{10}H_7\}]$, 3363
Cui, X., see Hou, X., 1249
Cui, Y., see Zhang, Y., 1241
Culp, J.T., Park, J.-H., Meisel, M.W. and Talham, D.R., Interface directed assembly of cyanide-bridged Fe–Co and Fe–Mn square grid networks, 3059
Culp, J.T., Park, J.-H., Benitez, I.O., Meisel, M.W. and Talham, D.R., Two applications of metal cyanide square grid monolayers: studies of evolving magnetic properties in layered films and templating Prussian blue family thin films, 2125

Dalal, N.S., see Hill, S., 1889
Dalal, N.S., see Hill, S., 1897
Daneshvar, N., Entezami, A.A., Khandar, A.A. and Saghatforoush, L.A., Synthesis and characterization of copper(II) complexes with dissymmetric tetradentate Schiff base ligands derived from

aminothioether pyridine. Crystal structures of [Cu(pytIsal)]-ClO_4·0.5CH_3OH and [Cu(pytAzosal)]ClO_4, 1437
Daniele, S., Hubert-Pfalzgraf, L.G. and Vaissermann, J., Synthesis, characterisation and grafting onto silica of alkoxide–triflate lanthanum complexes. Molecular structure of La(OC_6H_3-2,6-$Me_2)_2(\eta^1$-O_3SCF_3)(tetraglyme), 127
Darkwa, J., see Li, K., 805
Das, P., see Chutia, P., 2725
Das, S., Chakraborty, I. and Chakravorty, A., Chemistry of azopyrimidine chelates of $Re^{V}O$, $Re^{III}OPPh_3$ and $Re^{V}NAr$, 901
Davidson, E.R., see Chisholm, M.H., 145
Davidson, J., see Brechin, E.K., 1771
Davies, J.E., see Paver, M.A., 211
Davies, R.J.H., see Gunnlaugsson, T., 711
Day, P., see Carling, S.G., 2317
Day, P., see Sugano, T., 2343
Dayan, E., see Viossat, V., 1461
De Bellis, V.M., see Oliveira, M.R.L., 1561
De Bellis, V.M., see Perpétuo, G.J., 3355
de Graaf, C., see Taratiel, D., 2409
de Hoog, P., see Gamez, P., 205
de Jongh, L.J., see Evangelisti, M., 2169
de Jongh, L.J., see Morello, A., 1745
de Miguel, Y.R., see Judkins, C.M.G., 3
de Miranda, J.L. and Felcman, J., Study on guanidino–carboxylate interactions in copper(II) ternary complexes of guanidinoacetic acid with glutamic and aspartic acids, 225
de Sousa, A.G., see Bomfim, J.A.S., 1567
de Souza, F.P., see Bomfim, J.A.S., 1567
Decinti, A., see Zolezzi, S., 1653
Defazio, S. and Cini, R., Synthesis, X-ray structural characterization and solution studies of metal complexes containing the anti-inflammatory drugs meloxicam and tenoxicam, 1355
del Pilar García Santos, M., Calle, E. and Casado, J., A method for the kinetic study of amino acid nitrosation reactions, 1059
DelaRosa, M.J., see Ngo, S.C., 1575
Delcheva, A., see Landee, C.P., 2325
Delgado, F.S., see Pasán, J., 2143
Delgado, F.S., see Ruiz-Pérez, C., 2111
Demšar, A., see Pevec, A., 575
Demishev, S., see Spitsina, N., 2009
Denuault, G., see Coles, S.J., 699
Deoghoria, S., Sain, S., Soler, M., Wong, W.T., Christou, G., Bera, S.K. and Chandra, S.K., Synthesis, crystal structure and magnetic properties of a new ferromagnetic nickel(II) dimer derived from a hexadentate Schiff base ligand, 257
Deplano, P., Marchiò, L., Mercuri, M.L., Pilia, L., Serpe, A. and Trogu, E.F., New nickel dithiolene–diselenolene complexes obtained from 3,4-dichloro-1,2,5-thiadiazole X-ray structure of $(Bu_4N)_2[Ni(C_2N_2S_{2.2}Se_{0.8})_2]$, 2175
Derwahl, A., see Ainscough, E.W., 189
DeSouza, J., see Rampaul, A., 35
Desseyn, H.O., see Diamantopoulou, E., 825
Detka, K., see Barszcz, B., 1329
Deumal, M., Landee, C.P., Novoa, J.J., Robb, M.A. and Turnbull, M.M., Through space magnetic exchange in tetrabromocuprates: theoretical considerations, 2235
Deumal, M., Robb, M.A. and Novoa, J.J., The mechanism of the magnetic interaction in the β phase of the *p*-(nitro)phenyl nitronyl nitroxide (KAXHAS). A bottom-up study using only ab initio data, 1935
Devereux, M., McCann, M., Leon, V., Kelly, R., O Shea, D. and McKee, V., Synthesis and in vitro anti-microbial activity of manganese (II) complexes of 2,2-dimethylpentanedioic and 3,3-dimethylpentanedioic acid: X-ray crystal structure of $[Mn(3dmepda)(phen)_2]\cdot 7.5H_2O$ (3dmepdaH_2 = 3,3-dimethylpentanedioic acid and phen = 1,10-phenanthroline), 3187
Devereux, M., see McCann, M., 1595
Dewhirst, W.E., see Nathan, L.C., 887
Dey, M., Rao, C.P., Saarenketo, P.K., Rissanen, K., Kolehmainen, E. and Guionneau, P., Mn(IV) and Co(III)-complexes of –OH-rich ligands possessing O_2N, O_3N and O_4N cores: syntheses, characterization and crystal structures, 3515
Dey, S., Jain, V.K., Chaudhury, S., Knoedler, A. and Kaim, W., Synthesis and structure of bis(2-*N*,*N*-dimethylamioethyl-selenolato)zinc and its transformation to ZnSe, 489
Diamantopoulou, E., Papaefstathiou, G.S., Terzis, A., Raptopoulou, C.P., Desseyn, H.O and Perlepes, S.P., Hydrogen bonded network based on lanthanide(III) complexes of *N*,*N*′-dimethylurea (DMU): preparation, characterisation,and crystal structures of $[Nd(DMU)_6][Ndcl_6]$ and $[Nd(NO_3)_3(DMU)_3]$, 825
Dias, J.C., see Ribas, X., 2415
Dias, J.C., Morgado, J., Alves, H., Lopes, E.B., Santos, I.C., Duarte, M.T., Henriques, R.T., Almeida, M., Ribas, X., Rovira, C. and Veciana, J., Magnetic and electrical properties of $(DT\text{-}TTF)_4[Au(pds)_2]_3$, 2447
Dietzsch, W., see Law, N.A., 3423
Dikarev, E., see Toscano, P.J., 2809
Dinda, J., Bag, K., Sinha, C., Mostafa, G. and Lu, T.-H., Napthylazoimidazole and mercury(II) complexes. Single crystal X-ray structure of 1-ethyl-2-(naphthyl-α-azo)imidazolium hexafluorophosphate, 1367
Dinda, J., Ray, U., Mostafa, G., Lu, T.-H., Usman, A., Razak, I.A., Chantrapromma, S., Fun, H.-K. and Sinha, C., Copper(I)–azoimidazoles: a comparative account on the structure and electronic properties of copper(I) complexes of 1-methyl-2-(phenylazo)imidazole and 1-alkyl-2-(naphthyl-(α/β)-azo)imidazoles, 247
Dinda, R., see Rana, A., 3075
Dinda, R., see Sengupta, P., 447
Diniz, R., see Oliveira, M.R.L., 1561
Dinnage, C.W., see Carmalt, C.J., 1255
Divakar, U., see Pratt, F.L., 2307
Djuran, M.I., see Rychlewska, U., 3265
Djuran, M.I., see Radanović, D.D., 2745
Djurovich, P., see Silber, H.B., 3439
Dobrzycki, Ł., see Eilmes, J., 3299
Doi, K., see Ichimura, T., 2557
Domasevitch, K., see Shtemenko, A., 1547
Domasevitch, K., see Trush, E.A., 1221
Domingo, N., Gerbier, P., Gómez, J., Ruiz-Molina, D., Amabilino, D.B., Tejada, J. and Veciana, J., Synthesis and characterization of a new chiral nanomagnet, 2355
Domingos, À., see Carretas, J., 1425
Dominko, R., see Jagličić, Z., 2293
Dong, T.-Y., Huang, B.-R., Lin, M.-C. and Chiang, M.Y., A functionalized pyridinyl ligand containing binuclear biferrocene, 1199
Dong, W., Wang, Q.-L., Liu, Z.-Q., Liao, D.-Z., Jiang, Z.-H., Yan, S.-P. and Cheng, P., Syntheses, structures and magnetic properties of 1-D complex $\{[Ni(\mu_{1,5}\text{-dca})(pn)_2](ClO_4)\}_n$, 2-D complex$[Mn(\mu_{1,5}\text{-dca})_2(phen)]_n$ and 3-D complex $[Mn(\mu_{1,5}\text{-dca})_2L]_n$ (dca = dicyanamide, $N(CN)_2^-$; pn = 1,3-propane diamine;phen = phenanthroline; L = 4,4′-ditriazole methane), 3315
Dong, Z.-C., see Ying, S.-M., 3097
Doxiadi, E., Vilar, R., White, A.J.P. and Williams, D.J., Anion-templated synthesis and structural characterisation of Ni/Pd-containing metalla-macrocycles, 2991
Drabent, K., see Kisala, J., 1645
Drake, J.E., see Ghesner, I., 3395
Drake, J.E., see Sharma, N., 2943
Draper, N.D., see Leznoff, D.B., 1735
Drašković, N.S., see Radanović, D.D., 2745
Drew, A., see Pratt, F.L., 2307
Drew, M.G.B., see Banerjee, S., 2933

Drew, M.G.B., see Soares-Santos, P.C.R., 3529
Driessen, W.L., see Gamez, P., 205
Du, W.-X., see Fu, R.-B., 2739
Duan, C.-Y., see Xie, J.-L., 299
Duarte, M.T., see Dias, J.C., 2447
Duati, M., see Duff, T., 775
Duff, T., Grüßing, A., Thomas, J.-L., Duati, M. and Vos, J.G., Luminescent anion recognition: probing the interaction between dihydrogenphosphate anions and Ru(II) polypyridyl complexes in organic and aqueous media, 775
Duffy, N., see Law, N.A., 3423
Dunbar, K.R., see Bera, J.K., 3009
Dunbar, K.R., Schelter, E.J., Tsukerblat, B.S., Ostrovsky, S.M., Mirovitsky, V.Y. and Palii, A., Magnetic properties of complex d^1 and d^5 ions: crystal field model and Jahn–Teller effect, 2545
Dung, N.-H., see Viossat, V., 1461
Dupont, J., see Zanini, M.L., 1665
Dutta, D.K., see Chutia, P., 2725
Dzięgielewski, J.O., Michalik, S., Kruszynski, R., Bartczak, T.J. and Kusz, J., The syntheses, crystal, molecular and elec- tronic structures of two polymorphs of $[ReCl_2(N_2COPh)(C_3N_2H_4)(PPh_3)_2]$ and $[Re\ Cl_2(N_2COPh)(py)(PPh_3)_2]$ complexes, 3307
Dzięgielewski, J.O., see Machura, B., 2573
Dziegielewski, J.O., see Machura, B., 2869

Ebeling, G., see Zanini, M.L., 1665
Ebihara, M., Iiba, M., Higashi, S., Tsuzuki, N., Kawamura, T., Morioka, T., Ozawa, S., Yamabe, T. and Masuda, H., Benzylidyne-capped group 9 trinuclear clusters: synthesis, structure and properties of trirhodium and cobalt–rhodium mixed-metal clusters $[Co_{3-n}Rh_nCp_3(\mu_3\text{-}CPh)_2]$ ($n = 1, 2, 3$), 3413
Edwards, R.S., see Hill, S., 1889
Edwards, R.S., see Hill, S., 1897
Edwards, R.S., see Rumberger, E.M., 1865
Edwards, R.S., see Yang, E.-C., 1727
Edwards, R.S., Hill, S., Bhaduri, S., Aliaga-Alcalde, N., Bolin, E., Maccagnano, S., Christou, G. and Hendrickson, D.N., A comparative high frequency EPR study of monomeric and dimeric Mn_4 single-molecule magnets, 1911
Eichler, A., see Wolter, A.U.B., 2139
Eilmes, J., Ptaszek, M., Dobrzycki, Ł. and Woźniak, K., New alkoxycarbonyl derivatives of dibenzo- tetraaza[14]annulene. Crystal and molecular structure of [5,14-dihydro-7,16-diisopropoxycarbonyl-8,15-dimethyl-6,17-diphenyldi benzo [b,i][1,4,8,11]tetraazacyclotetradecinato(2-)-κ^4N]nickel(II), 3299
El-khateeb, M., Asali, K.J. and Lataifeh, A., Half sandwich iron S-bonded mono-thiocarbonate complexes: structure of $CpFe(CO)_2SCO_2Et$, 3105
El-khateeb, M., Jibril, I., Barakat, H., Rheinwald, G. and Lang, H., Controlled synthesis of mono-substituted diphosphine iron thiocarboxylate complexes $CpFe(CO)(Ph_2P(CH_2)_nPPh_2)SCOR$ [n =1 (dppm), $n = 2$ (dppe)]. X-ray crystal structure of $CpFe(CO)(dppm\text{-}S)SCO\text{-}3,5\text{-}(NO_2)_2C_6H_3$, 3445
Elliott, N., see Rampaul, A., 35
Ellis, D., see Robertson, S., 1293
El-Mashtoly, S.F., see Attia, A.S., 895
El-Shahat, M.F., see Attia, A.S., 895
Eltsov, I., see Tretyakov, E., 2499
Enachescu, C., see Linares, J., 2453
Enkelmann, V., see Zoppellaro, G., 2099
Enlow, M., Ab-initio studies of cyclic phosphazine systems $(NPX_2)_n$. A study of the structure and bonding in such systems and a search for model systems for the polymer, 473
Enoki, T., see Miyazaki, A., 2227
Enoki, T., see Nishijo, J., 1755
Enomoto, K., see Miyazaki, A., 2227
Entezami, A.A., see Daneshvar, N., 1437
Ephritikhine, M., see Berthet, J.-C., 3475
Ephritikhine, M., see Salmon, L., 2683
Epstein, A.J., see Etzkorn, S.J., 1751
Ercag, A., see Sert, S., 1689
Espinosa, E., see García-Raso, Á., 3255
Esteban, D., Avecilla, F., Platas-Iglesias, C., Blas, A.d. and Rodríguez-Blas, T., Synthesis and structural characterisation of lead(II) isothiocyanate complexes with receptors derived from 1,10-diaza-15-crown-5, 2709
Etzkorn, S.J., Hibbs, W., Miller, J.S. and Epstein, A.J., Anomalous cluster glass behavior in a quasi-one-dimensional organic-based magnet, 1751
Evangelio, E., see Crespo, M., 3363
Evangelisti, M., Luis, F., Mettes, F.L., Aliaga, N., Aromí, G., Christou, G. and de Jongh, L.J., Through quantum tunneling to dipolar order: the effect of varying magnetic anisotropy in three structurally related Mn_4 molecular clusters, 2169
Evans, W.J., Johnston, M.A., Greci, M.A., Gummersheimer, T.S. and Ziller, J.W., Divalent lanthanide complexes free of coordinating anions: facile synthesis of fully solvated dicationic $[LnL_x]^{2+}$ compounds, 119

Fábry, J., see Haber, V., 3451
Fagalde, F., see Mellace, M.G., 369
Fagalde, F., see Posse, M.E.G., 465
Falaras, P., see Tomsa, A.-R., 2901
Falk, K., see Looney, C.W., 3339
Falqui, A., see Gilbert, I., 2457
Falvello, L.R., see Chand, B.G., 3161
Fan, D., see Lee, P.F., 2781
Fang, J.-L., see Hu, D.-H., 2661
Faure, R., see Acuña-Cueva, E.R., 483
Fawcett, J. and Platt, A.W.G., Structures and catalytic properties of complexes of *bis*(diphenylphino)methane dioxide with scandium and lanthanide trifluoromethane sulfonates, 967
Fawcett, J., see Bower, J.F., 347
Fawcett, J., Platt, A.W.G. and Vickers, S., Synthesis of tripodal *tris*-phosphonate ligands and the structure of the dimeric complex $[Ce(NO_3)_3\{(EtO)_2P(O)CH_2)_3C_6Me_3\}_2$, 1431
Fedorov, V.E., see Brylev, K.A., 3383
Felcman, J., see de Miranda, J.L., 225
Félix, V., see Soares-Santos, P.C.R., 3529
Fenton, D.E., see Adams, H., 75
Fernández, A., see Vila, J.M., 241
Fernández-Botello, A., Holý, A., Moreno, V. and Sigel, H., Stability and structure of binary and ternary metal ion complexes in aqueous solution of the quaternary 1-[2-(phosphonomethoxy)ethyl] derivative of 2,4-diaminopyrimidine ($PMEDAPy^-$). Properties of an acyclic nucleotide analogue, 1067
Fernandes, M.A., see Circu, V., 3293
Fernandes, N.G., see Oliveira, M.R.L., 1561
Ferreira, A.M.D., see Sant'Ana, A.C., 1673
Fettouhi, M., see Isab, A.A., 1349
Feyerherm, R., see Wolter, A.U.B., 2139
Feyerherm, R., see Wolter, A.U.B., 2273
Filgueiras, C.A.L., see Bomfim, J.A.S., 1567
Filho, C.L. Donicci, see Santiago, M.O., 3205
Fiol, J.J., see García-Raso, Á., 3255
Fiol, J.J., see García-Raso, Á., 403
Fokin, S., see Tretyakov, E., 1965
Fokin, S., see Tretyakov, E., 2499
Font-Bardía, M., see Crespo, M., 3363
Forment-Aliaga, A., see Clemente-León, M., 2395
Formica, M., see Ambrosi, G., 1135
Fostiak, L.M., García, I., Swearingen, J.K., Bermejo, E., Castiñeiras, A. and West, D.X., Structural and spectral characterization of transition metal complexes of 2-pyridineformamide *N*(4)-dimethylthiosemicarbazone, 83

Freijanes, E., see Bolaño, S., 1711
Franckevicius, V., see Cotton, S.A., 1489
Fraústo da Silva, J.J.R., see Garnovskii, D.A., 1335
Freysz, E., see Ratera, I., 1851
Fröhlich, R., see Albrecht, M., 643
Fu, R.-B., Wu, X.-T., Hu, S.-M., Zhang, J.-J., Fu, Z.-Y. and Du, W.-X., Crystal structures of five transition-metal 1,4-butylenediphosphonates, 2739
Fu, Z.-Y., see Fu, R.-B., 2739
Fucassi, F., see Magennis, S.W., 745
Fujii, Y., see Zhang, Y.-H., 1377
Fujita, M., see Yamada, Y., 1507
Fujita, W., see Okuno, T., 2311
Fukui, K., see Morita, Y., 2199
Fukui, K., see Morita, Y., 2205
Fukui, K., see Morita, Y., 2209
Fukui, K., see Morita, Y., 2215
Fun, H.-K., see Dinda, J., 247
Fun, H.-K., see Hu, D.-H., 2661
Fun, H.-K., see Zhang, X.-J., 397
Fursova, E., Romanenko, G., Ikorskii, V. and Ovcharenko, V., Copper(II) complexes with imidazol-4-yl derivatives of 2-imidazoline nitroxides, 1957
Furukawa, Y., Kawakami, S., Aizawa, K., Kumagai, K. and Borsa, F., Isotope substitution effects on spin dynamics of the molecular nanomagnet Fe8 cluster studied by NMR, 2277
Furuta, H., see Sessler, J.L., 2963
Fusi, V., see Ambrosi, G., 1135
Fuyuhiro, A., see Morita, Y., 2199

Gaberšček, M., see Jagličić, Z., 2293
Gábor Ágoston, C., Miskolczy, Z., Nagy, Z. and Sóvágó, I., The effect of ring size of fused chelates on the stability constants and spectroscopic properties of nickel(II) and palladium(II) complexes of peptides, 2607
Gabriela Ballinas-López, M., García-Báez, E. and Rosales-Hoz, M.J., Solid state structure and fluxionality in solution of $[H_4Ru_4(CO)_{11}L]$ ($L = P(C_6F_5)_3$, PMe_2Ph, $P(OMe)_3$ and $P(OEt)_3$): two different structures, 3403
Gahan, L.R., see Akbar Ali, M., 1471
Gahan, L.R., see Sharrad, C.A., 45
Gaita-Ariño, A., see Suaud, N., 2331
Galán-Mascarós, J.R., see Coronado, E., 2381
Gale, P.A., see Coles, S.J., 699
Gale, P.A., see Sessler, J.L., 2963
Galeriu, C., see Landee, C.P., 2325
Gallagher, J.F., see Lydon, D.P., 1281
Galli, S., see Navarro, E.J.A.R., 3051
Gallucci, J., see Chisholm, M.H., 557
Gama, V., see Alves, H., 2481
Gambardella, M.T.P., see Bomfim, J.A.S., 1567
Gambardella, M.T.P., see Pérez, E.R., 3289
Gamez, P., de Hoog, P., Lutz, M., Driessen, W.L., Spek, A.L. and Reedijk, J., The new multi-directional polydentate ligand 2,4,6-(dipyridin-2-yl-amino)-[1,3,5]triazine (dpyatriz) can discriminate between Zn(II) and Co(II) nitrate, 205
Gantzel, P., see Simón-Manso, E., 1641
Gao, S., see Wang, Z.-M., 433
Gao, S., see Xie, J.-L., 299
Gao, S., Liao, C.-S., Yan, C.-H. and Li, Y.Wang, Z.-M., Sun, B.-W., Luo, J., Bimetallic sandwiches assembled with chelated Cu/Zn cations and manganese dicyanamide polymeric ladders, 433
Gao, W., see Zhu, D.-S., 3523
García-Báez, E., see Gabriela Ballinas-López, M., 3403
García-Raso, Á., Fiol, J.J., Adrover, B., Tauler, P., Pons, A., Mata, I., Espinosa, E. and Molins, E., Reactivity of copper(II) peptide complexes with bioligands (benzimidazole and creatinine), 3255
Garcia-Raso, À., Fiol, J.J., López-Zafra, A., Castro, J.A., Cabrero, A., Mata, I. and Molins, E., Crystal structure of the copper(II) ternary complex of *N*-salicylidine-L-serinato with 2,6-diaminopyridine, 403
García, I., see Fostiak, L.M., 83
García, I., see Bermejo, E., 1147
García-Fontán, S., see Bolaño, S., 1711
García-Martínez, E., see Amoedo-Portela, A., 1077
García-Martínez, E., see Carballo, R., 1051
García-Raso, Á., Fiol, J.J., López-Zafra, A., Castro, J.A., Cabrero, A., Mata, I. and Molins, E., Crystal structure of the copper(II) ternary complex of *N*-salicylidene-L-serinato with 2,6-diaminopyridine. Toxicity studies against *Drosophila melanogaster*, 403
García-Vázquez, J.A., Pérez-Lourido, P., Romero, J. and Sousa, A.Beloso, I., Castro, J., Different coordinative behaviour of methyl-substituted 2-pyridylsulfonamide derivatives as ligands in zinc complexes, 1099
García-Vázquez, J.A., see Beloso, I., 1099
Gardner, A., see Magennis, S.W., 745
Garnovskii, A.D., see Garnovskii, D.A., 1335
Garnovskii, D.A., Guedes da Silva, M.F.C., Kopylovich, M.N., Garnovskii, A.D., Fraústo da Silva, J.J.R. and Pombeiro, A.J.L., Electrochemical synthesis of adducts of 2-aminopyridine or methanol in metal chelates of a *N,N,N*-tridentate Schiff base ligand. X-ray crystal structures of the Ni(II) and Zn(II) derivatives, 1335
Ge, C.-H., Zhang, X.-D., Zhang, P., Guan, W., Guo, F. and Liu, Q.-T., Construction of coordination polymers by different conformational flexible pyridyl-type ligands and copper (II) ions, 3493
Geies, A., see Zoppellaro, G., 2099
Gelbrich, T., see Beckett, M.A., 1627
Gelbrich, T., see John Plater, M., 3171
George, R.G. and Padmanabhan, M., Studies on some new *meso*-aryl substituted octabromo-porphyrins and their Zn(II) derivatives, 3145
Gerbier, P., see Domingo, N., 2355
Gerbier, P., Ruiz-Molina, D., Gómez, J., Wurst, K. and Veciana, J., Examining the thermolysis reactions of nanoscopic Mn_{12} single molecule magnets, 1951
Ghesner, I., Soran, A., Silvestru, C. and Drake, J.E., Trimethylantimony(V) tetraphenyldichalcog-enoimidodiphosphinates: crystal structure of $Me_3Sb[O\text{-}PPh_2{=}N\text{-}PPh_2{=}S]_2$, a compound containing true *O*-monometallic mono-connective phosphorus ligands with XPNPY skeleton, 3395
Ghesner, I., see Balázs, L., 1719
Ghosh, A., see Banerjee, S., 2933
Ghosh, A., see Ray, M.S., 617
Ghosh, S., see Rana, A., 3075
Ghosh, S., see Sengupta, P., 447
Giesbrecht, G.R., Gordon, J.C., Clark, D.L., Hijar, C.A., Scott, B.L. and Watkin, J.G., Neutral and anionic transition metal complexes supported by decafluorodiphenylamido ligands: X-ray crystal structures of $Na(THF)_2\{Ti[N(C_6F_5)_2]_4$, $K(\eta^6\text{-}C_6H_5Me)_2ZrCl_2[N(C_6F_5)_2]_3$, $KVCl[N(C_6F_5)_2]_3$, $Fe[N(C_6F_5)_2]_2(THF)_2$ and $Co[N(C_6F_5)_2]_2(py)_2$, 153
Gilbert, I., Millán, A., Palacio, F., Falqui, A., Snoeck, E. and Serin, V., Magnetic properties of maghemite nanoparticles in a polyvinylpyridine matrix, 2457
Gillon, B., see Jeftić, J., 2155
Gilmore, J.M., see Nathan, L.C., 887
Giménez, M.C., see Coronado, E., 3115
Giménez-López, M.C., see Coronado, E., 2375
Giménez-Saiz, C., see Coronado, E., 2381
Giménez-Saiz, C., see Coronado, E., 2435
Giménez-Saiz, C., see Alves, H., 2481
Gimenez-Saiz, C., see Coronado, E., 2375
Gioia Lobbia, G., see Pellei, M., 499
Giorgi, L., see Ambrosi, G., 1135

Głowiak, T., see Barszcz, B., 1329
Głowiak, T., see Kurdziel, K., 3123
Głowiak, T., see Maciejewska, G., 1415
Głowiak, T., see Rzaczynska, Z., 2595
Goeta, A.E., see Luzón, J., 2301
Goher, M.A.S., Mautner, F.A., Abu-Youssef, M.A.M., Hafez, A.K., Badr, A.M.-A. and Gspan, C., Structural characterization of one-, two- and three-dimensional polymeric complexes assembled by cadmium(II) pseudohalides and some pyridine ligands via covalent bonds and hydrogen bonds, 3137
Goher, M.A.S., Mautner, F.A., Hafez, A.K., Abu-Youssef, M.A.M., Gspan, C. and Badr, A.M.-A., Two new polymeric cadmium(II) complexes containing end-to-end bridging azido or thiocyanato ligands with different topologies, 975
Goher, M.A.S., Mautner, F.A., Hafez, A.K. and Youssef, A.A., Synthesis and characterization of copper(I) complexes of dimethyldipicolinate (dmdp) and X-ray structure of the mononuclear six-coordinate complex $[Cu(dmdp)_2]ClO_4$, 515
Goiran, M., see Conséjo, C., 2441
Golhen, S., see Miyazaki, A., 2227
Golhen, S., see Tanase, S., 1315
Gómez-García, C.J., see Coronado, E., 3115
Gómez, J., see Domingo, N., 2355
Gómez, J., see Gerbier, P., 1951
Gómez-García, C.J., see Coronado, E., 2381
Gómez-García, C.J., see Jagličić, Z., 2293
Güdel, H.-U., see Basler, R., 2471
Günther, H., see Szlyk, E., 391
Gonçalves, I.S., see Nunes, C.D., 2799
Gong, M.-L., see An, B.-L., 2719
González-Pérez, Josefa.M., see Rojas-González, P.X., 1027
González-Pérez, J.M., see Sánchez-Moreno, M.J., 1039
Gordon, J.C., see Giesbrecht, G.R., 153
Gorski, A., see Minguet, M., 2349
Gou, S.-H., see Hu, D.-H., 2661
Goujon, A., see Jeftić, J., 2155
Gouzerh, P., see Villanneau, R., 1157
Grüßing, A., see Duff, T., 775
Granell, J., see Albert, J., 287
Greci, M.A., see Evans, W.J., 119
Gregory Jackson, W., see Rong-Guang, L., 3467
Grin, Y., see Janczak, J., 2689
Grundy, J., see Soria, D.B., 2731
Gspan, C., see Goher, M.A.S., 3137
Gspan, C., see Goher, M.A.S., 975
Gu, W., see Bian, H.-D., 2927
Guan, H.-S., see Li, Y.-T., 3223
Guan, W., see Ge, C.-H., 3493
Guedes da Silva, M.F.C., see Garnovskii, D.A., 1335
Guerri, A., see Ambrosi, G., 1135
Guionneau, P., see Dey, M., 3515
Gukasov, A., see Jeftić, J., 2155
Gül, A., see Sesalan, B.Şebnem, 3083
Gummersheimer, T.S., see Evans, W.J., 119
Gunnlaugsson, T., Nieuwenhuyzen, M. and Nolan, C., Synthesis, X-ray crystallographic, spectro-scopic investigation and cleavage studies of HPNP by simple bispyridyl iron, copper, cobalt, nickel and zinc complexes as artificial nucleases, 3231
Gunnlaugsson, T., Davies, R.J.H., Nieuwenhuyzen, M., O'Brien, J.E., Stevenson, C.S. and Mulready, S., Synthesis, structural and biological evaluation of GlyAla based lanthanide macrocyclic conjugates as supramolecular ribonuclease mimics, 711
Guo, F., see Ge, C.-H., 3493
Guo, G.-C., see Wang, Q.-M., 217
Guo, Q.-L., see Ma, S.-L., 3249
Gurney, R.W., see Massari, A.M., 3065
Guzei, I.A., see Li, K., 805
Haase, W., see Looney, C.W., 3339
Haber, V., Císaová, I. and Fábry, J., X-ray structure determination of bis{(-[*N*-(2-[2-hydroxyethylamino]ethyl)salicylaldiminato]perchlorate cadmium(II))}monohydrate ($[(Cd\ sadol\ ClO_4)_2]\cdot H_2O$) and two modifications of bis{(-[*N*-(2-[2-hydroxyethylamino] ethyl)salicylaldiminato]-perchlorate cadmium (II))} ($[(Cd\ sadol\ ClO_4)_2]$), 3451
Hafez, A.K., see Goher, M.A.S., 3137
Hafez, A.K., see Goher, M.A.S., 515
Hafez, A.K., see Goher, M.A.S., 975
Haiduc, I., Semeniuc, R.F., Campian, M., Kravtsov, V.C., Simonov, Y.A. and Lipkowski, J., The reaction of nickel(II) xanthates with tetraphenyldiphosphinoethane (dppe) revisited. Formation and crystal structures of $Ni_3S_2(S_2COR)_2$(dppe) (R=Me, Et; dppe=$Ph_2PCH_2CH_2PPh_2$) at room temperature and of Ni(S_2.CO)(dppe) at 150 K, 2895
Halcrow, M.A., see Smithson, R.J., 725
Hall, D., see Bordallo, H.N., 2045
Hamlin, J.J., see Looney, C.W., 3339
Hamlin, J.J., Beckett, B.R., Tomita, T., Schilling, J.S., Tyree, W.S. and Yee, G.T., The effect of pressure on the magnetic properties of the molecule-based canted metamagnet decamethylferrocenium 2,3-dicyano-1,4-naphthoquinonide, $FeCp^*_2$[DCNQ], 2249
Hampel, F., see Saalfrank, R.W., 2985
Hannibal, K.A., see Nathan, L.C., 887
Hao, X., see Hou, X., 1249
Harden, N., see Yang, E.-C., 1857
Harden, N.C., see Tasiopoulos, A.J., 133
Harding, L.P., see Paul, R.L., 781
Harding, L.P., see Rice, C.R., 755
Harrington, R.W., see Babb, J.E., 673
Harrison, W.T.A., Howie, R.A., Jaspars, M., Wardell, S.M.S. and Wardell, J.L., Further studies of [ω-(haloalkylstannyl)alkyl] phosphine oxides. Structures of bis[2-(bromodimethylstannyl) ethyl] phenylphosphine oxide and *t*-butyl [3-(iododimethylstannyl) propyl] phenylphosphine oxide, 3277
Hasegawa, H., see Akashi, H., 2847
Hashimoto, M., see Akashi, H., 2847
Hashimoto, M., see Shen, X., 529
Hashimoto, T., see Akashi, H., 2847
Haslow, K.D., see Labisbal, E., 2831
Havel, J., see Alberti, M., 2601
Havel, J., see Soto-Guerrero, J., 1085
Hayes, W., see Sugano, T., 2343
Hazell, A., see Bjernemose, J., 875
Hazell, A., see Nunes, C.D., 2799
He, C., see Xie, J.-L., 299
Heard, P.J., King, P.M., Sroisuwan, P. and Kaltsoyannis, N., Tricarbonylrhenium(I) halide complexes of chiral non-racemic 2-(dioxolanyl)-6-(dioxanyl) pyridine ligands: synthesis, NMR and DFT calculations, 3371
Heard, P.J., Sroisuwan, P. and Tocher, D.A., Synthesis and reactivity of *N,N,N',N'*-tetramethyldiaminomethane complexes of tricarbonylrhenium(I). X-ray molecular structures of [Re-Br(CO)$_3$(TMDM)] and $[\{Re(bipy)(CO)_3\}_2(\mu\text{-}OH)][SbF_6]$, 1321
Heath, S.L., see Blundell, S.J., 1973
Heinemann, F.W., see Saalfrank, R.W., 2985
Hellberg, C.S., see Kortus, J., 1871
Hendrickson, D.N., see Brechin, E.K., 1771
Hendrickson, D.N., see Brockman, J.T., 1765
Hendrickson, D.N., see Chakov, N.E., 1759
Hendrickson, D.N., see Edwards, R.S., 1911
Hendrickson, D.N., see Rumberger, E.M., 1865
Hendrickson, D.N., see Sañudo, E.C., 2267
Hendrickson, D.N., see Soler, M., 1777
Hendrickson, D.N., see Soler, M., 1783
Hendrickson, D.N., see Yang, E.-C., 1857

Hendrickson, D.N., see Yang, E.-C., 1727
Henriques, R.T., see Alves, H., 2481
Henriques, R.T., see Dias, J.C., 2447
Hepburn, D.D.D., Marcel Burney, J., Woski, S.A. and Vincent, J.B., The nutritional supplement chromium picolinate generates oxidative DNA damage and peroxidized lipids in vivo, 455
Hernández-Molina, M., see Pasán, J., 2143
Hernández-Molina, M., see Ruiz-Pérez, C., 2111
Hernández-Ortega, S., see Labisbal, E., 2831
Hibbard, L.E.T., see Chaney, C.P., 2625
Hibbs, W., see Etzkorn, S.J., 1751
Higashi, S., see Ebihara, M., 3413
Higgitt, C.L., see John Plater, M., 3171
Hijar, C.A., see Giesbrecht, G.R., 153
Hill, S., see Edwards, R.S., 1911
Hill, S., see Rumberger, E.M., 1865
Hill, S., see Yang, E.-C., 1727
Hill, S., Edwards, R.S., North, J.M., Maccagnano, S. and Dalal, N.S., On the origin of anomalous EPR peaks observed in Mn_{12}–Ac, 1897
Hill, S., Edwards, R.S., North, J.M., Park, K. and Dalal, N.S., Environmental factors influencing EPR in Mn_{12}-Ac and Fe_8Br, 1889
Hirayama, D., see Shen, X., 529
Hitchcock, P.B., see Soria, D.B., 2731
Hnyk, D., see Janoušek, Z., 3541
Hodžić, I.M., see Radanović, D.D., 2745
Holý, A., see Fernández-Botello, A., 1067
Holub, J., see Janoušek, Z., 3541
Hong, M.-C., see Zhou, Y.-F., 1231
Horne, K.T., see Chaney, C.P., 2625
Horton, P.N., see Coles, S.J., 699
Hoshino, N., see Nihei, M., 2359
Hosmane, N.S., see Nikiforov, G.B., 2669
Hossain, G.M.G., Hyder, M.I., Kabir, S.E., Malik, K.M.A., Miah, M.A. and Siddiquee, T.A., Binuclear ruthenium complexes containing bridging dithiolate and dppm ligands: X-ray structures of $[Ru_2(CO)_4(\mu\text{-}SCH_2CH_2CH_2S)(\mu\text{-dppm})]$ and $[Ru_2(CO)_4\{(\mu\text{-}SC_6H_3(CH_3)S\}(\mu\text{-dppm})]$, 633
Hosseini-Yazdi, S.A., see Khandar, A.A., 1481
Hou, X., Cui, X., Song, M., Hao, X. and Wu, Y., Studies on cyclomercuration of bisferrocenylimines, 1249
Housecroft, C.E., see Constable, E.C., 93
How, R.E., see Cotton, S.A., 1489
Howe, T.L.C., see Chaney, C.P., 2625
Howie, R.A., see Harrison, W.T.A., 3277
Hoxha, B., see Brničević, N., 1553
Hsieh, H.-Y., see Lee, Y.-Y., 1633
Hu, D.-H., Huang, W., Gou, S.-H., Fang, J.-L. and Fun, H.-K., Synthesis, characterization and magnetic properties of a dinuclear complex $[Cu(2,2'\text{-bpy})(HL)(L)]_2(NO_3)_2{\cdot}(H_2O)_{3/2}$ and a 1D chain $\{[Cu(2,2'\text{-bpy})(4,4'\text{-bpy})_{1/2}(L)](ClO_4){\cdot}(1/2H_2O)\}_n$ (L is *p*-aminobenzoate), 2661
Hu, N.-H., see Tao, R.-J., 2911
Hu, S.-M., see Fu, R.-B., 2739
Huang, B.-R., see Dong, T.-Y., 1199
Huang, C.-H.K., see Massari, A.M., 3065
Huang, J., see Yang, D.-X., 925
Huang, J.-S., see Wu, C.-D., 3091
Huang, W., see Hu, D.-H., 2661
Huang, Zi-X., see Zhou, Shuang-L., 1019
Hubert-Pfalzgraf, L.G., see Daniele, S., 127
Huffman, J.C., see Soler, M., 1783
Hughes, R.S., see Bower, J.F., 347
Huma, S.H.Z., see Saalfrank, R.W., 2985
Hupp, J.T., see Massari, A.M., 3065
Hursthouse, M.B., see Beckett, M.A., 1627
Hursthouse, M.B., see Coles, S.J., 699
Hursthouse, M.B., see John Plater, M., 3171
Hursthouse, M.B., see Paver, M.A., 211
Hursthouse, M.B., see Sharma, N., 2943
Hyder, M.I., see Hossain, G.G., 633

Ibrahim, S.A., see Bauer, E.M., 2463
Ichimura, T., Doi, K., Mitsubashi, C., Ishida, T. and Nogami, T., *meta*-Phenylene-bridged bis(imino nitroxide) biradicals as potential high-spin ligands, 2557
Iiba, M., see Ebihara, M., 3413
Ijeri, V.S. and Srivastava, A.K., Complexation of macrocyclic compounds with mono-, di- and tri-valent transition and heavy metal ions in 90% (v/v) DMSO+water medium, 569
Ikorskii, V., see Fursova, E., 1957
Ikorskii, V.N., see Koreneva, O., 2487
Illán-Cabeza, N.A., see Acuña-Cueva, E.R., 483
Incarvito, C., see Walters, M.A., 941
Inman, C., see Knaust, J.M., 3015
Inoue, H., see Nagashima, H., 1823
Inoue, H., see Yao, M., 2281
Inoue, K., see Kumagai, H., 1917
Inoue, M., Yamase, T. and Kazansky, L.P., NMR and UV spectra of lanthanide decatungstates $LnW_{10}O_{36}^{\prime-}$ and $W_{10}O_{32}^{4-}$: a study of some peculiarities in spectra by the extended Hückel MO method, 1183
Inui, J., see Michinobu, T., 1945
Iremonger, S.S., see Brooker, S., 665
Isab, A.A., Fettouhi, M., Ahmad, S. and Ouahab, L., Mixed ligand gold(I) complexes of phosphines and thiourea and X-ray structure of (thiourea-κS)(tricyclohexylphosphine)gold(I)chloride, 1349
Ishida, T., see Ichimura, T., 2557
Ishida, T., Omata, J. and Nogami, T., Host–guest chemistry of radical-copper wheels. A supramolecular control of magnetic exchange coupling, 2133
Ishida, Y., see Yano, M., 2003
Ishimaru, K., see Miyazaki, Y., 909
Ishimoto, H., see Sañudo, E.C., 2267
Ishiyama, H., Maruta, G., Kobayashi, T. and Takeda, S., Hyperfine coupling of the cyanide ions and crystal water molecules of three dimensional magnetic polycyanides as studied by solid-state ^{13}C- and ^{2}H NMR, 1981
Ito, A., Urabe, M. and Tanaka, K., Molecular design toward spin-polarized nano-wire: oligomer model study, 1829
Ito, S., see Nishida, Y., 293
Ito, T., see Kajiwara, T., 1789
Ito, T., see Nihei, M., 2359
Ivanova, A., see Zoppellaro, G., 2099

Jackson, W.G., see Tao, Z., 263
Jackson, W.G., see Zhu, T., 1603
Jagličić, Z., Jeromen, A., Trontelj, Z., Mihailović, D., Arčon, D., Remškar, M., Mrzel, A., Dominko, R., Gaberšček, M., Martinez-Agudo, J.M., Gómez-Garcia, C.J. and Coronado, E., Magnetic properties of MoS_2 nanotubes doped with lithium, 2293
Jain, A.K., see Sharma, N., 2943
Jain, V.K., see Dey, S., 489
Jain, V.K., see Mahalakshmi, H., 549
Janczak, J. and Kubiak, R., Sandwich-type niobium(V) diphthalocyaninato complexes 'stapled' by two inter-ligand C—C σ-bonds. Synthesis and structural investigations of two new phthalocyaninato complexes: $[NbPc_2](IBr_2)$ and $[NbPc_2](IBr_2){\cdot}I_2$, 313
Janczak, J. and Marina Idemori, Y., Synthesis, crystal structure and characterisation of aquamagnesium phthalocyanine – $MgPc(H_2O)$. The origin of an intense near-IR absorption of magnesium phthalocyanine known as 'X-phase', 1167
Janczak, J., see Perpétuo, G.J., 3355
Janczak, J., Kubiak, R., Śledź, M., Borrmann, H. and Grin, Y., Synthesis, structural investigations and magnetic properties of dipyridinated manganese phthalocyanine, $MnPc(py)_2$, 2689

Janiak, C. and Scharmann, T.G., Supramolecular C—H···O, C—H···N and C—H···Cl interactions in metal compounds with multi-topic poly(pyrazolyl)borate ligands, 1123
Janoušek, Z., Holub, J., Hnyk, D., Londesborough, M.G.S. and Shoemaker, R.K., Synthesis of the first 11-vertex *arachno*-dicarbathiaborane anion, $[1,6,7\text{-}C_2SB_8H_{11}]^-$. Theoretical refinement of its structure, 3541
Janssen, S., see Basler, R., 2471
Jasimuddin, S.K., see Byabartta, P., 849
Jaspars, M., see Harrison, W.T.A., 3277
Jeffery, J.C., see Beer, P.D., 795
Jeffery, J.C., see Paul, R.L., 781
Jeffery, J.C., see Rice, C.R., 755
Jeffery, J.C., see Tavacoli, S., 507
Jeftić, J., Gillon, B., Goujon, A., Nau, Q., Gukasov, A., Codjovi, E. and Varret, F., First study of the photo-induced metastable (paramagnetic) high-spin state in a $[Fe(ptz)_6](BF_4)_2$ single crystal by polarised neutron diffraction, 2155
Jepsen, J., see Nunes, C.D., 2799
Jeromen, A., see Jagličić, Z., 2293
Jérome, D., see Wolter, A.U.B., 2273
Jezierska, J., see Kurdziel, K., 3123
Jiang, C. and Wang, Z.-Y., Synthesis, structure and interconversion of two Co(II) coordination polymers showing topological isomerism from 1D chain to 3D chiral network, 2953
Jiang, L. and Mao, X.-A., Cisplatin forms a 1:2 complex with ATP in aqueous solutions between pH 2 and 9, 611
Jiang, M.-h., see Zhang, X.-J., 397
Jiang, Q., see Ma, C., 2767
Jiang, W.-H., see Zhang, Y.-L., 1695
Jiang, Z.-H., see Bian, H.-D., 2927
Jiang, Z.-H., see Dong, W., 3315
Jiao, R., see Yao, Y.-M., 441
Jibril, I., see El-khateeb, M., 3445
Jiménez-Pulido, S.B., see Acuña-Cueva, E.R., 483
Jin, L.-P., see Zhang, L.-P., 981
Jin, L.-P., see Zheng, X.-J., 2617
Jin, L.-P., see Zheng, X.-J., 323
John Plater, M., Silva, B.D., Gelbrich, T., Hursthouse, M.B., Higgitt, C.L. and Saunders, D.R., The characterisation of lead fatty acid soaps in 'protrusions' in aged traditional oil paint, 3171
Johnson, B.F.G., see Judkins, C.M.G., 3
Johnson, K., see Steed, J.W., 769
Johnson, T.J., see Maeyer, J.T., 419
Johnston, M.A., see Evans, W.J., 119
Joy, J.S., see Paver, M.A., 211
Judkins, C.M.G., Knights, K.A., Johnson, B.F.G. and de Miguel, Y.R., Gas sensor activity of ArgoGel resin-supported pentaruthenium clusters, 3
Julve, M., see Pasán, J., 2143
Julve, M., see Ruiz-Pérez, C., 2111
Junk, P.C. and Smith, M.K., Synthesis and X-ray crystallographic studies of complexes involving H_2acacen with the early lanthanoids (H_2acacen=*N*,*N*′-ethylenebis(acetylacetoneimine)), 331
Junk, P.C., see Steed, J.W., 769

Kabir, S.E., see Akther, M., 355
Kabir, S.E., see Hossain, G.G., 633
Kaim, W., see Dey, S., 489
Kajiwara, T., Kamiyama, A. and Ito, T., Ferromagnetic interactions through control of the bridging geometry, 1789
Kaltsoyannis, N., see Heard, P.J., 3371
Kamieński, B., see Szlyk, E., 391
Kamishiro, M., see Yao, M., 2281
Kamiyama, A., see Kajiwara, T., 1789
Kamptmann, S., see Albrecht, M., 643
Kandaswamy, M., see Akilan, P., 1407
Kandaswamy, M., see Akilan, P., 3483
Kandaswamy, M., see Manonmani, J., 989
Kaneda, C., Shiomi, D., Sato, K. and Takui, T., A stable organic triradical with truncated π-conjugation as a model for single-component organic molecule-based ferrimagnetics, 1809
Kaneko, T., Makino, T., Miyaji, H., Onuma, A., Teraguchi, M. and Aoki, T., A poly(9,10-anthryleneethynylene)-based polyradical designed to be a ladder-like ferromagnetic spin coupling network, 1845
Kanzaki, Y., Shiomi, D., Sato, K. and Takui, T., Organic heterospin-composite systems based on supramolecular crystal engineering, 1817
Karasawa, S. and Koga, N., Magnetic behaviors after irradiation of assemblies consisting of bis(hexafluoroacetylacetonato)copper(II) and tetrapyridyl-pentadiazo compound in frozen solution, 1877
Kariuki, B., see Constable, E.C., 687
Katz, N.E., see Mellace, M.G., 369
Katz, N.E., see Posse, M.E.G., 465
Kautz, J.A., McGrath, T.D. and Stone, F.G.A., Nitrosyl-cobalt monocarbollide complexes, 109
Kavanagh, K., see McCann, M., 1595
Kawae, T., see Mukai, K., 2091
Kawai, J., see Morita, Y., 2205
Kawai, J., see Morita, Y., 2209
Kawai, J., see Morita, Y., 2219
Kawakami, S., see Furukawa, Y., 2277
Kawakami, T., see Kitagawa, Y., 2019
Kawakami, T., see Nakano, S., 2027
Kawakami, T., see Shoji, M., 2067
Kawakami, T., see Taniguchi, T., 2039
Kawakami, T., see Yamaguchi, K., 2077
Kawakami, T., Taniguchi, T., Nakano, S., Kitagawa, Y. and Yamaguchi, K., Theoretical studies on magnetic interactions in many types of organic donor salts: BEDT-TTF, BETS, TMTTF and TMTSF, 2051
Kawamura, T., see Ebihara, M., 3413
Kawata, S., see Kumagai, H., 1917
Kazansky, L.P., see Inoue, M., 1183
Keller, S.W., see Knaust, J.M., 3015
Kelly, R., see Devereux, M., 3187
Kepert, C.J., see Kumagai, H., 1921
Kessler, V.G., see Seisenbaeva, G.A., 2581
Khandar, A.A. and Hosseini-Yazdi, S.A., Synthesis, X-ray crystal structure and solution properties of nickel(II) complexes of new 16-membered mixed-donor macrocyclic Schiff base ligand incorporating a pendant alcohol function, 1481
Khandar, A.A., see Daneshvar, N., 1437
Kilner, C.A., see Smithson, R.J., 725
King, P.M., see Heard, P.J., 3371
Kinoshita, K., see Takeda, K., 2287
Kirkovits, G.J., see Sessler, J.L., 2963
Kisala, J., Ciunik, Z., Drabent, K., Ruman, T. and Wolowiec, S., The X-ray crystallographic structures, spectral and magnetic properties of nickel(II), copper(II) and cobalt(II) complexes with tetra(3-*iso*-propylpyrazol-1-yl)borate, 1645
Kiss, E., Bényei, A. and Kiss, T., VO(IV) complexes of 3-hydroxypicolinic acid: a solution study and the structure of a supramolecular assembly in the solid state, 27
Kiss, T., see Kiss, E., 27
Kitagawa, Y., see Kawakami, T., 2051
Kitagawa, Y., see Nakano, S., 2027
Kitagawa, Y., see Yamaguchi, K., 2077
Kitagawa, Y., Nakano, S., Kawakami, T., Mashima, K. and Yamaguchi, K., Magnetic effective density functional studies on electronic states of $Cr_2(pyphos)_4$ and $Pt_2Cr_2(pyphos)_4(CH_3)_4$, 2019
Klauss, H.-H., see Wolter, A.U.B., 2139
Klauss, H.-H., see Wolter, A.U.B., 2273

Klavins, P., see Panda, A., 67
Klepetko, J.A., see Beattie, J.K., 947
Klinga, M., see Abu-Surrah, A.S., 1529
Klokishner, S., see Coronado, E., 2527
Klokishner, S.I. and Reu, O.S., Vibronic dynamic problem of valence tautomerism in cobalt compounds. Magnetic and optical properties, 2401
Knaust, J.M., Lopez, S., Inman, C. and Keller, S.W., Linking triangles: synthesis and structure of $[Cu_3(phen)_4(PPh_3)](BF_4)_3 \cdot X$ and $[Cu_5(phen)_7](BF_4)_5 \cdot 4(NO_2C_6H_5)$ (phen = 4,7-phenan-throline and X = Et_2O or 2 THF), 3015
Knights, K.A., see Judkins, C.M.G., 3
Knobel, M., see Pereira, C.L.M., 2387
Knoedler, A., see Dey, S., 489
Kobayashi, T., see Ishiyama, H., 1981
Koca, A., see Sesalan, B.S., 3083
Koehne, J.E., see Nathan, L.C., 887
Koga, N., see Karasawa, S., 1877
Kolawole, G.A., see Moloto, M.J., 595
Kolawole, G.A., see Sreekumari Nair, P., 3129
Kolehmainen, E., see Dey, M., 3515
Kollipara, M.R., see Lalrempuia, R., 605
Kollipara, M.R., see Lalrempuia, R., 1391
Kommana, P., Vittal, J.J. and Kumara Swamy, K.C., Synthesis and structures of novel bis- and tetrakis-cyclodiphosphazane compounds appended to a diol or a tetra-ol, 843
Konaka, H., see Kuroda-Sowa, T., 1795
Kong, Z.-P., see Zheng, Y.-Q., 2699
Kopel, P., Trávníče, Z., Marek, J., Korabik, M. and Mrozinski, J., Syntheses and properties of binuclear copper(II) mixed-ligand complexes involving thiodiglycolic acid. The crystal structures of $[(phen)_2Cu(\mu\text{-}tdga)Cu(phen)](NO_3)_2 \cdot 5H_2O$ and $[(H_2O)(pmdien)\text{-}Cu(\mu\text{-}tdga)Cu(pmdien)(H_2O)](ClO_4)_2$, 411
Kopylovich, M.N., see Garnovskii, D.A., 1335
Korabik, M., see Kopel, P., 411
Koreneva, O., Romanenko, G., Shvedenkov, Y.G., Ikorskii, V.N. and Ovcharenko, V.I., Molecular magnets based on $M(hfac)_2$ and spin-labeled nitrile, 2487
Kortus, J., Pederson, M.R., Baruah, T., Bernstein, N. and Hellberg, C.S., Density functional studies of single molecule magnets, 1871
Korzeniak, T., Podgajny, R., Alcock, N.W., Lewiński, K., Balanda, M., Wasiutyński, T. and Sieklucka, B., A new family of magnetic 2D coordination polymers based on $[M^V(CN)_8]^{3-}$ (M=Mo, W) and pre-programmed Cu^{2+} centres, 2183
Koutsodimou, A., see Tomsa, A.-R., 2901
Köllnberger, A., see Brunner, H., 2639
Kozaki, M., see Tanaka, K., 1803
Kozerski, L., see Szlyk, E., 391
Kozhura, O., see Shtemenko, A., 1547
Kravtsov, V., see Visinescu, D., 1385
Kravtsov, V.C., see Haiduc, I., 2895
Krawiec, M., see Maeyer, J.T., 419
Kritikos, M., see Seisenbaeva, G.A., 2581
Kruszynski, R., see Dzięgielewski, J.O., 3307
Kruszynski, R., see Machura, B., 2869
Kruszynski, R., see Machura, B., 2573
Krut'ko, D.P., Borzov, M., Veksler, E.N., Churakov, A. and Mach, K., Crystal structures and solution dynamics of monocyclopentadienyl titanium(IV) complexes bearing pendant ether and phosphanyl type functionalities, 2885
Kubiak, C.P., see Simón-Manso, E., 1641
Kubiak, R., see Janczak, J., 2689
Kubiak, R., see Janczak, J., 313
Kubicki, M., see Radecka-Paryzek, W., 2773
Kucharek, R., see Szłyk, E., 3389
Kumagai, H., Chapman, K.W., Kepert, C.J. and Kurmoo, M., Binary metal(II)–pyromellitate coordination polymers, $M_2(pm)$ (M=Co, Fe, Mn): synthesis, structures and magnetic properties, 1921
Kumagai, H., Oka, Y., Kawata, S., Ohba, M., Inoue, K., Kurmoo, M. and Okawa, H., Hydrothermal synthesis, crystal structure and characterization of a new hexanuclear cobalt(II) complex comprised of octahedral and tetrahedral cobalt ions, 1917
Kumagai, K., see Furukawa, Y., 2277
Kumar Dirghangi, B., see Maiti, N., 3109
Kumara Swamy, K.C., see Kommana, P., 843
Kumari, N., see Chutia, P., 2725
Kurdziel, K., Głowiak, T., Materazzi, S. and Jezierska, J., Crystal structure and physico-chemical properties of cobalt(II) and manganese(II) complexes with imidazole-4-acetate anion, 3123
Kurmoo, M., see Kumagai, H., 1917
Kurmoo, M., see Kumagai, H., 1921
Kuroda-Sowa, T., Nogami, T., Konaka, H., Maekawa, M., Munakata, M., Miyasak, H. and Yamashita, M., Synthesis, crystal structure and magnetic properties of novel Mn_{12} single-molecule magnets with thiophenecarboxylete, $Mn_{12}O_{12}(O_2CC_4H_3S)_{16}(H_2O)_4]$, and its tetraphenylphosphonium salt, 1795
Kuroki, K., see Arita, R., 1883
Kurzak, K., see Kuźniarska-Biernacka, I., 997
Kusz, J., see Dzięgielewski, J.O., 3307
Kusz, J., see Machura, B., 2573
Kuwamoto, K., see Okuno, T., 2311
Kuzmina, N.P., see Paramonov, S.E., 837
Kuźniarska-Biernacka, I., Bartecki, A. and Kurzak, K., UV–Vis–NIR spectroscopy and colour of bis(*N*-phenylsalicylaldiminato)cobalt(II) in a variety of solvents, 997
Kwiatkowski, E., Romanowski, G., Nowicki, W., Kwiatkowski, M. and Suwińska, K., Dioxovanadium(V) Schiff base complexes of *N*-methyl-1,2-diaminoethane and 2-methyl-1,2-diaminopropane with aromatic *o*-hydroxyaldehydes and *o*-hydroxyketones: synthesis, characterisation, catalytic properties and structure, 1009
Kwiatkowski, M., see Kwiatkowski, E., 1009

Labahn, T., see Nikiforov, G.B., 2669
Labisbal, E., Haslow, K.D., Sousa-Pedrares, A., Valdés-Martínez, J., Hernández-Ortega, S. and West, D.X., Copper(II) and nickel(II) complexes of 5-methyl-2-hydroxyacetophenone *N*(4)-substituted thiosemicarbazones, 2831
Lahti, P.M., see Baskett, M., 2363
Lakomska, I., see Szlyk, E., 391
Lalrempuia, R. and Rao Kollipara, M., Reactivity studies of η^6-arene ruthenium (II) dimers with polypyridyl ligands: isolation of mono, binuclear *p*-cymene ruthenium (II) complexes and bisterpyridine ruthenium (II) complexes, 3155
Lalrempuia, R., Carroll, P.J. and Kollipara, M.R., Synthesis and reactivity studies of cyclopentadienyl bis(triphenylphosphine)osmium(II) complexes. Crystal and molecular structure of $[CpOs(PPh_3)(phen)]BF_4$, 1391
Lalrempuia, R., Kollipara, M.R. and Carroll, P.J., Syntheses and characterization of arene ruthenium (II) complexes containing *N,N'*-donor Schiff base ligands. Crystal and molecular structure of $[(\eta^6\text{-}C_6Me_6)Ru(C_5H_4N\text{-}2\text{-}CH{=}N{-}C_6H_4\text{-}p\text{-}NO_2)]PF_6$, 605
Lancaster, T., see Blundell, S.J., 1973
Lancaster, T., see Pratt, F.L., 2307
Landee, C.P., see Deumal, M., 2235
Landee, C.P., Delcheva, A., Galeriu, C., Pena, G., Turnbull, M.M. and Willett, R.D., Molecular-based quantum magnets: the isotropic spin ladder Cu(quinoxaline)Br_2, 2325
Lang, H., see El-khateeb, M., 3445
Lanikina, K.A., see Trush, E.A., 1221
La-Sheng, L., see Rong-Guang, L., 3467
Lataifeh, A., see El-khateeb, M., 3105

Law, N.A., Dietzsch, W. and Duffy, N., A multinuclear (^{1}H, ^{13}C, ^{15}N) NMR study of *cis*-halonitrosylbis(dithiocarbamato)iron(II) complexes: effect of replacement of S by Se, 3423
Lee, A.H.W., see Bishop, M.M., 735
Lee, P.F., Yang, C.-T., Fan, D., Vittal, J.J. and Ranford, J.D., Synthesis, characterization and physicochemical properties of copper(II) complexes containing salicylaldehyde semicarbazone, 2781
Lee, S.L., see Pratt, F.L., 2307
Lee, Y.-Y., Chen, J.-H. and Hsieh, H.-Y., Metal complexes of *meso*-tetra-(*p*-chlorophenyl)porphyrin and *meso*-tetra-(*p*-bromophenyl)-porphyrin: Tl[(*p*-Cl)$_4$tpp](OAc) and In[(*p*-X)$_4$tpp](OAc) [X=Cl, Br, tpp=5,10,15,20-tetraphenylporphyrinate], 1633
Legido, C., see Steed, J.W., 769
Lehtonen, A. and Sillanpää, R., Mononuclear tungsten(VI) complexes with methylenebis(6-alkylphenol)s, 2755
Lemoine, P., see Viossat, V., 1461
Leng, X.-B., see Liu, Q.-X., 1515
Leon, V., see Devereux, M., 3187
Létard, J.-F., see Ratera, I., 1851
Létard, J., see Blundell, S.J., 1973
Lettko, L., see Toscano, P.J., 2809
Lewiński, K., see Korzeniak, T., 2183
Leznoff, D.B., Draper, N.D. and Batchelor, R.J., Using HgX_2 units (X=Cl, CN) to increase structural and magnetic dimensionality in conjunction with (2,2′-bipyridyl)copper(II) building blocks, 1735
Lhotel, E., see Minguet, M., 2349
Li, B.-G., see Bian, Z.-X., 1523
Li, D.-F., see Yang, D.-X., 925
Li, K., Guzei, I.A. and Darkwa, J., Insertion of sulfur dioxide into metal–carbon bonds of chloro(methyl)palladium complexes, 805
Li, L.-H., see Shi, Y.-J., 917
Li, Q., see Zheng, X.-J., 323
Li, Q.-S., see Liu, Q.-X., 1515
Li, S.-A., see Yang, D.-X., 925
Li, S.-L., see Zhang, X.-J., 397
Li, Y., see Wang, Z.-M., 433
Li, Y.-T., Yan, C.-W. and Guan, H.-S., Synthesis and magnetic studies of oxalato-bridged copper(II)–chromium(III)–copper(II) and copper(II)–iron(III)–copper(II) hetero-trinuclear complexes, 3223
Li, Y.-Z., see Shi, Y.-J., 917
Liao, C.-S., see Wang, Z.-M., 433
Liao, D.-Z., see Bian, H.-D., 2927
Liao, D.-Z., see Dong, W., 3315
Liao, D.-Z., see Tao, R.-J., 2911
Liao, F.-L., see Lu, T.-H., 535
Liddle, S.T. and Clegg, W., A homologous series of crown-ether-complexed alkali metal amides as discrete ion-pair species: synthesis and structures of [M(12-crown-4)$_2$][PyNPh·PyN(H)Ph] (M = Li, Na and K), 3507
Light, M.E., see Coles, S.J., 699
Light, M.E., see Sharma, N., 2943
Lim, Y.T., see Ng, C.H., 521
Lima-Neto, B.S., see Pérez, E.R., 3289
Lin, J.-L., see Zheng, Y.-Q., 2699
Lin, M.-C., see Dong, T.-Y., 1199
Lin, P.-C., see Lu, T.-H., 535
Lin, W. and Ayyappan, P., Synthesis and X-ray structures of 2D coordination networks based on dinuclear and trinuclear vanadium oxo clusters, 3037
Linares, J., Enachescu, C., Boukheddaden, K. and Varret, F., Monte Carlo entropic sampling applied to spin crossover solids: the squareness of the thermal hysteresis loop, 2453
Lindoy, L.F., see Bishop, M.M., 735
Ling, C.D., see Bordallo, H.N., 2045
Lipkowski, J., see Haiduc, I., 2895
Lisowski, J., see Mazurek, J., 2877
Litterst, F.J., see Wolter, A.U.B., 2139
Litterst, F.J., see Wolter, A.U.B., 2273
Liu, F.-L., see Shi, J.-M., 493
Liu, Q.-T., see Ge, C.-H., 3493
Liu, Q.-X., Song, H.-B., Xu, F.-B., Li, Q.-S., Zeng, X.-S., Leng, X.-B. and Zhang, Z.-Z., Synthesis, crystal structure and photophysical properties of *N*-heterocyclic carbene Pd(II), Pt(II) complexes and iodine adduct, 1515
Liu, S., see Toscano, P.J., 2809
Liu, W.-S., see Zhang, Y.-L., 1695
Liu, Xin-Y., see Zhou, Shuang-L., 1019
Liu, Y.-C., see Ma, S.-L., 3249
Liu, Z.-Q., see Dong, W., 3315
Livotto, P.R., see Zanini, M.L., 1665
Lloret, F., see Pasán, J., 2143
Lloret, F., see Ruiz-Pérez, C., 2111
Llusar, R., see Brylev, K.A., 3383
Lodeiro, C., Bastida, R., Bertolo, E., Macías, A. and Rodríguez, A., Coordination chemistry of copper(II) with oxaaza macrocyclic ligands. Crystal structure of a dinuclear tetramer copper(II) complex, 1701
Londesborough, M.G.S., see Janoušek, Z., 3541
Looney, C.W., Falk, K., Hamlin, J.J., Tomita, T., Schilling, J.S., Haase, W. and Tomkowicz, Z., Hydrostatic pressure dependence of the Curie temperature of [MnR$_4$TPP][TCNE] for R = $OC_{10}H_{21}$, $OC_{14}H_{29}$ and F (TPP, tetraphenylporhyrin; TCNE, tetracyanoethylene), 3339
Lopes, A.D., see Nunes, C.D., 2799
Lopes, E.B., see Dias, J.C., 2447
Lopes, E.B., see Ribas, X., 2415
Lopez, S., see Knaust, J.M., 3015
López-Torres, M., see Vila, J.M., 241
López-Zafra, A., see García-Raso, Á., 403
Lork, E., see Balázs, L., 1719
Lu, C.-Z., see Wu, C.-D., 3091
Lu, J.Y. and Norman, C., Synthesis and structure of two new coordination polymers featuring noncentrosymmetric inclusion of hydrogen-bonded species, 235
Lu, S.-Z., see Zheng, X.-J., 323
Lu, T.-H., see Byabartta, P., 849
Lu, T.-H., see Chand, B., 1205
Lu, T.-H., see Chand, B.G., 1213
Lu, T.-H., see Chand, B.G., 3161
Lu, T.-H., see Dinda, J., 1367
Lu, T.-H., see Dinda, J., 247
Lu, T.-H., see Ray, U., 2587
Lu, T.-H., see Sain, S., 625
Lu, T.-H., Misra, T.K., Lin, P.-C., Liao, F.-L. and Chung, C.-S., Synthesis and X-ray characterization of two isomeric dichloro bis-{1-(phenylazo)isoquinoline} complexes of ruthenium(II), 535
Lü, C.-S., see Zhu, D.-S., 3523
Luis, F., see Evangelisti, M., 2169
Luneau, D., see Minguet, M., 2349
Luo, J., see Wang, Z.-M., 433
Luo, Y.-J., see Yao, Y.-M., 441
Luo, Y.-J., see Zhang, Y., 1241
Lutz, M., see Gamez, P., 205
Luzón, J., see Campo, J., 2297
Luzón, J., Campo, J., Palacio, F., McIntyre, G.J., Goeta, A.E., Pask, C.M. and Rawson, J.M., Spin-density distribution of the high T_c *p*-O_2N-C_6F_4-CNSSN free radical studied by polarised neutron diffraction, 2301
Lydon, D.P., Spalding, T.R. and Gallagher, J.F., Substitution reactions of rhenium–chloride bonds in [Re$_2$(DMAA)$_4$Cl$_2$], (DMAA=2′,6′-dimethylacetanilido); synthesis and characterisation of [Re$_2$(DMAA)$_4$X$_2$] (X=NCO, NCS, N_3) and [Re$_2$(DMAA)$_4$L$_n$][SbF$_6$]$_2$ (*n*=2, L=pyridine; *n*=1, L=4,4′-bipyridine), 1281
Lynch, V.M., see Sessler, J.L., 2963

Ma, C., Jiang, Q., Zhang, J. and Zhang, R., Syntheses, characterization and crystal structures of new organogermanium complexes with 2,5-dimercapto-4-phenyl-1,3,4-thiodiazole, 2767
Ma, S.-L., Zhu, W.-X., Xu, M.-Q., Wang, Y.-L., Guo, Q.-L. and Liu, Y.-C., Syntheses and crystal structures of copper complexes of 7,16-bis (5-*t*-butyl-2-hydroxybenzyl)-1,4,10,13-tetraoxa-7,16-diazacyclo-octadecane, 3249
Macías, A., see Lodeiro, C., 1701
Maccagnano, S., see Edwards, R.S., 1911
Maccagnano, S., see Hill, S., 1897
Maccagnano, S., see Yang, E.-C., 1727
Mach, K., see Krut'ko, D.P., 2885
Machura, B., Dzięgielewski, J.O., Kruszynski, R., Bartczak, T.J. and Kusz, J., The reactivity of *mer*-[$ReOBr_3$(bipy)] towards gaseous nitric oxide. The crystal, molecular and electronic structure of *mer*-[$ReOBr_3$(bipy)] and [$ReBr_4$(bipy)], 2573
Machura, B., Dziegielewski, J.O., Kruszynski, R. and Bartczak, T.J., The synthesis, spectroscopic characterisation, crystal and molecular structure of two novel bent oxo-bridged dimers of rhenium(V) with μ-benzotriazolate ligands, 2869
Maciejewska, G., Nosek, M., Glowiak, T., Starosta, J. and Cieslak-Golonka, M., Catalytical decomposition of L-glutamic acid and L-glutamine with vanadium species. Electronic spectra of ammonium–sodium oligovanadates isolated from the system [$NaVO_3$(-$VOSO_4$)–Glu(Gln)]. Crystal structure of $Na_3(NH_4)_3[V_{10}O_{28}]\cdot 12\ H_2O$, 1415
Madalan, A.M., see Nedelcu, A., 789
Madalan, A.M., see Visinescu, D., 1385
Madureira, J., see Nunes, C.D., 2799
Maeda, H., see Sessler, J.L., 2963
Maekawa, M., see Kuroda-Sowa, T., 1795
Maeyer, J.T., Johnson, T.J., Smith, A.K., Borne, B.D., Pike, R.D., Pennington, W.T., Krawiec, M. and Rheingold, A.L., Pyrimidine, pyridazine, quinazoline, phthalazine and triazine coordination polymers of copper(I) halides, 419
Magennis, S.W., Craig, J., Gardner, A., Fucassi, F., Cragg, P.J., Robertson, N., Parsons, S. and Pikramenou, Z., Crown ether lanthanide complexes as building blocks for luminescent ternary complexes, 745
Magué, J.T., see Balakrishna, M.S., 587
Magull, J., see Nikiforov, G.B., 2669
Mahalakshmi, H., Jain, V.K. and Tiekink, E.R.T., Chemistry of 2-thienyl derivatives of arsenic and antimony: synthesis and characterization; X-ray structure of [$PdCl_2\{(C_4H_3S)_3As\}_2$], 549
Mahmood, A., see Constable, E.C., 687
Mahmoud, M.R., see Bauer, E.M., 2463
Mahon, M.F., see Babb, J.E., 673
Mahon, M.F., see Bjernemose, J., 875
Mahon, M.F., see Cotton, S.A., 1489
Mai, T.D., see Nathan, L.C., 887
Mair, F.S., see Cope-Eatough, E.K., 1447
Maiti, N., Kumar Dirghangi, B. and Chattopadhyay, S., Diazoketiminato complexes of Au(III): syntheses, characterisation and structure, 3109
Maji, T.K., see Sain, S., 625
Mak, T.C.W., see Wang, Q.-M., 217
Mak, T.C.W., see Zhang, L.-P., 2787
Mak, T.C.W., see Zhang, L.-P., 811
Makino, T., see Kaneko, T., 1845
Malik, K.A., see Hossain, G.G., 633
Malik, M.A., see Moloto, M.J., 595
Mann, R., see Akther, M., 355
Manonmani, J. and Kandaswamy, M., Synthesis, characterization and electrochemical studies of unsymmetrical macrocyclic mono and binuclear nickel(II) complexes, 989
Manová, A., see Breza, M., 2863
Manson, J.L., see Bordallo, H.N., 2045
Mao, J.-G., see Ying, S.-M., 3097
Mao, X.-A., see Jiang, L., 611
Mapolie, S.F., see Chen, R., 2855
Marçalo, J., see Carretas, J., 1425
Maraschin, V., see Silber, H.B., 3439
Marcel Burney, J., see Hepburn, D.D.D., 455
Marcen, S., see Ratera, I., 1851
Marchiò, L., see Deplano, P., 2175
Marek, J., see Kopel, P., 411
Marek, J., see Szučová, L., 1341
Mariño, M., see Vila, J.M., 241
Marina Idemori, Y., see Janczak, J., 1167
Marshall, I.M., see Blundell, S.J., 1973
Marshall, I.M., see Pratt, F.L., 2307
Marshall, S.R., Bendix, J., Rodchanarowan, A. and Miller, J.S., Synthesis, characterization and magnetic properties of tetracyanonitridochromates, 2515
Martínez-Agudo, J.M., see Clemente-León, M., 2395
Martínez-Agudo, J.M., see Coronado, E., 2381
Martínez-Agudo, J.M., see Coronado, E., 2375
Martínez-Agudo, J.M., see Coronado, E., 2435
Martínez-Ferrero, E., see Coronado, E., 2381
Martín-Ramos, J.D., see Sánchez-Moreno, M.J., 1039
Martinez-Agudo, J.M., see Jagličić, Z., 2293
Maruta, G., see Ishiyama, H., 1981
Maruta, G., see Morii, K., 1995
Maruta, G., Takeda, S., Yamaguchi, A., Okuno, T. and Awaga, K., Spin density distributions of *p*-*N*-alkylpyridinium nitronyl nitroxides studied by solid-state high-resolution NMR, 1989
Marvaud, V., see Tiron, R., 2427
Masci, B., see Thuéry, P., 3499
Masciocchi, N., see Navarro, E.J.A.R., 3051
Mashima, K., see Kitagawa, Y., 2019
Maspoch, D., Ruiz-Molina, D., Wurst, K., Rovira, C. and Veciana, J., Synthesis, X-ray structure and magnetic properties of a unusual transition Co(II) complex with polychlorotriphenylmethyl radicals, 1929
Massari, A.M., Gurney, R.W., Wightman, M.D., Huang, C.-H.K., Nguyen, S.T. and Hupp, J.T., Ultrathin micropatterned porphyrin films assembled via zirconium phosphonate chemistry, 3065
Masters, A.F., see Beattie, J.K., 947
Mas-Torrent, M., see Ribas, X., 2415
Masuda, H., see Ebihara, M., 3413
Mata, I., see García-Raso, Á., 3255
Mata, I., see García-Raso, Á., 403
Materazzi, S., see Kurdziel, K., 3123
Mathonière, C., see Tanase, S., 1315
Matsui, H., see Pratt, F.L., 2307
Mautner, F.A., see Goher, M.A.S., 975
Mautner, F.A., see Goher, M.A.S., 515
Mautner, F.A., see Goher, M.A.S., 3137
Mazurek, J. and Lisowski, J., Chiral macrocyclic lanthanide complexes derived from (1*R*,2*R*)-1,2-diphenylethylenediamine and 2,6-diformylpyridine, 2877
McCann, M., see Devereux, M., 3187
McCann, M., Coyle, B., Briody, J., Bass, F., O'Gorman, N., Devereux, M., Kavanagh, K. and McKee, V., Synthesis and antimicrobial activity of (Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile and its metal complexes: X-ray crystal structures of the Zn(II) and Ag(I) complexes, 1595
McCarley, R.E., see Brničević, N., 1553
McCleverty, J.A., see Paul, R.L., 781
McGrath, T.D., see Kautz, J.A., 109
McGrath, T.D., see Robertson, S., 1293
McHugh, P.E., see Adams, H., 75
McIntyre, G.J., see Campo, J., 2297
McIntyre, G.J., see Luzón, J., 2301

McKee, V., see Devereux, M., 3187
McKee, V., see McCann, M., 1595
McKenzie, C.J., see Bjernemose, J., 875
Mei, Z.-M., see Zhu, D.-S., 3523
Meisel, M.W., see Culp, J.T., 2125
Meisel, M.W., see Culp, J.T., 3059
Meisel, M.W., see Woodward, J.D., 2821
Mellace, M.G., Fagalde, F. and Katz, N.E., New asymmetric N-heterocyclic-bridged mixed-valent dinuclear complexes of rhenium and ruthenium, 369
Meneghetti, M.R., see Zanini, M.L., 1665
Meng, Q.-J., see Xie, J.-L., 299
Mercuri, M.L., see Deplano, P., 2175
Mettes, F.L., see Evangelisti, M., 2169
Miah, M.A., see Hossain, G.M.G., 633
Michalik, S., see Dzięgielewski, J.O., 3307
Micheloni, M., see Ambrosi, G., 1135
Michinobu, T., Inui, J. and Nishide, H., Preparation of non-Kekulé- and nondisjoint-type aromatic polyamines by palladium-catalyzed polycondensation and their poly(cationic radical)s, 1945
Mihailović, D., see Jagličić, Z., 2293
Mihailovic, D., see Blundell, S.J., 1973
Mileham, J.D., see Carmalt, C.J., 2655
Millán, A., see Campo, J., 2297
Millán, A., see Gilbert, I., 2457
Miller, J.S., see Etzkorn, S.J., 1751
Miller, J.S., see Marshall, S.R., 2515
Miller, T.A., see Tavacoli, S., 507
Mills, A., see Rampaul, A., 35
Milway, V.A., Zhao, L., Abedin, T.S.M., Thompson, L.K. and Xu, Z., Trinuclear complexes of a series of 'tritopic' hydrazide ligands – structural and magnetic properties, 1271
Minguet, M., Luneau, D., Paulsen, C., Lhotel, E., Gorski, A., Waluk, J., Amabilino, D.B. and Veciana, J., From purely organic to metallo-organic chiral magnetic materials, 2349
Miralles, E.C., Preface to the Proceedings of ICMM 2002, 1725
Mirovitsky, V.Y., see Dunbar, K.R., 2545
Mirza, A.H., see Akbar Ali, M., 1471
Mirza, A.H., see Akbar Ali, M., 3433
Miskolczy, Z., see Gábor Ágoston, C., 2607
Misra, T.K., see Lu, T.-H., 535
Mito, M., see Mukai, K., 2091
Mito, M., see Takeda, K., 2287
Mitsuhashi, C., see Ichimura, T., 2557
Miura, Y., see Miyazaki, Y., 909
Miyaji, H., see Kaneko, T., 1845
Miyasaka, H., see Kuroda-Sowa, T., 1795
Miyashita, Y., see Yamada, Y., 1455
Miyashita, Y., see Yamada, Y., 1507
Miyazaki, A., see Nishijo, J., 1755
Miyazaki, A., Okabe, K., Enomoto, K., Nishijo, J., Enoki, T., Setifi, F., Golhen, S., Ouahab, L., Toita, T. and Yamada, J., π–d Interaction-based molecular magnets, 2227
Miyazaki, E., see Morita, Y., 2219
Miyazaki, Y., Yoshimura, K., Miura, Y., Sakashita, H. and Ishimaru, K., ^{11}B NMR investigation of the complexation behavior of borate with polysaccharides in aqueous solution, 909
Mohammadi, M.R., see Alizadeh, M.H., 933
Molins, E., see García-Raso, Á., 3255
Molins, E., see García-Raso, Á., 403
Molloy, K., see Carmalt, C.J., 1255
Molnár, G., see Conséjo, C., 2441
Moloto, M.J., Malik, M.A., O'Brien, P., Motevalli, M. and Kolawole, G.A., Synthesis and characterisation of some *N*-alkyl/aryl and *N*,*N*′-dialkyl/aryl thiourea cadmium(II) complexes: the single crystal X-ray structures of $[CdCl_2(CS(NH_2)NHCH_3)_2]_n$ and $[CdCl_2(CS(NH_2)NHCH_2CH_3)_2]$, 595
Monnier, T., see Chérioux, F., 543
Montant, S., see Ratera, I., 1851
Moreira, I.S., see Santiago, M.O., 3205
Morello, A., Bakharev, O.N., Brom, H.B. and de Jongh, L.J., Quantum tunnelling of magnetization in Mn_{12}-*ac* studied by ^{55}Mn NMR, 1745
Moreno, V., see Fernández-Botello, A., 1067
Moreno-Carretero, M.N., see Acuña-Cueva, E.R., 483
Morgado, J., see Dias, J.C., 2447
Morii, K., Maruta, G. and Takeda, S., Ferro- and antiferromagnetic interactions of layer-structured basic copper compounds as studied by solid-state high-resolution deuterium NMR, 1995
Morioka, T., see Ebihara, M., 3413
Moris, N., see Ng, C.H., 521
Morita, Y., Fukui, K., Suzuki, S., Aoki, T., Nakazawa, S., Tamaki, K., Fuyuhiro, A., Yamamoto, K., Sato, K., Shiomi, D., Naito, A., Takui, T. and Nakasuji, K., Electronic-spin and columnar crystal structures of stable 2,5,8-tri-*tert*-butyl-1,3-diazaphenalenyl radical, 2199
Morita, Y., Kawai, J., Nishida, S., Fukui, K., Nakazawa, S., Sato, K., Daisuke, S., Taukui, T., Nakasuji, K., A novel organic neutral radical system: topological effects in oxophenalenoxyls, 2205
Morita, Y., Miyazaki, E., Kawai, J., Sato, K., Shiomi, D., Takui, T. and Nakasuji, K., Syntheses and spin structures of 1,6-dithiapyrene derivatives having imino nitroxide or oxoverdazyl moiety, 2219
Morita, Y., Nishida, S., Kawai, J., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuji, K., Redox-based spin diversity: a reversible topological spin switching in oxophenalenoxyl systems, 2209
Morita, Y., Suzuki, S., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuji, K., A synthetic study of metal complexes of coordinated neutral radicals based on an azaphenalenyl system, 2215
Morosini, P., see Sessler, J.L., 2963
Morris, D.G., Muir, K.W. and Chii, C.O.W., Silver(I) and mercury(II) complexes of $Me_3N(+)$– $N(-)X$ ylides: synthesis and structure, 3345
Mostafa, G., see Byabartta, P., 849
Mostafa, G., see Chand, B., 1205
Mostafa, G., see Chand, B.G., 3161
Mostafa, G., see Dinda, J., 1367
Mostafa, G., see Dinda, J., 247
Mostafa, G., see Ray, U., 2587
Mostafa, G., see Sain, S., 625
Moszner, M., Ciunik, Z. and Ziółkowski, J.J., Synthetic routes and structures of $[Rh(Hdmg)\{ClZn(C_2H_5OH)dmg\}(PPh_3)Cl]$, $[Rh(Hdmg)_2(PPh_3)_2]^+[Rh(Hdmg)_2(Cl)_2]^- \cdot 2CH_3OH$ and $[Rh(Hdmg)2(PPh_3)I] \cdot 0.5C_2H_5OH$ complexes, 3195
Motevalli, M., see Moloto, M.J., 595
Moubaraki, B., see Price, D.J., 165
Moubaraki, B., see Price, D.J., 2161
Mrak, M., see Pevec, A., 575
Mrozinski, J., see Kopel, P., 411
Mrzel, A., see Jagličić, Z., 2293
Mu, Y., see Zhu, D.-S., 3523
Muir, K.W., see Morris, D.G., 3345
Mukai, K., Yanagimoto, M., Tanaka, S., Mito, M., Kawae, T. and Takeda, K., Heat capacity study of the doping effect of paramagnetic impurity in organic spin-Peierls system: *p*-CyDOV radical crystal, 2091
Mukhopadhyay, G., see Ray, M.S., 617
Müller, A., see Saalfrank, R.W., 2985
Müller, A., see Paraschiv, C., 1611
Müller, A., see Visinescu, D., 1385
Mulready, S., see Gunnlaugsson, T., 711
Munakata, M., see Kuroda-Sowa, T., 1795
Muresan, L., see Tomsa, A.-R., 2901

Murray, K.S., see Price, D.J., 165
Murray, K.S., see Price, D.J., 2161
Mutka, H., see Basler, R., 2471

Nagao, H., see Yamaguchi, K., 2077
Nagashima, H., Inoue, H. and Yoshioka, N., Synthesis, solution ESR spectra and solid-state magnetic property of thieno[3,4-*d*]imidazol-2-yl nitronyl nitroxide, 1823
Nagy, Z., see Gábor Ágoston, C., 2607
Naito, A., see Morita, Y., 2199
Najafian, H., see Salavati-Niasari, M., 2633
Nakajima, T., see Saalfrank, R.W., 2985
Nakanishi, W., see Okuno, T., 2311
Nakano, M., see Yang, E.-C., 1727
Nakano, S., see Kawakami, T., 2051
Nakano, S., see Kitagawa, Y., 2019
Nakano, S., see Taniguchi, T., 2039
Nakano, S., see Yamaguchi, K., 2077
Nakano, S., Kitagawa, Y., Kawakami, T. and Yamaguchi, K., Hybrid DFT study of electronic structure on quasi-one-dimensional halogen-bridged binuclear metal complexes (MMX), 2027
Nakasuji, K., see Morita, Y., 2199
Nakasuji, K., see Morita, Y., 2209
Nakasuji, K., see Morita, Y., 2205
Nakasuji, K., see Morita, Y., 2219
Nakasuji, K., see Morita, Y., 2215
Nakazawa, S., see Morita, Y., 2199
Nakazawa, S., see Morita, Y., 2209
Nakazawa, S., see Morita, Y., 2205
Nakazawa, S., see Morita, Y., 2215
Nathan, L.C. and Traina, C.A., Tautomerism in complexes with neutral tetradentate Schiff base ligands: the X-ray structures of cadmium(II) nitrate complexes of bis(acetylacetone)-*m*-phenylenediimine and bis(acetylacetone)-*p*-phenylenediimine, 3213
Nathan, L.C., Koehne, J.E., Gilmore, J.M., Hannibal, K.A., Dewhirst, W.E. and Mai, T.D., The X-ray structures of a series of copper(II) complexes with tetradentate Schiff base ligands derived from salicylaldehyde and polymethylenediamines of varying chain length, 887
Nau, Q., see Jeftić, J., 2155
Naumov, N.G., see Brylev, K.A., 3383
Navarro, J.A.R., see Barea, E., 3051
Navarro-Llobet, D., see Chisholm, M.H., 557
Navarro-Ranninger, C., see Ramos-Lima, F.J., 3379
Nazimuddin, M., see Akbar Ali, M., 1471
Necas, M., see Sevcik, R., 1585
Nedelcu, A., Žak, Z., Madalan, A.M., Pinkas, J. and Andruh, M., Supramolecular solid-state architectures constructed from 4,4′-bipyridine-N,N′-dioxide and dicyanamido tectons. Synthesis and crystal structures of $[M(bpno)_2\{N(CN)_2\}_2(H_2O)_2]$ (M=Co, Mn) and $[Cu(bpno)\{N(CN)_2\}_2(H_2O)]$, 789
Nedeljković, J., see Vasić, V., 279
Neuburger, M., see Constable, E.C., 93
Ng, C.H., Lim, Y.T., Moris, N. and Teoh, S.G., Effect of different α-substituents on the Mannich reaction of copper(II) chelated α-amino acids with formaldehyde and acetamide: X-ray structure of aquabis(3-methylacetamido-5-methyl-oxazolidine-4-carboxylato)-copper(II), 521
Ngo, S.C., Banger, K.K., DelaRosa, M.J., Toscano, P.J. and Welch, J.T., Thermal and structural characterization of a series of homoleptic Cu(II) dialkyldithiocarbamate complexes: bigger is only marginally better for potential MOCVD performance, 1575
Nguyen, S.T., see Massari, A.M., 3065
Niclós, J., see Carballo, R., 1051
Niclós-Gutiérrez, J., see Sánchez-Moreno, M.J., 1039
Niclós-Gutiérrez, J., see Rojas-González, P.X., 1027
Nielsen, L.P., see Bjernemose, J., 875
Nierlich, M., see Berthet, J.-C., 3475
Nieuwenhuyzen, M., see Gunnlaugsson, T., 711
Nieuwenhuyzen, M., see Gunnlaugsson, T., 3231
Nihei, M., Hoshino, N., Ito, T. and Oshio, H., Structures and magnetic properties of metal cubes, 2359
Nikiforov, G.B., Roesky, H.W., Magull, J., Labahn, T., Vidovic, D., Noltemeyer, M., Schmidt, H.-G. and Hosmane, N.S., Synthesis and investigation of the stability of Ti(III) β-diketiminato complexes. Structure of the tetrameric non-metallocene titanium fluoride complex $(L2)_4Ti_4F_6O_2$·2toluene supported by the β-diketiminato ligand, 2669
Nishida, S., see Morita, Y., 2205
Nishida, S., see Morita, Y., 2209
Nishida, S., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuji, K.Morita, Y., Kawai, J., A novel organic neutral radical system: topological effects in oxophenalenoxyls, 2205
Nishida, Y., Ito, S. and Nishino, S., The important role of an unpaired d-electron for terminal oxygen atom transfer reaction of the (hydroperoxo) iron(III) compound, 293
Nishide, H., see Michinobu, T., 1945
Nishijo, J., see Miyazaki, A., 2227
Nishijo, J., Miyazaki, A. and Enoki, T., Weak-ferromagnetism in molecular magnets based on transition metal complexes of crown thioether, 1755
Nishino, S., see Nishida, Y., 293
Niu, J.-Y., see Tao, R.-J., 2911
Nogami, T., see Ichimura, T., 2557
Nogami, T., see Ishida, T., 2133
Nogami, T., see Kuroda-Sowa, T., 1795
Nogueira, H.I.S., see Soares-Santos, P.C.R., 3529
Nolan, C., see Gunnlaugsson, T., 3231
Noltemeyer, M., see Nikiforov, G.B., 2669
Nomura, M., see Zhang, Y.-H., 1377
Norman, C., see Lu, J.Y., 235
North, J.M., see Hill, S., 1889
North, J.M., see Hill, S., 1897
Nosek, M., see Maciejewska, G., 1415
Novais, H., see Alves, H., 2481
Novak, M.A., see Pereira, C.L.M., 2387
Novak, M.A., see Takeda, K., 2287
Novak, M.A., Vaz, M.G.F., Speziali, N.L., Costa, W. and Stumpf, H.O., Magnetic properties of an interlocked molecular magnet, 2391
Novoa, J.J., see Deumal, M., 1935
Novoa, J.J., see Deumal, M., 2235
Novosad, J., see Sevcik, R., 1585
Nowicki, W., see Kwiatkowski, E., 1009
Nuez, A., see Coronado, E., 2435
Nunes, C.D., Pillinger, M., Hazell, A., Jepsen, J., Santos, T.M., Madureira, J., Lopes, A.D. and Gonçalves, I.S., Bimetallic transition metal–ruthenium(II) complexes containing bridging bipyrimidine ligands, 2799

O'Brien, P., see Sreekumari Nair, P., 3129
O'Brien, J.E., see Gunnlaugsson, T., 711
O'Brien, P., see Moloto, M.J., 595
O'Gorman, N., see McCann, M., 1595
O Shea, D., see Devereux, M., 3187
Ohba, M., Ohtsubo, N., Shiga, T., Sakamoto, M. and Okawa, H., Synthesis, structure and magnetic properties of a linear Cu(II)-Cl(II)Gd(III) complex, 1905
Ohba, M., see Kumagai, H., 1917
Ohnuki, H., see Woodward, J.D., 2821
Ohsaku, T., see Yamaguchi, K., 2077
Ohta, H., see Spitsina, N., 2009
Okuno, T., Kuwamoto, K., Fujita, K., Awaga, K. and Nakanishi, W., (m-orp-MpyNN)_{2}Ni_{II}(tdas)_{2}, 2311

Ohtsubo, N., see Ohba, M., 1905
Oka, Y., see Kumagai, H., 1917
Okabe, K., see Miyazaki, A., 2227
Okada, K., see Tanaka, K., 1803
Okamoto, K.-i., see Yamada, Y., 1507
Ōkamoto, K.-i., see Yamada, Y., 1455
Okawa, H., see Ohba, M., 1905
Okawa, H., see Kumagai, H., 1917
Okubo, S., see Spitsina, N., 2009
Okuno, T., Kuwamoto, K., Fujita, W., Awaga, K. and Nakanishi, W., Crystal structures and magnetic properties of (*m*- or *p*-MPYNN)$_2$ $Ni^{II}(tdas)_2$, 2311
Okuno, T., see Maruta, G., 1989
Oliveira, M.R.L., see Perpétuo, G.J., 3355
Oliveira, M.R.L., Diniz, R., De Bellis, V.M. and Fernandes, N.G., Nickel(II) complexes of dithiocarbimates from sulfonamides: syntheses and crystal structures, 1561
Olmstead, M.M., see Panda, A., 67
Omata, J., see Ishida, T., 2133
Omerzu, A., see Blundell, S.J., 1973
O'Neill, S.A., see Rampaul, A., 35
Onishi, T., Yamaki, D. and Yamaguchi, K., Theoretical studies on the electronic states of electron-doped copper oxides, 2191
Onuma, A., see Kaneko, T., 1845
Ooi, L.L., see Cotton, S.A., 1489
Orto, P., see Selby, H.D., 2999
O'Shaughnessy, P.N., see Sanders, C.J., 1617
Oshima, Y., see Spitsina, N., 2009
Oshio, H., see Nihei, M., 2359
Ostrovsky, S.M., see Dunbar, K.R., 2545
Ouahab, L., see Isab, A.A., 1349
Ouahab, L., see Miyazaki, A., 2227
Ouahab, L., see Tanase, S., 1315
Ovcharenko, V., see Fursova, E., 1957
Ovcharenko, V.I., see Koreneva, O., 2487
Ovcharenko, V.I., see Tretyakov, E., 1965
Ovcharenko, V.I., see Tretyakov, E., 2499
Ovchynnikov, V.A., see Trush, E.A., 1221
Ozan, N. and Bekaroğlu, Ö., Synthesis and characterization of a triazine containing three phthalocyanines, 819
Ozawa, S., see Ebihara, M., 3413
Özdemir, Ü., see Sert, S., 1689
Özdemir, Ü., see Şentürk, O.S., 1659

Padmanabhan, M., see George, R.G., 3145
Pal, S. and Pal, S., Syntheses, structures and properties of *trans*-dichlororuthenium(II) complexes with N_4-donor Schiff bases, 867
Pal, S., see Pal, S., 867
Palacio, F., see Baskett, M., 2363
Palacio, F., see Campo, J., 2297
Palacio, F., see Gilbert, I., 2457
Palacio, F., see Luzón, J., 2301
Palii, A., see Borrás-Almenar, J.J., 2521
Palii, A., see Dunbar, K.R., 2545
Palii, A., Tsukerblat, B.S., Coronado, E., Clemente-Juan, J.M. and Borrás-Almenar, J.J., Orbitally dependent kinetic exchange in cobalt(II) pairs: origin of the magnetic anisotropy, 2537
Panda, A., Stender, M., Olmstead, M.M., Klavins, P. and Power, P.P., Reactions of $M\{N(SiMe_3)_2\}_2$ (M=Mn, Fe or Co) with pyridine and 4,4′-bipyridyl: structural and magnetic studies, 67
Panda, R., see Balakrishna, M.S., 587
Panja, A., Shaikh, N., Ali, M., Vojtíšek, P. and Banerjee, P., Structural characterization of a new manganese(III)–salen complex [H_2salen=*N*,*N*′-bis(salicylidene)ethane-1,2-diamine] and study of its electron transfer kinetics with hydroquinone and catechol, 1191
Panyushkin, V.T., Bukov, N.N. and Abramov, D.E., Structure and vibration spectra of neodymium biglycinate, 271
Papaefstathiou, G.S., see Diamantopoulou, E., 825
Parajó, Y., see Casas, J.S., 1113
Paramonov, S.E., Kuzmina, N.P. and Troyanov, S.I., Synthesis and crystal structure of silver(I) carboxylate complexes, Ag(P^n-Bu_3)[$C(CH_3)_3COO$] and Ag(Phen)$_2$[CF_3COO]·H_2O, 837
Paraschiv, C., Sutter, J.-P., Schmidtmann, M., Müller, A. and Andruh, M., [Mn(MAC){$\mu_{1,5}$-N(CN)$_2$}](PF_6): a new one-dimensional coordination polymer with $\mu_{1,5}$-dicyanamido bridges (MAC=pentaaza macrocyclic ligand) – synthesis, crystal structure and magnetic properties, 1611
Park, J.-H., see Culp, J.T., 2125
Park, J.-H., see Culp, J.T., 3059
Park, K., see Hill, S., 1889
Parkin, G., see Zhu, G., 199
Parkin, I.P., see Binions, R., 1683
Parkin, I.P., see Carmalt, C.J., 1263
Parkin, I.P., see Carmalt, C.J., 1255
Parkin, I.P., see Carmalt, C.J., 1499
Parkin, I.P., see Rampaul, A., 35
Parra-Hake, M., see Ríos-Moreno, G., 563
Parsons, S., see Brechin, E.K., 1771
Parsons, S., see Magennis, S.W., 745
Parveen, S., see Shakir, M., 3181
Pasán, J., see Ruiz-Pérez, C., 2111
Pasán, J., Delgado, F.S., Rodríguez-Martín, Y., Hernández-Molina, M., Ruiz-Pérez, C., Sanchiz, J., Lloret, F. and Julve, M., Malonate-based copper(II) coordination compounds: ferromagnetic coupling controlled by dicarboxylates, 2143
Pasenko, A.A., see Shtemenko, A., 1547
Pask, C.M., see Luzón, J., 2301
Patrick, B.O., Stevens, C.L., Storr, A. and Thompson, R.C., Structural and magnetic properties of three copper(II) pyridine-2,3-dicarboxylate coordi-nation polymers incorporating the same chain motif, 3025
Patroniak, V., see Radecka-Paryzek, W., 2773
Paul, R.L., see Beer, P.D., 795
Paul, R.L., see Rice, C.R., 755
Paul, R.L., see Tavacoli, S., 507
Paul, R.L., Bell, Z.R., Jeffery, J.C., Harding, L.P., McCleverty, J.A. and Ward, M.D., Complexes of a bis-bidentate ligand with d^{10} ions: a mononuclear complex with Ag(I) and a tetrahedral cage complex with Zn(II) which encapsulates a fluoroborate anion, 781
Paulsen, C., see Minguet, M., 2349
Paver, M.A., Joy, J.S., Coles, S.J., Hursthouse, M.B. and Davies, J.E., Organo-functionalised arsine and stibine organometallics; syntheses and structural characterisations of 1,3-[$(PhC{\equiv}C)_2Sb]_2(CH_2)_3$, $As(C{\equiv}CPh)_3$, $R_2AsCH_2AsR_2$ [R=$Me_3SiC{\equiv}C$-, $(Me_3Si)_2N$- and 2-SPy] with π-stacking in the latter, 211
Pazderski, L., see Szłyk, E., 3389
Pazderski, L., see Szlyk, E., 391
Pederson, M.R., see Kortus, J., 1871
Pedroso, E.F., see Pereira, C.L.M., 2387
Pellei, M., Gioia Lobbia, G., Ricciutelli, M. and Santini, C., Synthesis and solution studies by electrospray mass spectroscopy of new bis(imidazolyl)borate organotin(IV) complexes, 499
Pena, G., see Landee, C.P., 2325
Peng, S.-M., see Yang, L.-F., 3547
Peng, Z.-H., see Yang, L.-F., 3547
Pennington, W.T., see Maeyer, J.T., 419
Pereira, C.L.M., Pedroso, E.F., Novak, M.A., Brandl, A.L., Knobel, M. and Stumpf, H.O., Cluster glass-like behavior in a 2D bimetallic molecule-based magnet, 2387
Pereira, M.T., see Vila, J.M., 241
Pérez, E.R., Carvalho, R.M., Santos, R.H. A., Gambardella, M.T. P. and Lima-Neto, B.S., Synthesis of *trans*-[$RuCl_2$(dppe)$_2$] using the tetraalkylammonium chloride under transfer phase catalysis conditions. Crystal structure of the novel *trans*-[RuBrCl(dppe)$_2$], 3289

Pérez, J.M., see Ramos-Lima, F.J., 3379
Pérez, S., see Crespo, M., 3363
Pérez-Lourido, P., see Beloso, I., 1099
Pérez-Parallé, M.L., see Casas, J.S., 1113
Peris, G., see Brylev, K.A., 3383
Perlepes, S.P., see Diamantopoulou, E., 825
Perpétuo, G.J., Oliveira, M.R.L., Janczak, J., Vieira, H.P., Amaral, F.F. and De Bellis, V.M., Syntheses, crystal structure and spectroscopic characterization of novel N-R-sulfonyl-dithiocarbimate zinc(II) complexes, 3355
Peters, E.S., see Carmalt, C.J., 1255
Peters, E.S., see Carmalt, C.J., 1263
Peters, E.S., see Carmalt, C.J., 1499
Petricek, S., see Pevec, A., 575
Petrović, B., see Vasić, V., 279
Pevec, A., Mrak, M., Demšar, A., Petricek, S. and Roesky, H.W., Coordination number 12 in praseodymium and 11 in neodymium complexes with organofluorotitanate ligands, 575
Philson, L.A., Alyounes, D.M., Zakkarov, L.N., Rheingold, A.L. and Rabinovick, D., Bis(mercaptoimidazolyl)borates and the control of nuclearity in cadmium thilate complexes, 3461
Pike, R.D., see Maeyer, J.T., 419
Pikramenou, Z., see Magennis, S.W., 745
Pilia, L., see Deplano, P., 2175
Pillinger, M., see Nunes, C.D., 2799
Pinkas, J., see Nedelcu, A., 789
Pires de Matos, A., see Carretas, J., 1425
Planinić, P., see Brničević, N., 1553
Platas-Iglesias, C., see Esteban, D., 2709
Platt, A.W.G., see Fawcett, J., 1431
Platt, A.W.G., see Fawcett, J., 967
Plieger, P.G., see Brooker, S., 665
Podgajny, R., see Korzeniak, T., 2183
Poleschak, I., see Constable, E.C., 93
Pombeiro, A.J.L., see Garnovskii, D.A., 1335
Pons, A., see Garcia-Raso, Á., 3255
Pontellini, R., see Ambrosi, G., 1135
Posse, M.E.G., Vergara, M.M., Fagalde, F. and Katz, N.E., Tuning of the reorganization energies by 'innocent' co-ligands in novel mixed-valent dinuclear ruthenium complexes, 465
Powell, A., see Vaqueiro, P., 2839
Powell, G.L., see Chaney, C.P., 2625
Power, P.P., see Panda, A., 67
Prathapachandra Kurup, M.R., see Sreekanth, A., 3321
Pratt, F.L., see Blundell, S.J., 1973
Pratt, F.L., Blundell, S.J., Marshall, I.M., Lancaster, T., Lee, S.L., Drew, A., Divakar, U., Matsui, H. and Toyota, N., μSR studies of magnetic superconductors based on the BETS molecule, 2307
Pratt, M.D. and Beer, P.D., Anion recognition and sensing by mono- and bis-urea substituted ferrocene receptors, 649
Price, D.J., Batten, S.R., Berry, K.J., Moubaraki, B. and Murray, K.S., Structure and magnetism of trinuclear and tetranuclear mixed valent manganese clusters from dicyanonitrosomethanide derived ligands, 165
Price, D.J., Batten, S.R., Moubaraki, B. and Murray, K.S., Synthesis, structure and magnetism of $\{[Mn(\mu\text{-}OH)(\mu\text{-}OAc)_2]\cdot HOAc\cdot H_2O\}_n$ and the facilitation of long-range magnetic order through hydrogen bonding, 2161
Pritchard, R.G., see Cope-Eatough, E.K., 1447
Proust, A., see Villanneau, R., 1157
Ptaszek, M., see Eilmes, J., 3299

Qian-Jiang, Z., see Rong-Guang, L., 3467
Qian-Jiang, Z., see Zhu, T., 1603
Qualls, J.S., see Bordallo, H.N., 2045
Queiroz, S.L., see Santiago, M.O., 3205
Querol, M., Bozic, B., Salluce, N. and Belser, P., Synthesis, metal complex formation and switching properties of spiropyrans linked to chelating sites, 655
Quinlan, K.B., see Chisholm, M.H., 145
Quirós-Olozábal, M., see Acuña-Cueva, E.R., 483
Quiroga, A.G., see Ramos-Lima, F.J., 3379

Rabinovich, D., see Philson, L.A., 3461
Radanović, D.D., see Rychlewska, U., 3265
Radanović, D.J., see Rychlewska, U., 3265
Radanović, D.D., Rychlewska, U., Djuran, M.I., Drašković, N.S., Vasojević, M.M., Hodžić, I.M. and Radanović, D.J., Simple synthetic method and structural characteristics of (1,3-propanediaminetetraacetato)cobalt(II) complexes: uniform crystal packing in a series of metal(II) complexes with 1,3-propanediaminetetraacetate ligand, 2745
Radanović, D.J., see Radanović, D.D., 2745
Radecka-Paryzek, W., Patroniak, V. and Kubicki, M., The template synthesis and characterization of pentaaza macrocyclic complexes of rare earth elements. The crystal structure of the 2,14-dimethyl-3,6,10,13,19-pentaazabicyclo[13.3.1]nonadeca-1(19),2,13,15,17-pentaene-dichlorolutetium(III)perchlorate, 2773
Radhakrishnan, T., see Sreekumari Nair, P., 3129
Raithby, P.R., see Bjernemose, J., 875
Raithby, P.R., see Cotton, S.A., 1489
Ramos-Lima, F.J., Quiroga, A.G., Pérez, J.M. and Navarro-Ranninger, C., Preparation, characterization and cytotoxic activity of new compounds *trans*-$[PtCl_2NH_3$ (3-(hydroxymethyl)-pyridine)] and *trans*-$[PtCl_2NH_3$(4-(hydroxymethyl)-pyridine)], 3379
Rampaul, A., Parkin, I.P., O'Neill, S.A., DeSouza, J., Mills, A. and Elliott, N., Titania and tungsten doped titania thin films on glass; active photocatalysts, 35
Rana, A., Dinda, R., Ghosh, S. and Blake, A.J., A series of new oxomolybdenum(IV) complexes involving some NSO donors as the main ligand frame; the first use of diacetyldihydrazones to stabilize the MoO^{+2} acceptor centre, 3075
Ranford, J.D., see Lee, P.F., 2781
Rao Kollipara, M., see Lalrempuia, R., 3155
Rao, C.P., see Dey, M., 3515
Rao, K.M. and Rymmai, E.K., Synthesis and characterization of $[(Cp^*)Ru(PPh_3)(N\text{-base})]X$ and $[(\eta^5\text{-}C_9H_7)Ru(PPh_3)(N\text{-base})]X$ complexes: crystal and molecular structure of the complex $[(\eta^5\text{-}C_9H_7)Ru(PPh_3)(phen)]PF_6$ ($Cp^*=C_5Me_5$, indenyl=C_9H_7; N-base=bipy. and phen.; X=BF_4 or PF_6), 307
Raptopoulou, C.P., see Diamantopoulou, E., 825
Rarig Jr., R.S. and Zubieta, J., Octamolybdate subunits as building blocks in the hydrothermal synthesis of organically templated mixed metal oxides: the synthesis and X-ray characterization of $[Cu_2Mo_4O_{13}(3,3'\text{-bipy})_2]\cdot H_2O$, $[CuMo_4O_{13}$(Hdipyreth)] and $[Cu(dpp)]_2[Cu_2(\alpha\text{-}Mo_8O_{26})(dpp)_2]\cdot 2H_2O$ (3,3′-bipy=3,3′-bipyridine; dipyreth=1,2-bis(2-pyridyl)ethylene; dpp=4,4′-trimethylenedipyridine), 177
Rassat, A., see Takeda, K., 2287
Ratansiripong, T., see Silber, H.B., 3439
Ratera, I., Ruiz-Molina, D., Sporer, C., Marcen, S., Montant, S., Létard, J.-F., Freysz, E., Rovira, C. and Veciana, J., Nonlinear optical properties of open-shell polychlorotriphenylmethyl radicals, 1851
Rawson, J.M., see Luzón, J., 2301
Ray Chaudhuri, N., see Sain, S., 625
Ray, M.S., Bhattacharya, R., Chaudhuri, S., Righi, L., Bocelli, G., Mukhopadhyay, G. and Ghosh, A., Synthesis, characterisation and X-ray crystal structure of copper(II) complexes with unsymmetrical tetradentate Schiff base ligands: first evidence of Cu(II) catalysed rearrangement of unsymmetrical to symmetrical complex, 617
Ray, U., see Chand, B., 1205

Ray, U., see Dinda, J., 247
Ray, U., Chand, B., Mostafa, G., Cheng, J., Lu, T.-H. and Sinha, C., Mono- and binuclear cobalt(II)-azido complexes of arylazoimidazole: synthesis, spectral characterization, electrochemistry and crystal structure, 2587
Ray, U.S., see Chand, B.G., 1213
Ray, U.S., see Chand, B.G., 3161
Razak, I.A., see Dinda, J., 247
Razavi, H., see Alizadeh, M.H., 933
Reedijk, J., see Gamez, P., 205
Remškar, M., see Jagličić, Z., 2293
Ren, X.-M., see Xie, J.-L., 299
Reu, O., see Coronado, E., 2527
Reu, O.S., see Klokishner, S.I., 2401
Revaprasadu, N., see Sreekumari Nair, P., 3129
Rheingold, A.L., see Chakov, N.E., 1759
Rheingold, A.L., see Maeyer, J.T., 419
Rheingold, A.L., see Philson, L.A., 3461
Rheingold, A.L., see Rumberger, E.M., 1865
Rheingold, A.L., see Sañudo, E.C., 2267
Rheingold, A.L., see Walters, M.A., 941
Rheingold, A.L., see Yang, E.-C., 1857
Rheingold, A.L., see Yang, E.-C., 1727
Rheinwald, G., see El-khateeb, M., 3445
Ribas, J., see Sain, S., 625
Ribas, X., see Dias, J.C., 2447
Ribas, X., Mas-Torrent, M., Rovira, C., Veciana, J., Dias, J.C., Alves, H., Lopes, E.B., Almeida, M. and Wurst, K., Molecular compounds based on DT-TTF and Au(cdc)$_2$ complex. Structural, magnetic and electrical properties, 2415
Ricciutelli, M., see Pellei, M., 499
Rice, C.R., Baylies, C.J., Harding, L.P., Jeffery, J.C., Paul, R.L. and Ward, M.D., Cadmium-containing pyridyl–thiazole complexes: crystal structures and solution behaviour of mononuclear, dinuclear double helicate and dinuclear triple helicate complexes, 755
Richter, C., see Silber, H.B., 3439
Righi, L., see Ray, M.S., 617
Righini, G., see Bauer, E.M., 2463
Ríos-Moreno, G., Aguirre, G., Parra-Hake, M. and Walsh, P.J., Synthesis, characterization and structure of dinuclear copper(I) and silver(I) complexes of *ortho*-functionalized 1,3-bis(aryl)triazenide ligands, 563
Rissanen, K., see Dey, M., 3515
Robb, M.A., see Deumal, M., 1935
Robb, M.A., see Deumal, M., 2235
Robert, F., see Villanneau, R., 1157
Robertson, N. and Tiwary, S., A new dithiolene complex magnet: [Ni(Cp*Rubdt)$_2$][CF_3SO_3], 2339
Robertson, N., see Magennis, S.W., 745
Robertson, S., Ellis, D., McGrath, T.D., Rosair, G.M. and Welch, A.J., Synthesis and characterisation of labelled diphenylcarboranes, 1293
Rocha, J., see Soares-Santos, P.C.R., 3529
Rocha, R.C. and Toma, H.E., Intervalence, electron transfer and redox properties of a triazolate-bridged ruthenium-polypyridine dinuclear complex, 1303
Rodchanarowan, A., see Marshall, S.R., 2515
Rodríguez, A., see Lodeiro, C., 1701
Rodríguez-Blas, T., see Esteban, D., 2709
Rodríguez-Martín, Y., see Ruiz-Pérez, C., 2111
Rodríguez-Martín, Y., see Pasán, J., 2143
Rodríguez-Seoane, P., see Bolaño, S., 1711
Roesky, H.W., see Nikiforov, G.B., 2669
Roesky, H.W., see Pevec, A., 575
Rojas-González, P.X., Choquesillo-Lazarte, D., González-Pérez, J.M., Ruíz-García, S.A., Carballo, R., Castiñeiras, A. and Niclós-Gutiérrez, J., Synthesis, crystal structure and properties of *N-tert*-butyliminodiacetic acid (H_2TEBIDA), [Cu(TEBIDA)(H_2O)$_2$], {[Cu(TEBIDA)(Him)]·2H_2O}$_n$, {Cu(TEBIDA) (5MeHim)·H_2O}$_n$ and [Cu(TEBIDA)(2,2′-bipy)(H_2O)]·4.5H_2O, (Him=imidazole, 5MeImH=5-methylimidazole and 2,2′-bipy=2,2′-bipyridine), 1027
Romanenko, G., see Fursova, E., 1957
Romanenko, G., see Koreneva, O., 2487
Romanenko, G., see Tretyakov, E., 1965
Romanenko, G., see Tretyakov, E., 2499
Romanowski, G., see Kwiatkowski, E., 1009
Rombaut, G., see Tanase, S., 1315
Romero, F.M., see Coronado, E., 2375
Romero, F.M., see Coronado, E., 2435
Romero, F.M., see Coronado, E., 3115
Romero, J., see Beloso, I., 1099
Rominger, F., see Zanini, M.L., 1665
Rong-Guang, L., Zhu, T., Sai-Feng, X., Qian-Jiang, Z., Gregory Jackson, W., Zhan-Bing, W. and La-Sheng, L., C–H$\cdots\pi$ interactions in the [Co(*N*-(2-pyridylmethyl)-1,3-diaminopropane)(2-aminomethylpyridine)Cl]$^{2+}$ system: syntheses, 2D NMR spectroscopy, X-ray structures and energy minimisations, 3467
Rosair, G.M., see Robertson, S., 1293
Rosales-Hoz, M.J., see Gabriela Ballinas-López, M., 3403
Rossi, P., see Ambrosi, G., 1135
Rovira, C., see Maspoch, D., 1929
Rovira, C., see Ratera, I., 1851
Rovira, C., see Dias, J.C., 2447
Rovira, C., see Ribas, X., 2415
Ruíz-García, S.A., see Rojas-González, P.X., 1027
Ruan, W.-J., see Zhang, Y.-L., 1535
Rugen-Hankey, M.P., see Beckett, M.A., 3333
Ruiz, D., see Soler, M., 1783
Ruiz-Molina, D., see Domingo, N., 2355
Ruiz-Molina, D., see Gerbier, P., 1951
Ruiz-Molina, D., see Maspoch, D., 1929
Ruiz-Molina, D., see Ratera, I., 1851
Ruiz-Pérez, C., see Pasán, J., 2143
Ruiz-Pérez, C., Rodríguez-Martín, Y., Hernández-Molina, M., Delgado, F.S., Pasán, J., Sanchiz, J., Lloret, F. and Julve, M., Malonic acid: a multi-modal bridging ligand for new architectures and properties on molecule-based magnets, 2111
Ruman, T., Ciunik, Z. and Wotowiec, S., Complexes of hetero scorpionate trispyrazolylborate ligands, Part IX. X-ray crystallographic studies on cobalt(II) complexes of hydrobis(3-phenyl,5-methylpyrazolyl)(3,5-die thylpyrazolyl)borate, 581
Ruman, T., see Kisala, J., 1645
Rumberger, E.M., Hill, S., Edwards, R.S., Wernsdorfer, W., Zakharov, L.N., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Search for new iron single-molecule magnets, 1865
Rushworth, S., see Carmalt, C.J., 2655
Russell, D.R., see Bower, J.F., 347
Russo, U., see Casas, J.S., 53
Rusu, M., see Tomsa, A.-R., 2901
Rychlewska, U., Djuran, M.I., War·zajtis, B., Radanović, D.D., Vasojević, M.M. and Radanović, D.J., Crystal structure of *cis*-polar,*trans*(Cl,O_5)-Na_2[Rh(1,3-pddadp)Cl]·7H_2O and struc- tural correlations between octahedral pentadentate metal(III) complexes with diaminopolycarboxylato-type ligands, 3265
Rychlewska, U., see Radanović, D.D., 2745
Rymmai, E.K., see Rao, K.M., 307
Rzaczynska, Z., Bartyzel, A. and Glowiak, T., Synthesis and characterization of triaquabis(1,1-cyclobutanedicarboxylato-O,O′,O″,O‴)dimanganese(II), 2595

Saalfrank, R.W., Bernt, I., Hampel, F., Scheurer, A., Nakajima, T., Huma, S.H.Z., Heinemann, F.W., Schmidtmann, M. and Müller, A., Self-assembly and crystal structure of a novel hetero-octametallic molecular box (Chelate complexes, Part 23), 2985
Saarenketo, P.K., see Dey, M., 3515
Sá Ferreira, R.A., see Soares-Santos, P.C.R., 3529
Saghatforoush, L.A., see Daneshvar, N., 1437
Saha, N., see Saha, N.C., 375
Saha, N., see Saha, N.C., 383
Saha, N.C., Butcher, R.J., Chaudhuri, S. and Saha, N., Synthesis and spectroscopic characterisation of cobalt(III) and nickel(II) complexes with 5-methyl-3-formylpyrazole-*N*(4)-dibutylthiosemicarbazone (HMP_2NBu_2): X-ray crystallography of $[Co(MP_2NBu_2)_2]NO_3{\cdot}H_2O$ (**I**) and $[Ni(HMP_2NBu_2)_2](ClO_4)_2$ (**II**), 383
Saha, N.C., Butcher, R.J., Chaudhuri, S. and Saha, N., Synthesis and spectroscopic identification of new iron(III) complexes with 5-methyl-3-formylpyrazole-3-piperidinylthiosemicarbazone (HMP_2-3Pi): X-ray structure of $[Fe(MP_23Pi)_2]ClO_4{\cdot}2H_2O$, 375
Sai-Feng, X., see Rong-Guang, L., 3467
Sai-Feng, X., see Zhu, T., 1603
Sain, S., see Deoghoria, S., 257
Sain, S., Maji, T.K., Mostafa, G., Lu, T.-H., Ribas, J., Tercero, X. and Ray Chaudhuri, N., Magneto structural correlations of a 'stepped-wise' discrete tetranuclear unit of copper(II), $[Cu_4(\mu_2\text{-}OH)_2((\mu_3\text{-}OH)_2(2,2'\text{-bipy})_4Cl_2]Cl_2{\cdot}6H_2O$, 625
Sakamoto, M., see Ohba, M., 1905
Sakashita, H., see Miyazaki, Y., 909
Sakata, K., see Shen, X., 529
Sakuraba, T., see Akashi, H., 2847
Sala Pala, J., see Thétiot, F., 1837
Salas, J.M., see Navarro, E.J.A.R., 3051
Salavati-Niasari, M. and Najafian, H., One-pot template synthesis and properties of Ni(II) complexes of 16-membered hexaaza macrocycles, 2633
Salluce, N., see Querol, M., 655
Salmon, L., Thuéry, P. and Ephritikhine, M., Crystal structure of hetero(bi- and tetra-)metallic complexes of compartmental Schiff bases uniting uranyl and transition metal (Ni^{2+}, Cu^{2+}) ions, 2683
Sánchez, A., see Casas, J.S., 1113
Sánchez, A., see Casas, J.S., 53
Sánchez-González, A., see Amoedo-Portela, A., 1077
Sánchez-González, A., see Casas, J.S., 1113
Sánchez-Marín, J., see Suaud, N., 2331
Sánchez-Moreno, M.J., Choquesillo-lazarte, D., González-Pérez, J.M., Carballo, R., Martin-Ramos, J.D., Castiñeiras, A. and Nicolos-Gutierrez, J., Ring–ring or nitro-ring π,π-interactions in *N*-(*p*-nitrobenzyl))iminodiacetic acid (H_2NBIDA) and mixed-ligand copper(II) complexes of NBIDA and imidazole (Him), 2,2′-bipyridine (bipy) or 1,10-pheranthroline (phen). Crystal structures of H_2NBIDA, $[Cu(NBIDA)(Him)(H_2)]$, $[Cu(NBIDA)(bipy)]\cdot 3H_2O$ and $[Cu(NBIDA)(phen)]\cdot 2H_2$, 1039
Sanchiz, J., see Pasán, J., 2143
Sanchiz, J., see Ruiz-Pérez, C., 2111
Sanders, C.J., O'Shaughnessy, P.N. and Scott, P., Non-planar manganese Schiff-base complexes; synthesis and molecular structures, 1617
Sant'Ana, A. C., Alves, W.A., Santos, R.H.A., Ferreira, A.M.D. and Temperini, M.L.A., The adsorption of 2,2′:6′,2″-terpyridine, 4′-(5-mercaptopentyl)-2,2′:6′,2″-terpyridinyl and perchlorate on silver and copper surfaces monitered by SERS, 1673
Santiago, M.O., Filho, C.L. Donicci, Moreira, I.S., Carlos, R.M., Queiroz, S.L. and Batista, A.A., Photochemical isomerization of *trans*- to *cis*-$[RuCl_2(dppb)(4,4'\text{-}X_2\text{-}2,2'\text{-bipy})]$ (X = –H, $–NO_2$, –Me, –COOH, –SMe, –O=SMe, –Cl, –OMe) complexes, 3205
Santini, C., see Pellei, M., 499
Santos, I.C., see Alves, H., 2481
Santos, I.C., see Dias, J.C., 2447
Santos, R.H. A., see Pérez, E.R., 3289
Santos, R.H.A., see Sant'Ana, A.C., 1673
Santos, T.M., see Nunes, C.D., 2799
Santra, P.K., see Chand, B., 1205
Sañudo, E.C., Brechin, E.K., Boskovic, C., Wernsdorfer, W., Yoo, J., Yamaguchi, A., Concolino, T.R., Abboud, K.A., Rheingold, A.L., Ishimoto, H., Hendrickson, D.N. and Christou, G., $[Mn_{18}]^{2+}$ and $[Mn_{21}]^{4+}$ single-molecule magnets, 2267
Sarikahya, F.U., see Şentürk, O.S., 1659
Sato, K., see Kaneda, C., 1809
Sato, K., see Kanzaki, Y., 1817
Sato, K., see Morita, Y., 2199
Sato, K., see Morita, Y., 2205
Sato, K., see Morita, Y., 2209
Sato, K., see Morita, Y., 2215
Sato, K., see Morita, Y., 2219
Sato, K., see Tanaka, K., 1803
Sato, K., see Yano, M., 2003
Saunders, D.R., see John Plater, M., 3171
Savić, J., see Vasić, V., 279
Scharmann, T.G., see Janiak, C., 1123
Schelter, E.J., see Dunbar, K.R., 2545
Scherer, M., see Sessler, J.L., 2963
Schermerhorn, E.J., see Toscano, P.J., 2809
Scheurer, A., see Saalfrank, R.W., 2985
Schilling, J.S., see Hamlin, J.J., 2249
Schilling, J.S., see Looney, C.W., 3339
Schmidt, H.-G., see Nikiforov, G.B., 2669
Schmidtmann, M., see Paraschiv, C., 1611
Schmidtmann, M., see Saalfrank, R.W., 2985
Schmidtmann, M., see Visinescu, D., 1385
Scott, B.L., see Giesbrecht, G.R., 153
Scott, P., see Sanders, C.J., 1617
Scuiller, A., see Tiron, R., 2427
Šedo, O., see Alberti, M., 2601
Seisenbaeva, G.A., Kritikos, M. and Kessler, V.G., Synthesis, X-ray single crystal and magnetic study of new heteroleptic late transition metal alkoxides with tetranuclear square planar metal core, $Co_4Cl_2(OC_2H_4OEt)_6$, $Co_4(OMe)_2(acac)_6(MeOH)_2$ and $Zn_4(O\text{-}Me)_2(acac)_6(C_7H_8)$, 2581
Selby, H.D., Orto, P. and Zheng, Z., Supramolecular arrays of the $[Re_6(\mu_3\text{-}Se)_8]^{2+}$ core-containing clusters mediated by transition metal ions, 2999
Semeniuc, R.F., see Haiduc, I., 2895
Sengupta, P., Dinda, R., Ghosh, S. and Sheldrick, W.S., Synthesis and characterization of some biologically active ruthenium(II) complexes of thiosemicarbazones of pyridine 2-aldehyde and thiophene 2-aldehyde involving some ring substituted 4-phenylthiosemicarbazides and 4-cyclohexylthiosemicarbazide. Crystal structure of *cis*-$[Ru(PPh_3)_2(L^6H)_2](ClO_4)_2{\cdot}2H_2O$ [L^6H=4-(cyclohexyl) thiosemicarbazone of pyridine 2-aldehyde], 447
Sengupta, S., A hexaferrocenyl cluster based on a cyclotriphosphazene core: synthesis and electrochemistry, 1237
Sentürk, O.S., see Sert, S., 1689
Şentürk, O.S., Shekhel, H.A., Sterenberg, B.T., Udachin, K.A., Sert, S., Özdemir, Ü. and Sarikahya, F.U., Photochemical reactions of $Re(CO)_5Br$ with tetraalkyldiphosphine disulfides (R=Me, Et, ^{n}Pr, ^{n}Bu, Ph) and the crystal structure of $[ReBr(CO)_3(Et_2P(S)P(S)Et_2)]$, 1659
Seoane, R., see Casas, J.S., 53
Serin, V., see Gilbert, I., 2457
Serpe, A., see Deplano, P., 2175
Sert, S., see Şentürk, O.S., 1659
Sert, S., Ercag, A., Sentürk, O.S., Sterenberg, B.T., Udachin, K.A., Özdemir, Ü. and Ugur Sarikahya, F., Photochemical reactions of metal carbonyls $[M(CO)_6$ (M=Cr, Mo, W), $Re(CO)_5Br$, $Mn(CO)_3Cp]$ with 3,5-dimethyl-tetrahydro-2H-1,3,5-thiadiazine-2-thione (DTTT) and the crystal structure of $[W(CO)_5(DTTT)]$, 1689

Sesalan, B. Şebnem, Koca, A. and Gül, A., Synthesis and electrochemical properties of porphyrazines with annulated 1,4-dithiaheterocycles, 3083
Sessler, J.L., Berthon-Gelloz, G., Gale, P.A., Camiolo, S., Anslyn, E., Anzenbacher, P., Furuta, H., Kirkovits, G.J., Lynch, V.M., Maeda, H., Morosini, P., Scherer, M., Shriver, J. and Zimmerman, R.S., Oligopyrrole-based solid state self-assemblies, 2963
Setifi, F., see Miyazaki, A., 2227
Sevcik, R., Necas, M. and Novosad, J., The synthesis and characterization of three oxidized derivatives of bis(diphenylphosphino)pyridine and their Sn(IV) complexes, 1585
Shaikh, N., see Panja, A., 1191
Shakir, M., Parveen, S., Begum, N. and Azim, Y., Mononuclear complexes of 4-amino-3,5-bis(pyridin-2yl)-1,2,4 triazole containing tripodal tris(3-aminopropyl)amine: crystal structure of $[Ni(trpn)(abpt)](ClO_4)_2$, 3181
Sharma, N., Jain, A.K., Sharma, R.K., Bohra, R., Drake, J.E., Hursthouse, M.B and Light, M.E., Reactions of (*N*-phenylsalicylideriminato)aluminium(III) di(μ-isopropoxo)di(isopropoxo)aluminium(III) with simple and internally funtionalized oximes. Molecular structure of the penta-coordinated funtionalized oximes. Molecular structure of the penta-coordinated complex (2-acetylthiophenyloximato)bis(*N*-phenylsalicylidereiminateo)aluminium (III), 2943
Sharma, M., see Chutia, P., 2725
Sharma, R.K., see Sharma, N., 2943
Sharrad, C.A. and Gahan, L.R., Characterization of $[Fe(AMN_3S_3.sarH)]^{3+}$ – a rigorously low-spin iron(II) complex, 45
Shekhel, H.A., see Şentürk, O.S., 1659
Sheldrick, W.S., see Sengupta, P., 447
Shen, Q., see Yao, Y.-M., 441
Shen, Q., see Zhang, Y., 1241
Shen, X., Hirayama, D., Sakata, K. and Hashimoto, M., Syntheses, characterization and crystal structures of diamine-bridged dinuclear 5,14-dihydro-6,8,15,17-tetramethyldibenzo[*b*,*i*][1,4,8,11]tetraazacyclotetradecinatozinc(II) complexes, 529
Sheng, En-H., see Zhou, Shuang-L., 1019
Shi, J.-M., Yin, H.-L., Wu, C.-J., Liu, F.-L. and Xu, W., Syntheses, crystal structures and fluorescence emission of one-dimensional and mononuclear complexes generated from zinc(II) and carbamyldicyanomethanide, 493
Shi, Y.J., Li, L.-H., Li,Y.-Z.,chen, X.T., Xue, Z., You, X.-Z., Syntheses and structures of two one-dimensional double-stranded lead polymers of dicyanamide with unusual coordination mode, 917
Shiga, T., see Ohba, M., 1905
Shiomi, D., see Kaneda, C., 1809
Shiomi, D., see Kanzaki, Y., 1817
Shiomi, D., see Morita, Y., 2199
Shiomi, D., see Morita, Y., 2205
Shiomi, D., see Morita, Y., 2209
Shiomi, D., see Morita, Y., 2215
Shiomi, D., see Morita, Y., 2219
Shiomi, D., see Tanaka, K., 1803
Shiomi, D., see Yano, M., 2003
Shoemaker, R.K., see Janoušek, Z., 3541
Shoji, M., Taniguchi, T., Kawakami, T. and Yamaguchi, K., Hybrid density-functional theory studies on stable polycarbenes, 2067
Shriver, J., see Sessler, J.L., 2963
Shtemenko, A.V., Kozhura, O.V., Pasenka, A.A. and Domasevitch, K.V., New ocatchlorodirhenate (III) salts: solid state manifestation for a certain conformational flexibity of the $[Re_2Cl_8]^{2-}$ ion, 1547
Shufon, K., see Toscano, P.J., 2809
Shultz, D.A., The donor–acceptor contributions to ferromagnetic exchange coupling in heterospin biradicals, 2423
Shvedenkov, Y.G., see Koreneva, O., 2487
Shvedenkov, Y.G., see Tretyakov, E., 2499
Sibley, S., see Silber, H.B., 3439
Siddiquee, T.A., see Hossain, G.M.G., 633
Sieklucka, B., see Korzeniak, T., 2183
Sigel, H., see Fernández-Botello, A., 1067
Silber, H.B., Maraschin, V., Sibley, S., Richter, C., Arif, N., Contreras, L., Djurovich, P., Ratansiripong, T. and Stoddard, J., Spectrophotometric investigations of the complexation between Ni(II) and thiocyanate in aqueous methanol, 3439
Sillanpää, R., see Lehtonen, A., 2755
Silva, B.D., see John Plater, M., 3171
Silvestru, C., see Ghesner, I., 3395
Simaõ, D., see Alves, H., 2481
Simón-Manso, E., Gantzel, P. and Kubiak, C.P., Synthesis, molecular structure and electrochemical studies of the bis(diphenylphosphino)amine bridge triangular nickel clusters, 1641
Simonov, Y.A., see Haiduc, I., 2895
Simonov, Y.A., see Visinescu, D., 1385
Simonsen, O., see Bjernemose, J., 875
Sinha, C., see Byabartta, P., 849
Sinha, C., see Chand, B., 1205
Sinha, C., see Chand, B.G., 1213
Sinha, C., see Chand, B.G., 3161
Sinha, C., see Dinda, J., 1367
Sinha, C., see Dinda, J., 247
Sinha, C., see Ray, U., 2587
Sironi, A., see Navarro, E.J.A.R., 3051
Sitkowski, J., see Szlyk, E., 391
Slawin, A.M.Z., see Aucott, S.M., 361
Slawin, A.M.Z., see Chutia, P., 2725
Slawin, A.M.Z., see Clarke, M.L., 19
Slawin, A.M.Z., Wheatley, J., Wheatley, M. and Woollins, J.D., Preparation and coordination chemistry of $Ph_2PNHNHpy$, 1397
Śledź, M., see Janczak, J., 2689
Smith, A.K., see Maeyer, J.T., 419
Smith, D.K., see Stone, D.L., 763
Smith, M.D., see Ciurtin, D.M., 3043
Smith, M.K., see Junk, P.C., 331
Smithson, R.J., Kilner, C.A., Brough, A.R. and Halcrow, M.A., Iron(II) complexes of (pyrazol-3-yl)pyrazine. Anion-dependent formation of a hydrogen-bonded, chiral nanoporous lattice, 725
Snoeck, E., see Gilbert, I., 2457
Soares-Santos, P.C.R., Nogueira, H.I.S., Rocha, J., Felix, V., Drew, M.G.B., Sa Ferreira, R.A., Carlos, L.D. and Tridnate, T., Lanthanide complexes of 2-hydroxynicotinic acid: synthesis, luminesence properties and the crystal structures of $[Ln(H(nicO)_2(\mu\text{-}HnicO)(H_2O)] \cdot nH_2O (Ln = Tb, Lu)$, 3529
Solans, X., see Crespo, M., 3363
Soler, M., see Brechin, E.K., 1771
Soler, M., see Deoghoria, S., 257
Soler, M., Wernsdorfer, W., Abboud, K.A., Hendrickson, D.N. and Christou, G., Single-molecule magnetism behavior of $[Mn_{12}O_{12}(O_2CR)_{16}(H_2O)_4]^{2-}$ salts, 1777
Soler, M., Wernsdorfer, W., Sun, Z., Ruiz, D., Huffman, J.C., Hendrickson, D.N. and Christou, G., New example of Jahn-Teller isomerism in $[Mn_{12}O_{12}(O_2CR)_{16}(H_2O)_4]$ complexes, 1783
Soler, T., see Chand, B.G., 3161
Song, H.-B., see Liu, Q.-X., 1515
Song, H.-B., see Zhang, L.-P., 811
Song, M., see Hou, X., 1249
Song, Y., see Xie, J.-L., 299
Soran, A., see Ghesner, I., 3395
Sordo, J., see Amoedo-Portela, A., 1077
Sordo, J., see Casas, J.S., 1113
Sordo, J., see Casas, J.S., 53
Soria, D.B., Grundy, J., Coles, M.P. and Hitchcock, P.B., Tantalum chloride species incorporating anionic and cationic guanidine components, 2731

Soto-Guerrero, J. and Havel, J., Dimalonate[C_{60}]fullerene protonation and complexation with uranyl in aqueous solution. Spectrophotometric study, 1085
Sousa, A., see Beloso, I., 1099
Sousa-Pedrares, A., see Labisbal, E., 2831
Sóvágó, I., see Gábor Ágoston, C., 2607
Spalding, T.R., see Lydon, D.P., 1281
Spek, A.L., see Gamez, P., 205
Speziali, N.L., see Novak, M.A., 2391
Spitsina, N., Demishev, S., Ohta, H., Okubo, S., Oshima, Y. and Weckhuysen, L., Magnetic properties of the fullerene organic compounds in strong magnetic fields, 2009
Spodine, E., see Zolezzi, S., 1653
Sporer, C., see Ratera, I., 1851
Sreekanth, A. and Prathapachandra Kurup, M.R., Structural and spectral studies on four coordinate copper(II) complexes of 2-benzoylpyridine N(4),N(4)-(butane-1,4-diyl)thiosemicarbazone, 3321
Sreekumari Nair, P., Radhakrishnan, T., Revaprasadu, N., Kolawole, G.A. and O'Brien, P., Cd($NH_2CSNHNHCSNH_2$)Cl_2: a new single-source precursor for the preparation of CdS nanoparticles, 3129
Srivastava, A.K., see Ijeri, V.S., 569
Sroisuwan, P., see Heard, P.J., 1321
Sroisuwan, P., see Heard, P.J., 3371
Stanica, N., see Tanase, S., 1315
Starosta, J., see Maciejewska, G., 1415
Starynowicz, P., Europium(II) complexes with nitrilotriacetic acid (NTA), 2761
Starynowicz, P., Europium(II) complexes with unsubstituted crown ethers, 337
Steed, J.W., Johnson, K., Legido, C. and Junk, P.C., Influence of hydrogen bonding on 'soft' coordination geometries: further examples, 769
Steer, C.A., see Blundell, S.J., 1973
Stender, M., see Panda, A., 67
Sterenberg, B.T., see Şentürk, O.S., 1659
Sterenberg, B.T., see Sert, S., 1689
Stevens, C.L., see Patrick, B.O., 3025
Stevens, J.E., Brook, D.J.R. and Abeyta, V.W., Free radical complexes of copper(I): geometry and ground state, 2241
Stevenson, C.S., see Gunnlaugsson, T., 711
Stoddard, J., see Silber, H.B., 3439
Stoeckli-Evans, H., see Coronado, E., 2435
Stone, D.L. and Smith, D.K., Anion binding at the core of branched ferrocene derivatives, 763
Stone, F.G.A., see Kautz, J.A., 109
Storr, A., see Patrick, B.O., 3025
Stumpf, H.O., see Novak, M.A., 2391
Stumpf, H.O., see Pereira, C.L.M., 2387
Suaud, N., Gaita-Ariño, A., Clemente-Juan, J.M., Sánchez-Marín, J. and Coronado, E., Ab initio calculations of the transfer parameters and coulombic repulsion and estimation of their effects on the electron delocalization and magnetic coupling in mixed-valence Keggin polyoxotungstates, 2331
Sugano, T., see Blundell, S.J., 1973
Sugano, T., Blundell, S.J., Hayes, W. and Day, P., Magnetism in organic radical ion salts based on nitronyl nitroxide derivatives substituted with heterocyclic aromatic hydrocarbons, 2343
Sukumar Varma, K., see Beckett, M.A., 3333
Süllow, S., see Wolter, A.U.B., 2273
Süllow, S., see Wolter, A.U.B., 2139
Süllow, S., Jérome, D., Feyerherm, R. and Klauss, H.-H.Wolter, A.U.B., Wzietek, P., Litterst, F.J., ^{13}C NMR on the $S=1/2$ antiferromagnetically coupled spin chain compound [PM·Cu(NO_3)$_2$·(H_2O)$_2$]$_n$ (PM=pyrimidine), 2273
Süss-Fink, G., see Chérioux, F.v., 543
Sun, B.-W., see Wang, Z.-M., 433
Sun, D.-f., see Zhou, Y.-F., 1231
Sun, Y.-Q., see Ying, S.-M., 3097
Sun, Z., see Soler, M., 1783
Sutter, J.-P., see Paraschiv, C., 1611
Suwa, Y., see Arita, R., 1883
Suwińska, K., see Kwiatkowski, E., 1009
Suzuki, S., see Morita, Y., 2199
Suzuki, S., see Morita, Y., 2215
Swearingen, J.K., see Fostiak, L.M., 83
Swiatek-Kozlowska, J., see Trush, E.A., 1221
Szlyk, E., Pazderski, L., Łakomska, I., Wojtczak, A., Kozerski, L., Sitkowski, J., Kamieński, B. and Günther, H., $^1H\{^{15}N\}$ heteronuclear correlation and ^{15}N cross-polarized magic angle spinning NMR studies of the coordination modes in Zn(II) chloride complexes with purine and methylpurines, 391
Sztyk, E., Kucharek, R., Szymánska, I. and Pazderski, L., Synthesis and characterization of Cu(I) chelate complexes with 1,3-bis(diphenylphosphino)propane, 1,2,-bis(diphenylphosphino)benzene and perfluorinated carboxylates, 3389
Szučová, L., Trávníček, Z. and Marek, J., O,O′-Dialkyldithiophosphato and O-alkyldithiophosphato nickel(II) complexes with bidentate P-donor ligands, 1341
Szymańska, I., see Szłyk, E., 3389

Takeda, K., see Mukai, K., 2091
Takeda, K., Mito, M., Kinoshita, K., Novak, M.A., Tholence, J.L. and Rassat, A., Pressure effects of a genuine organic crystalline ferromagnet dupeyredioxyl, 2287
Takeda, R., see Yamaguchi, K., 2077
Takeda, R., see Yamanaka, S., 2013
Takeda, S., see Ishiyama, H., 1981
Takeda, S., see Maruta, G., 1989
Takeda, S., see Morii, K., 1995
Takui, T., see Kaneda, C., 1809
Takui, T., see Kanzaki, Y., 1817
Takui, T., see Morita, Y., 2199
Takui, T., see Morita, Y., 2205
Takui, T., see Morita, Y., 2209
Takui, T., see Morita, Y., 2215
Takui, T., see Morita, Y., 2219
Takui, T., see Tanaka, K., 1803
Takui, T., see Yano, M., 2003
Talham, D.R., see Culp, J.T., 2125
Talham, D.R., see Culp, J.T., 3059
Talham, D.R., see Woodward, J.D., 2821
Tamaki, K., see Morita, Y., 2199
Tan, A.L., see Akbar Ali, M., 3433
Tanabe, M., see Yamada, Y., 1455
Tanaka, K., see Ito, A., 1829
Tanaka, K., Kozaki, M., Shiomi, D., Sato, K., Takui, T. and Okada, K., Synthesis and magnetic properties of an iminonitroxide-substituted phenolate–Cu complex, 1803
Tanaka, S., see Mukai, K., 2091
Tanase, S., Andruh, M., Stanica, N., Mathonière, C., Rombaut, G., Golhen, S. and Ouahab, L., A novel cyano-bridged pentanuclear complex: [{Mn_3(MAC)$_3$(H_2O)$_2$}{Fe(CN)$_6$}$_2$]·6H_2O·2CH_3OH – synthesis, crystal structure and magnetic properties (MAC=pentaaza macrocyclic ligand), 1315
Tang, W.-X., see Yang, D.-X., 925
Tang, Y., see Zhong, L.-F., 2647
Taniguchi, T., see Kawakami, T., 2051
Taniguchi, T., see Shoji, M., 2067
Taniguchi, T., see Yamaguchi, K., 2077
Taniguchi, T., Nakano, S., Kawakami, T. and Yamaguchi, K., Theoretical study on pure organomagnetic conductors with model clusters, 2039

Tanski, J.M., see Zhu, G., 199
Tao, R.-J., Zang, S.-Q., Cheng, Y.-X., Wang, Q.-L., Hu, N.-H., Niu, J.-Y. and Liao, D.-Z., Oxamido-bridged heterobinuclear copper (II)–nickel(II) complex and homotrinuclear nickel(II) complex with 2D supramolecular structure: synthesis, crystal structure, magnetic and spectroscopic properties, 2911
Tao, Z., Zhu, Q., Jackson, W.G., Zhou, Z.-Y. and Zhou, X.-G., On the preference for the *sym–fac* isomer in the $[Co(N,N'$-bis(2-aminomethyl)amine)(2,2′-bipyridine)Cl$]^{2+}$ system, 263
Taratiel, D., Cabrero, J., de Graaf, C. and Caballol, R., Magnetic coupling in oxalato-bridged hetero-bimetallic compounds: an ab initio study, 2409
Tasiopoulos, A.J., Harden, N.C., Abboud, K.A. and Christou, G., Preparation and crystal structures of Mn^{II}, mixed-valent Mn^{II}/Mn^{III} and Mn^{III} polymeric compounds, 133
Tatsumi, M., see Yano, M., 2003
Tauler, P., see García-Raso, Á., 3255
Tavacoli, S., Miller, T.A., Paul, R.L., Jeffery, J.C and Ward, M.D., Synthesis and coordination chemistry of tetradentate ligands containing two bidentate thioquinoline units: mononuclear complexes with Cu(I) and Cu(II), and a coordination polymer with Cu(I), 507
Tavera, R., see Albert, J., 287
Teat, S.J., see Cotton, S.A., 1489
Tejada, J., see Domingo, N., 2355
Temperini, M.L.A., see Sant'Ana, A.C., 1673
Teoh, S.G., see Ng, C.H., 521
Teraguchi, M., see Kaneko, T., 1845
Tercero, X., see Sain, S., 625
Terzis, A., see Diamantopoulou, E., 825
Thétiot, F., Triki, S. and Sala Pala, J., Polynitriles as ligands: new coordination polymers with the 1,1,3,3-tetracyano-2-ethoxypropenide ($tcnp^-$) bridging ligand, 1837
Thirumavalavan, M., see Akilan, P., 1407
Thirumavalavan, M., see Akilan, P., 3483
Tholence, J.L., see Takeda, K., 2287
Thomas, C.M., see Chérioux, F., 543
Thomas, J.-L., see Duff, T., 775
Thompson, L.K., see Milway, V.A., 1271
Thompson, R.C., see Patrick, B.O., 3025
Thuéry, P. and Masci, B., Versatility of large homooxacalixarenes as ligands in polymetallic complexes: the case of UO_2^{2+} and *p-tert*-butyloctahomotetraox-acalix[8]arene, 3499
Thuéry, P., see Salmon, L., 2683
Thurman, D.W., see Chaney, C.P., 2625
Tian, Y.-P., see Zhang, X.-J., 397
Tiekink, E.R.T., see Mahalakshmi, H., 549
Tiron, R., Wernsdorfer, W., Tuyeras, F., Scuiller, A., Marvaud, Valérie, M. and Verdaguer, M., Hexacyanometalate molecular chemistry: trinuclear $CrNi_2$ complexes; micro-SQUID magnetisation studies of intermolecular interactions, 2427
Tiwary, S., see Robertson, N., 2339
Tocher, D.A., see Heard, P.J., 1321
Toftlund, H., see Bjernemose, J., 875
Toita, T., see Miyazaki, A., 2227
Tomás, M., see Chand, B.G., 3161
Toma, H.E., see Rocha, R.C., 1303
Tomita, T., see Hamlin, J.J., 2249
Tomita, T., see Looney, C.W., 3339
Tomkowicz, Z., see Looney, C.W., 3339
Tomsa, A.-R., Muresan, L., Koutsodimou, A., Falaras, P. and Rusu, M., Synthesis and characterisation of two new lanthanide sandwich-type heteropolyoxometalates, 2901
Torrens, F., Nature of Fe^{III}–O_2, Fe^{II}–CO and Fe^{III}–CN complexes of hemoprotein models, 1091
Toscano, P.J., see Ngo, S.C., 1575
Toscano, P.J., Lettko, L., Schermerhorn, E.J., Waechter, J., Shufon, K., Liu, S., Dikarev, E. and Zubieta, J., Synthesis and characterization of diphenylglyoximato cobalt(III) complexes. The molecular structures of *trans*-bis(diphenylglyoximato)(alkyl)(pyridine) cobalt(III), with alkyl=CH_2SiMe_3, CH_2CMe_3 and CF_3, 2809
Toyota, N., see Pratt, F.L., 2307
Trávníče, Z., see Kopel, P., 411
Trávníče, Z., see Szučová, L., 1341
Traina, C.A., see Nathan, L.C., 3213
Tretyakov, E., Eltsov, I., Fokin, S., Shvedenkov, Y.G., Romanenko, G. and Ovcharenko, V.I., Synthesis of 2-iminonitroxide-substituted phenols and pyridine-3-oles. Copper(II) complexes with imino nitroxides containing 2-hydroxyphenyl substituents, 2499
Tretyakov, E., Fokin, S., Romanenko, G. and Ovcharenko, V.I., Nitronyl nitroxides containing tetrazole substituents and metal complexes with spin-labeled tetrazole, 1965
Triki, S., see Thétiot, F., 1837
Trindade, T., see Soares-Santos, P.C.R., 3529
Trogu, E.F., see Deplano, P., 2175
Trontelj, Z., see Jagličić, Z., 2293
Troyanov, S.I., see Paramonov, S.E., 837
Trush, E.A., Amirkhanov, V.M., Ovchynnikov, V.A., Swiatek-Kozlowska, J., Lanikina, K.A. and Domasevitch, K., Metal carbacylamidophosphates: ability of coordination patterns to di- and polymerization, 1221
Tsukerblat, B., see Coronado, E., 2527
Tsukerblat, B.S., see Borrás-Almenar, J.J., 2521
Tsukerblat, B.S., see Dunbar, K.R., 2545
Tsukerblat, B.S., see Palii, A., 2537
Tsuzuki, N., see Ebihara, M., 3413
Turnbull, M.M., see Deumal, M., 2235
Turnbull, M.M., see Landee, C.P., 2325
Turner, P., see Beattie, J.K., 947
Turner, P., see Bishop, M.M., 735
Tuyeras, F., see Tiron, R., 2427
Tyree, W.S., see Hamlin, J.J., 2249

Uchida, M., see Yamada, Y., 1507
Udachin, K.A., see Şentürk, O.S., 1659
Udachin, K.A., see Sert, S., 1689
Ugur Sarikahya, F., see Sert, S., 1689
Urabe, M., see Ito, A., 1829
Usman, A., see Dinda, J., 247
Usman, A., see Zhang, X.-J., 397

Vasojević, M.M., see Rychlewska, U., 3265
Vaissermann, J., see Daniele, S., 127
Valdés-Martínez, J., see Labisbal, E., 2831
van Poppel, L.H., Bott, S.G. and Barron, A.R., Reaction of $[Ga_2(^tBu)_4(neol\text{-}H)]_2$ with early transition metal chlorides and amides, 9
Vapnyar, V., see Walters, M.A., 941
Vaqueiro, P., Chippindale, A.M. and Powell, A., $[Cr(C_6H_{18}N_4)(SbS_3)]$, a chromium complex containing an unusual bidentate SbS_3^{3-} ligand, 2839
Varela, J.M., see Casas, J.S., 53
Varret, F., see Jeftić, J., 2155
Varret, F., see Linares, J., 2453
Vasić, V., Čakar, M., Savić, J., Petrović, B., Nedeljković, J. and Bugarčić, Ž., Influence of sodium dodecyl sulfate on the kinetics of complex formation between $[PdCl(dien)]^+$ and sulfur containing ligands L-cysteine and glutathione, 279
Vasojević, M.M., see Radanović, D.D., 2745
Vaz, M.G.F., see Novak, M.A., 2391
Vázquez-López, E.M., see Amoedo-Portela, A., 1077
Vázquez-López, E., see Castiñeiras, A., 1025
Vázquez-López, E.M., see Carballo, R., 1051
Veciana, J., see Dias, J.C., 2447
Veciana, J., see Domingo, N., 2355

Veciana, J., see Gerbier, P., 1951
Veciana, J., see Maspoch, D., 1929
Veciana, J., see Minguet, M., 2349
Veciana, J., see Ratera, I., 1851
Veciana, J., see Ribas, X., 2415
Veksler, E.N., see Krut'ko, D.P., 2885
Verdaguer, M., see Tiron, R., 2427
Verdaguer, M., see Villanneau, R., 1157
Vergara, M.M., see Posse, M.E.G., 465
Vickers, S., see Fawcett, J., 1431
Vidovic, D., see Nikiforov, G.B., 2669
Vieira, H.P., see Perpétuo, G.J., 3355
Vila, J.M., Alberdi, G., Pereira, M.T., Mariño, M., Fernández, A., López-Torres, M. and Ares, R., Functionalized palladium(II) cyclometallated complexes. Crystal and molecular structures of $[Pd\{3\text{-}(CHO)C_6H_3C(H)=NCy\}(\mu\text{-}O_2CMe)]_2$ and $[Pd\{3\text{-}(CHO)C_6H_3C(H)=NCy\}(Cl)(PR_3)]$ (PR_3=$PEtPh_2$ and PEt_2Ph), 241
Vilar, R., see Doxiadi, E., 2991
Villain, F., see Villanneau, R., 1157
Villanneau, R., Proust, A., Robert, F., Villain, F., Verdaguer, M. and Gouzerh, P., Polyoxoanion-supported pentamethylcyclopentadienylrhodium complexes: syntheses and structural characterization by EXAFS, 1157
Vincent, J.B., see Hepburn, D.D.D., 455
Viossat, B., see Viossat, V., 1461
Viossat, V., Lemoine, P., Dayan, E., Dung, N.-H. and Viossat, B., Synthesis, crystal structure and IR spectroscopy of $Mn^{II}(2\text{-}IC)_2(NC)(DMSO)$ and $[Mn^{II}(2\text{-}IC)_2(phen)(H_2O)]\cdot DMA$; (2-HIC, indole-2-carboxylic acid; phen, 1,10-phenanthroline; NC, 2,9-dimethyl-1,10-phenanthroline; DMSO, dimethyl sulfoxide; DMA, dimethyl acetamide); catalysts for the disproportionation of hydrogen peroxide, 1461
Visinescu, D., Madalan, A.M., Kravtsov, V., Simonov, Y.A., Schmidtmann, M., Müller, A. and Andruh, M., New tetranuclear copper(II) complexes obtained by using compartmental and *exo*-dentate ligands, 1385
Visser, D., see Carling, S.G., 2317
Vittal, J.J., see Kommana, P., 843
Vittal, J.J., see Lee, P.F., 2781
Vo, T.-T., see Bera, J.K., 3009
Vojtíšek, P., see Panja, A., 1191
Voo, C.W., see Akbar Ali, M., 3433
Vos, J.G., see Duff, T., 775

Waechter, J., see Toscano, P.J., 2809
Waerenborgh, J.C., see Alves, H., 2481
Walsh, P.J., see Ríos-Moreno, G., 563
Walters, M.A., Vapnyar, V., Bolour, A., Incarvito, C. and Rheingold, A.L., Iron(III) nitrilotriacetate and iron(III) iminodiacetate, their X-ray crystallographic structures and chemical properties, 941
Walton, R.A., see Bera, J.K., 3009
Waluk, J., see Minguet, M., 2349
Wan, Y.-H., see Zhang, L.-P., 981
Wang, H.-G., see Zhang, Y.-L., 1535
Wang, Q.-L., see Dong, W., 3315
Wang, Q.-L., see Tao, R.-J., 2911
Wang, Q.-M., see Zhang, L.-P., 811
Wang, Z.-M., Sun, B.-W., Luo, J.,Gao, S., Liao, C.S., Yan, C.-H and Li, Y., Bimetallic sandwiches assembled with chelated Cu/Zn cations and manganese dicyanamide polymeric ladders, 433
Wang, Q.-M., Guo, G.-C. and Mak, T.C.W., Anion-controlled assembly of layer-type structures in double and triple salts of silver cyanide, 217
Wang, Shao-W.-W., see Zhou, Shuang-L.-L., 1019
Wang, Y.-L., see Ma, S.-L., 3249
Wang, Z.-M., see Zheng, X.-J., 323
Wang, Z.-M., see Zhu, D.-S., 3523
Wang, Z.-Y., see Jiang, C., 2953
Ward, M.D., see Paul, R.L., 781
Ward, M.D., see Rice, C.R., 755
Ward, M.D., see Tavacoli, S., 507
Wardell, J.L., see Harrison, W.T.A., 3277
Wardell, S.M.S., see Harrison, W.T.A., 3277
Warren, J.E., see Cope-Eatough, E.K., 1447
Warriner, C.N., see Coles, S.J., 699
Wařzajtis, B., see Rychlewska, U., 3265
Wasiutyński, T., see Korzeniak, T., 2183
Watkin, J.G., see Giesbrecht, G.R., 153
Weckhuysen, L., see Spitsina, N., 2009
Welch, A.J., see Robertson, S., 1293
Welch, J.T., see Ngo, S.C., 1575
Wen, Y.-H., see Zhang, Y.-L., 1695
Weng, J.-B., see Zhou, Y.-F., 1231
Weng, L.-H., see Yao, Y.-M., 441
Wernsdorfer, W., see Brechin, E.K., 1771
Wernsdorfer, W., see Rumberger, E.M., 1865
Wernsdorfer, W., see Sañudo, E.C., 2267
Wernsdorfer, W., see Soler, M., 1777
Wernsdorfer, W., see Soler, M., 1783
Wernsdorfer, W., see Tiron, R., 2427
Wernsdorfer, W., see Yang, E.-C., 1727
Wernsdorfer, W., see Yang, E.-C., 1857
West, D.X., see Bermejo, E., 1147
West, D.X., see Fostiak, L.M., 83
West, D.X., see Labisbal, E., 2831
Wheatley, J., see Slawin, A.M.Z., 1397
Wheatley, M., see Slawin, A.M.Z., 1397
White, A.J.P., see Carmalt, C.J., 2655
White, A.J.P., see Doxiadi, E., 2991
Wightman, M.D., see Massari, A.M., 3065
Willett, R.D., see Landee, C.P., 2325
Williams, D.J., see Carmalt, C.J., 2655
Williams, D.J., see Doxiadi, E., 2991
Wojtczak, A., see Szlyk, E., 391
Wolny, J.A., see Bjernemose, J., 875
Wolter, A.U.B., Klauss, H.-H., Litterst, F.J., Burghardt, T., Eichler, A., Feyerherm, R. and Süllow, S., A pressure study of the antiferromagnetic phase of $FePM_2Cl_2$ (PM=pyrimidine), 2139
Wolter, A.U.B., Wzietek, P., Litterst, F.J., Süllow, S., Jérome, D., Feyerherm, R. and Klauss, H.-H., ^{13}C NMR on the $S = 1/2$ antiferromagnetically coupled spin chain compound $[PM.Cu(No_3)_2\cdot(H_2O)_2]_n$(PM=purimidine), 2273
Wong, W.T., see Deoghoria, S., 257
Wong, W.W.H., see Beer, P.D., 795
Woods, R.J., see Cope-Eatough, E.K., 1447
Woodward, J.D., Backov, R., Abboud, K.A., Ohnuki, H., Meisel, M.W. and Talham, D.R., Structural, thermal and magnetic properties of three transition metal-4,4′-bipyridine coordination polymers: $[Ni(4,4'\text{-bipy})_3(H_2O)_2](ClO_4)_2\cdot 1.4(4,4'\text{-bipy})\cdot 3(H_2O)$; $[Co(4,4'\text{-bipy})_3(H_2O)_2](ClO_4)_2\cdot 1.4(4,4'\text{-bipy})\cdot 3(H_2O)$; $[Cu(4,4'\text{-bipy})_3(DMSO)_2](ClO_4)_2\cdot 2(4,4'\text{-bipy})$, 2821
Woollins, J.D., see Aucott, S.M., 361
Woollins, J.D., see Chutia, P., 2725
Woollins, J.D., see Clarke, M.L., 19
Woollins, J.D., see Slawin, A.M.Z., 1397
Woski, S.A., see Hepburn, D.D.D., 455
Wu, C.-D., Lu, C.-Z., Chen, S.-M., Zhuang, H.-H. and Huang, J.-S., Synthesis and characterization of two new polyoxomolybdate compounds: $[Cu(imi)_2(H_2O)_4][Himi]_2[(imi)_2Mo_8O_{26}]$ and $[Himi]_3[H_3O][SiMo_{12}O_{40}]\cdot H_2O$, 3091
Wu, C.-J., see Shi, J.-M., 493
Wu, X.-T., see Fu, R.-B., 2739
Wu, Y., see Hou, X., 1249

Wurst, K., see Gerbier, P., 1951
Wurst, K., see Maspoch, D., 1929
Wurst, K., see Ribas, X., 2415
Wzietek, P., see Wolter, A.U.B., 2273

Xiang-Ge, Z., see Zhu, T., 1603
Xie, J.-L., Ren, X.-M., He, C., Song, Y., Duan, C.-Y., Gao, S. and Meng, Q.-J., New ion-pair nickel(III) complexes containing $[Ni('S_2')_2]$ ($'S_2'^{2-}$=1,2-benzenedithiolate) fragments: synthesis, crystal structure and properties, 299
Xu, F.-B., see Liu, Q.-X., 1515
Xu, J.-Y., see Bian, H.-D., 2927
Xu, M.-Q., see Ma, S.-L., 3249
Xu, W., see Shi, J.-M., 493
Xu, Z., see Milway, V.A., 1271
Xue, Z., see Shi, Y.-J., 917

Yagasaki, A., see Akashi, H., 2847
Yamabe, T., see Ebihara, M., 3413
Yamada, J., see Miyazaki, A., 2227
Yamada, Y., Uchida, M., Fujita, M., Miyashita, Y. and Okamoto, K.-i., Optically active sulfur-bridged Co(III)–M(II) (M=Pd, Pt) dinuclear complexes with square-planar $[M(\mu\text{-}S)_2(bpy)]$ (bpy=2,2′-bipyridine) frameworks derived from octahedral bidentate sulfur-donating Co(III) metalloligands, 1507
Yamada, Y., Tanabe, M., Miyashita, Y. and Okamoto, K.-i., Oxalato-bridged di- and trinuclear Co(III)–Dy(III) complexes derived from mononuclear Co(III) complex with nitrolotriacetate, 1455
Yamaguchi, A., see Maruta, G., 1989
Yamaguchi, A., see Sañudo, E.C., 2267
Yamaguchi, K., see Kawakami, T., 2051
Yamaguchi, K., see Kitagawa, Y., 2019
Yamaguchi, K., see Nakano, S., 2027
Yamaguchi, K., see Onishi, T., 2191
Yamaguchi, K., see Shoji, M., 2067
Yamaguchi, K., see Taniguchi, T., 2039
Yamaguchi, K., see Yamanaka, S., 2013
Yamaguchi, K., Kawakami, T., Taniguchi, T., Nakano, S., Kitagawa, Y., Nagao, H., Ohsaku, T. and Takeda, R., Theoretical studies of molecule-based magnetic conductors, 2077
Yamaki, D., see Onishi, T., 2191
Yamamoto, K., see Morita, Y., 2199
Yamanaka, S., Takeda, R. and Yamaguchi, K., Density functional study of tetrahedral manganese clusters, 2013
Yamase, T., see Inoue, M., 1183
Yamashita, M., see Kuroda-Sowa, T., 1795
Yan, C.-H., see Wang, Z.-M., 433
Yan, C.-H., see Zheng, X.-J., 323
Yan, C.-W., see Li, Y.-T., 3223
Yan, S.-P., see Bian, H.-D., 2927
Yan, S.-P., see Dong, W., 3315
Yanagimoto, M., see Mukai, K., 2091
Yang, C.-T., see Lee, P.F., 2781
Yang, D.-X., Li, S.-A., Li, D.-F., Chen, M., Huang, J. and Tang, W.-X., Synthesis, structure and properties of an imidazolate-bridged dicopper complex of a novel macrocycle with two alcohol-pendants as an active site model of Cu,Zn-SOD, 925
Yang, L.-F., Peng, Z.-H., Cheng, G.-Z., Peng, S.M., Synthesis and crystal structures of maleonitriledithiolate metal complexes with *N*-methylacridine as cations, 3547
Yang, E.-C., Harden, N., Wernsdorfer, W., Zakharov, L., Brechin, E.K., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Mn_4 single-molecule magnets with a planar diamond core and S=9, 1857
Yang, E.-C., Wernsdorfer, W., Hill, S., Edwards, R.S., Nakano, M., Maccagnano, S., Zakharov, L.N., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Exchange bias in Ni_4 single-molecule magnets, 1727
Yang, Gao-S., see Zhou, Shuang-L.,, 1019
Yano, M., Aoyama, K., Ishida, Y., Tatsumi, M., Sato, K., Shiomi, D. and Takui, T., Organic high-spin and mixed-valence systems; synthesis, electrochemical and spectroscopic studies of asymmetric and symmetric tetraaryl-*m*-phenylenediamines, 2003
Yao, M., Kamishiro, M., Inoue, H. and Yoshioka, N., Synthesis and physicochemical properties of some 5,15-diarylporphyrin derivatives, 2281
Yao, Y.-M., see Zhang, Y., 1241
Yao, Y.-M., Luo, Y.-J., Jiao, R., Shen, Q., Yu, K.-B. and Weng, L.-H., Synthesis of lanthanide chlorides supported by β-diketiminate ligands and molecular structures of $L^1SmCl_2(THF)_2$ and $L^2SmCl_2(THF)_2$ [L^1=PhNC(Me)CHC(Me)NPh; L^2=*p*-ClPhNC(Me)CHC(Me)NPh(2,6-Pr^i_2)], 441
Yee, G.T., see Hamlin, J.J., 2249
Yin, H.-L., see Shi, J.-M., 493
Ying, S.-M., Mao, J.-G., Sun, Y.-Q., Zeng, H.-Y. and Dong, Z.-C., Syntheses and crystal structures of three open-frameworks of metal succinates containing a 4,4′-bipyridine ligand, 3097
Yoo, J., see Sañudo, E.C., 2267
Yoshimura, K., see Miyazaki, Y., 909
Yoshioka, N., see Nagashima, H., 1823
Yoshioka, N., see Yao, M., 2281
You, X.-Z., see Shi, Y.-J., 917
Youssef, A.A., see Goher, M.A.S., 515
Yu, K.-B., see Yao, Y.-M., 441
Yu, K.-B., see Zhang, Y., 1241
Yu, K.-B., see Zhang, Y.-L., 1695

Zabel, M., see Brunner, H., 2639
Zabel, M., see Brunner, H., 861
Żak, Z., see Nedelcu, A., 789
Zakharov, L., see Yang, E.-C., 1857
Zakharov, L.N., Rheingold, A.L. and Rabinovich, D.Philson, L.A., Alyounes, D.M., Bis(mercaptoimidazolyl)borates and the control of nuclearity in cadmium thiolate complexes, 3461
Zakharov, L.N., see Chakov, N.E., 1759
Zakharov, L.N., see Philson, L.A., 3461
Zakharov, L.N., see Rumberger, E.M., 1865
Zakharov, L.N., see Yang, E.-C., 1727
Zang, S.-Q., see Tao, R.-J., 2911
Zanini, M.L., Meneghetti, M.R., Ebeling, G., Livotto, P.R., Rominger, F. and Dupont, J., The retro-chloropalladation reaction of heterosubstituted alkynes, 1665
Zehnder, M., see Constable, E.C., 93
Zeng, H.-Y., see Ying, S.-M., 3097
Zeng, X.-S., see Liu, Q.-X., 1515
Zhan-Bing, W., see Rong-Guang, L., 3467
Zhang, J., see Ma, C., 2767
Zhang, J.-J., see Fu, R.-B., 2739
Zhang, J.-M., see An, B.-L., 2719
Zhang, Ke-H., see Zhou, Shuang-L., 1019
Zhang, L.-P. and Mak, T.C.W., Structural diversity in lanthanum(III) coordination polymers constructed with the isomeric flexible double betaines 1,4-bis(*n*-picolyloxyl)benzene-*N*,*N*′-diacetate (n=2, 3), 2787
Zhang, L.-P., Song, H.-B., Wang, Q.-M. and Mak, T.C.W., Coordination networks generated from transition metal chlorides and a flexible double betaine, 811
Zhang, L.-P., Wan, Y.-H. and Jin, L.-P., Hydrothermal synthesis and crystal structure of neodymium(III) coordination polymers with isophthalic acid and 1,10-phenanthroline, 981
Zhang, P., see Ge, C.-H., 3493
Zhang, R., see Ma, C., 2767
Zhang, X.-D., see Ge, C.-H., 3493

Zhang, X.-J., Tian, Y.-P., Li, S.-L., Jiang, M.-h., Usman, A., Chantrapromma, S. and Fun, H.-K., Zn(II) and Cd(II) *N*-carbazolylacetates with strong fluorescence, 397

Zhang, Y., Yao, Y.-M., Luo, Y.-J., Shen, Q., Cui, Y. and Yu, K.-B., Ytterbium complexes supported by *β*-diketiminate ligands: cyclopentadienyl, indenyl and aryloxide derivatives, 1241

Zhang, Y.-H., Ban, Y., Nomura, M. and Fujii, Y., Isotope effects in the V(IV)-malate complex formation system, 1377

Zhang, Y.-L., Jiang, W.-H., Liu, W.-S., Wen, Y.-H. and Yu, K.-B., Complexation and extractability studies of lanthanide elements by 2,2′-[1,2-phenylenebis(oxy)]-bis(*N*-methyl-*N*-phenyl(acetamide)), 1695

Zhang, Y.-L., Ruan, W.-J., Zhao, X.-J., Wang, H.-G. and Zhu, Z.-A., Synthesis and characterization of axial coordination cobalt(III) complexes containing chiral Salen ligands, 1535

Zhang, Y.-M., see Zhong, L.-F., 2647

Zhang, Y.-T., see Zhu, D.-S., 3523

Zhang, Z.-Z., see Liu, Q.-X., 1515

Zhao, H.-Y., see Bian, Z.-X., 1523

Zhao, L., see Milway, V.A., 1271

Zhao, X.-J., see Zhang, Y.-L., 1535

Zhao, Y.-J., see Zhou, Y.-F., 1231

Zhen, H., see Chisholm, M.H., 557

Zheng, S.-L., see An, B.-L., 2719

Zheng, X.-J. and Jin, L.-P., Supramolecular architectures from the self-assembly of lanthanide coordination compounds containing glycine and phen via hydrogen bonding and π–π stacking interactions, 2617

Zheng, X.-J., Jin, L.-P., Wang, Z.-M., Yan, C.-H., Lu, S.-Z. and Li, Q., Structure and photophysical properties of europium complexes of succinamic acid and 1,10-phenanthroline, 323

Zheng, Y.-Q., Lin, J.-L. and Kong, Z.-P., Syntheses and crystal structures of new suberato-bridged Mn(II) phen complexes: $\{[Mn(phen)_2]L_{2/2}\}_2 \cdot H_2L \cdot 8H_2O$, $\{[Mn(phen)(H_2O)_3]_2L\} \cdot 2H_2L \cdot 4H_2O$ and $\{[Mn(phen)_2(HL)]_2L\} \cdot H_2L$ (H_2L=HOOC$(CH_2)_6$COOH), 2699

Zheng, Z., see Selby, H.D., 2999

Zhong-Yuan, Z., see Zhu, T., 1603

Zhong, L.-F., Zhang, Y.-M., Tang, Y. and Bai, Y., Synthesis and characterization of keggin P–Mo–V heteropolyanion and its Langmuir–Blodgett film, 2647

Zhou, Shuang-L.-L., Wang, Shao-W.-W., Yang, Gao-S.-S., Liu, Xin-Y.-Y., Sheng, En-H.-H., Zhang, Ke-H.-H., Cheng, L. and Huang, Zi-X.-X., Synthesis, structure and catalytic activity of tetracoordinate lanthanide amides $[(Me_3Si)_2N]_3Ln(\mu\text{-}Cl)Li(THF)_3$ (Ln=Nd, Sm, Eu), 1019

Zhou, X.-G., see Tao, Z., 263

Zhou, Y.-F., Zhao, Y.-J., Sun, D.-f., Weng, J.-B., Cao, R. and Hong, M.-C., Syntheses, crystal structures and photoluminescent properties of two isophthalate-bridged complexes, 1231

Zhou, Z.-Y., see Tao, Z., 263

Zhu, D.-S., Mei, Z.-M., Lü, C.-S., Gao, W., Zhang, Y.-T., Mu, Y. and Wang, Z.-M., Synthesis, characterization and crystal structures of (*Z*)-1-(triarylstannyl)-3-phenyl-1-buten-3-ols and their arylhalostannyl derivatives, 3523

Zhu, G., Tanski, J.M. and Parkin, G., Synthesis and structure of $[pz^{Bu_2^t}]Mo(PMe_3)_4H$, a d^4 molybdenum complex that exhibits η^2-coordination of the 3,5-di-*t*-butylpyrazolyl ligand, 199

Zhu, Q., see Tao, Z., 263

Zhu, T., see Rong-Guang, L., 3467

Zhu, T., Qian-Jiang, Z., Sai-Feng, X., Jackson, W.G., Zhong-Yuan, Z. and Xiang-Ge, Z., The chemistry of $[Co(triamine)(diamine)Cl]^{2+}$ complexes: the single crystal X-ray structures of five [Co(dien)(ibn)Cl]$ZnCl_4$ isomers, 1603

Zhu, W.-X., see Ma, S.-L., 3249

Zhu, Z.-A., see Zhang, Y.-L., 1535

Zhuang, H.-H., see Wu, C.-D., 3091

Ziółkowski, J.J., see Moszner, M., 3195

Ziller, J.W., see Evans, W.J., 119

Zimmerman, R.S., see Sessler, J.L., 2963

Zolezzi, S., Spodine, E. and Decinti, A., Epoxidation of styrene with iodosylbenzene in the presence of copper(II) Schiff-base complexes, 1653

Zonoz, F.M., see Alizadeh, M.H., 933

Zoppellaro, G., Ivanova, A., Enkelmann, V., Geies, A. and Baumgarten, M., Synthesis, magnetic properties and theoretical calculations of novel nitronyl nitroxide and imino nitroxide diradicals grafted on terpyridine moiety, 2099

Zubieta, J., see Rarig Jr., R.S., 177

Zubieta, J., see Toscano, P.J., 2809

zur Loye, H.-C., see Ciurtin, D.M., 3043

Zwack, T., see Brunner, H., 861

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Polyhedron 22 (2003) 3583–3621
POLYHEDRON
www.elsevier.com/locate/poly

Subject Index to Volume 22

Ab initio
Tetrabromocuprates, Two-dimensional Heisenberg antiferromagnet, Magnetic susceptibility, 2235
Ab initio calculation
Keggin anion, Electron transfer, Coulombic repulsion, Magnetic coupling, 2331
Ab initio calculations
CASPT2, Difference dedicated CI, Magnetic properties, Oxalato-bridged complexes, Hetero-bimetallic complexes, 2409
Ab initio method
Bis(9-(10-phenyl)anthryl)carbene, Polycarbene, Effective exchange integral, AO-fitting, AO-approach, 2067
Ab initio MO method
Molecular magnetism, Organic superconductor, Effective exchange integral, Density functional method, BEDT-TTF, BETS, TMTTF, TMTSF, 2051
Ab inito MO calculation
Hybrid-DFT, Organomagnetic conductors, Electronic structure, Effective exchange integral, 2039
Ab-initio methods
Cyclic phosphazines, Electron propagator methods, Electronic structures, Ionization energies, Vibrational frequencies, 473
Abpt
Trpn, Monoclinic, Crystal, Octahedral geometry, Intramolecular hydrogen bonding, 3181
Absorption spectra
Imidazole-4-acetic acid, Cobalt(II) complexes, Manganese(II) complexes, X-ray structure, EPR spectra, 3123
a.c. and d.c. magnetic susceptibility
Single-molecule magnet, Single crystal X-ray analysis, Mn_{12} complexes, 2-Thiophenecarboxylic acid, PPh_4 salt, 1795
π-Acceptor
Encapsulating ligand, Iron(II), Low-spin, Thiaether, 45
a.c. susceptibility
Molecular magnetism, Metamagnetism, Canted antiferromagnetism, High pressure, 2249
Ac susceptibility
Molecular magnetism, Ferromagnetism, Dipolar interactions, High pressure, 3339
Acetamide
Mannich, Copper(II) complexes, α-Amino acids, Formaldehyde, 521
Acidity constants
Charge repulsion, Phosphonate complexes, Pyrimidine nucleotide analogue, Stability constants, Stacking interactions, Ternary complexes, 1067
Acetal ligands
Tricarbonylrhenium(I) halide complexes, Diastereoisomers, ^1H NMR, DFT calculations, 3371
Acylferrocene
Trimethylsilyl cyanide, Cyanohydrin trimethylsilyl ether, 1523
Adduct
Kinetics, Transmetalation, Heteropolymetallic, Target, Formation, 2917
β-Alanine
Dipeptides, Tripeptides, Nickel(II), Palladium(II), Stability constants, 2607
Alkoxide
Tungsten alkylidyne, Molybdenum alkylidyne, Electronic structure, Frontier molecular orbitals, Thiolate, 145
Alkoxide
Antiferromagnetic interaction, Late transition metal, X-ray, Molecular structure, 2581
Alkoxide complexes
Phenolate ligands, Tungsten, Crystal structures, 2755
Alkoxides
Lanthanum, X-ray structures, Triflate, Grafting, 127
Alkoxo-complexes
Rhenium(V), Phosphinite ligands, Oxo-complexes, Crystal structures, 1711
Alkoxycarbonylation
Dibenzotetraaza[14]annulenes, Macrocyclic Schiff bases, Stacking, CH·····O hydrogen bonds, 3299
Alkynes
Retro-chloropalladation reaction, Monomeric compounds, Propargyl amines, 1665
Aluminium
Thiolate, Hydride, 2655
Aluminium(III) atoms
N-phenylsalicylideneiminato, Isopropoxo, Molecular structures, 2943
Amidato
Synthesis, Dirhenium, *Pseudo*-halides, Crystal structures, Di-cation, 1281
Amide
Chloride, Gallium, Ligand exchange, Titanium, 9
Amide
Lanthanides, Dications, Divalent, Cyclopentadienyl, Protonolysis, 119
Amide ligands
Lithium, Sodium, Potassium, 12-Crown-4, Crystal structures, 3507
Amides
Lanthanides, Compound, Catalysis, Polymerization, Polymer, 1019
Aminium cationic radical
Aromatic polyamine, Polycondensation, Non-Kekulé molecule, Palladium-catalyzed amination, 1945
α-Amino acids
Mannich, Copper(II) complexes, Formaldehyde, Acetamide, 521
Amino acid
Nitrosation, Dinitrogen trioxide, Spectrophotometry, 1059
2-Aminopyridine
Electrochemical synthesis, Methanol, Schiff base, 1335
Ammonium hexafluorophosphate
Palladium(II) cyclometallated complexes, Crystal and molecular structures, Chelating, Phosphines, 241
$AMnFe(C_2S_2O_2)_3$
Magnetic and structural characterisation, Layered materials, 2317
Ancillary ligands
Cobalt acetate, Oxo-centred trimers, X-ray crystal structures, 947
Anion
Dendrimer, Electrochemistry, Ferrocene, Receptor, Supramolecular, 763
Anion
Receptor, Emission intensity, Complexes, Ruthenium, 775
Anion binding
Electrochemical sensing, Urea, 649
Anion binding
Pyrrole, Ferrocene, Self-assembly, Electrochemical sensor, 699
Anion binding
Self-assembly, Bridging, Ligand, Tetrahedral cage, 781
Anion template
Metalla-macrocycles, Templating agents, Palladium and nickel complexes, Triphenylphosphine, Hydrogen bonding, 2991
Annealing
Metal sulfide, Molecular precursor, Diethyl ether, 1255

doi:10.1016/S0277-5387(03)00655-7

Anomalous paramagnetic centers
Fullerene, Molecular complexes, Magnetic properties, 2009
Anthracene
Conjugated polymer, Polyradical, Phenoxyl, Poly(aryleneethynylene), High-spin polymer, 1845
Anti-*Candida* activity
Manganese(II) complexes, 2,2-Dimethylpentanedioic acid, 3,3-Dimethylpentanedioic acid, 2,2′-Bipyridine, 1,10-Phenanthroline, Crystal structure, 3187
Anti-fungal
(Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile, Metal complexes, X-ray structures, Silver(I), *Candida albicans*, 1595
Antibacterial activity
Deamination of amino acids, Diorganotin(IV) complexes, Pyridoxal 5′-phospate, Pyridoxal–pyridoxamine Schiff base, X-ray structures, 53
Antiferromagnetic
Spin ladder, Copper(II), Quinoxaline, 2325
Antiferromagnetic coupling
Magnetic susceptibility, Square-pyramidal environment, 2515
Antiferromagnetic interaction
Centrosymmetric dimer, Singlet–triplet, Curie–Weiss law, 2311
Antiferromagnetic interaction
Alkoxide, Late transition metal, X-ray, Molecular structure, 2581
Antiferromagnetic interactions
Dipyridinated manganese(II) phthalocyanine, Crystal structures, Magnetic properties, Oxidation, UV–Vis spectroscopy, 2689
Antiferromagnetic order
Verdazyl radical, Spin-Peierls transition, Heat capacity, Magnetism, Doping effect, High-field magnetization, 2091
Antimony
2-Thienyl derivatives, Arsenic, X-ray structures, $[PdCl_2\{(C_4H_3S)_3As\}_2]$, 549
Antimony
Bromine, Isobutyl group, Ring–ring equilibrium, X-ray diffraction, NMR spectra, 1719
Antimony(V) compounds
Imidodiphosphinato ligands, Crystal structure, 3395
Antiprotoоans
Pesticides, 3,5-dimethyl-tetrahydro-2H-1,3,5-thiadiazine-2-thione, 1689
Antisymmetric double exchange
Mixed-valence clusters, Zero-field splitting, 2253
Antitumor compounds
Palladium, Platinum, Chirality, Bidentate nitrogen ligands, Crystal structures, 1529
AO-approach
Bis(9-(10-phenyl)anthryl)carbene, Polycarbene, Ab initio method, Effective exchange integral, AO-fitting, 2067
AO-fitting
Bis(9-(10-phenyl)anthryl)carbene, Polycarbene, Ab initio method, Effective exchange integral, AO-approach, 2067
(Arene)ruthenium
Multi-functional ligand, Tristhiolato, Mercaptophenol, 543
ArgoGel resins
Clusters, Ruthenium, Sensors, Supported transition metals, Gas sensing, 3
APCVD
Germanium phosphide, Thin film, 1683
Aromatic π,π-stacking
Copper(II) complexes, Iminodiacetate, Imidazole, Bipyridine, Crystal structure, 1027
Aromatic polyamine
Polycondensation, Aminium cationic radical, Non-Kekulé molecule, Palladium-catalyzed amination, 1945
Arsenic
2-Thienyl derivatives, Antimony, X-ray structures, $[PdCl_2\{(C_4H_3S)_3As\}_2]$, 549
Arsine
Stibine, Synthesis, X-ray structures, π-Stacking, Group 15, 211
2-(Arylazo)anilines
Gold(III) complex, Diazoketiminato species, 3109
Arylazoimidazole
Azopyrimidine, Hg(II) complexes, Crystal structures, 1205
Arylazoimidazole
Zinc(II) complexes, Crystal structures, Hydrogen bonding, 1D chain, 1213
Arylazoimidazoles
1,10-Phenanthroline, Ruthenium(II) complexes, Electrochemistry, X-ray structures, EHMO, 849
Arylazoimidazoles
Cobalt(II) complexes, EO azido bridged complexes, X-ray structures, 2587
Arylazoimidazoles
Cadmium (II) complexes, Square grid, X-ray structure, 3161
Aryloxides
Europium, Ytterbium, MVS, Dissolution in ammonia, 1425
Aryltin compounds
Organotin compounds, FT-IR spectroscopy, NMR spectroscopy, X-ray crystal structure, 3523
Assembly
Carbenes, Copper, Spin-glass, Magnetic properties, Photolysis, 1877
Asymmetrical tetradentate Schiff base
Copper(II), X-ray crystallography, Cu(II) catalysed hydrolysis, 617
Atmospheric pressure chemical vapour deposition
TiS_2, Energy-dispersive X-ray analysis, 1263
ATP–cisplatin complexes
pH variation, NMR DOSY, Long range ^1H–^{15}N HMQC, 611
Axial coordination cobalt(III) complexes
Salen ligands, Circular dichroism spectra (CD), X-ray structures, 1535
Azacrown ethers
Macrocycle, Schiff base, Template, Nickel(II) complexes, Mixed-donor macrocycles, 1481
Azopyrimidine
Arylazoimidazole, Hg(II) complexes, Crystal structures, 1205
Azopyrimidine chelates
Rhenium azo chelates, Rhenium pyrimidine chelates, Rhenium azopyrimidine chelates, 901

BEDT-TTF
Molecular magnetism, Organic superconductor, Effective exchange integral, Ab initio MO method, Density functional method, BETS, TMTTF, TMTSF, 2051
Benzene dithiolate
Weak-ferromagnetism, Ferrimagnet, Molecular based magnet, Transition metal complex, Crown thioether, 1755
Benzenesulfonic acid
Single-molecule magnet, Mn cluster, 1759
Benzimidazole
Copper, Peptide, Creatinine, Bioactivity, 3255
Benzoinoxime
Molybdenum complexes, Dimer, Magnetic moment, Electrochemical properties, 895
Benzotriazole
Electron transfer, Intervalence charge-transfer, Mixed-valence, Ruthenium-polypyridine, 1303
Benzotriazole complexes
Rhenium complexes, Oxo-complexes, Crystal structures, Spectroscopic investigation, 2869
Benzyl
Copper(II), Mixed-ligand complexes, Crystal structures, π,π-Stacking, Nitro, 1039
Benzyl alanine esters
2-Hydroxypropyl *p*-nitrophenyl phosphate, Glycine–alanine, Lanthanide complexes, 711
Benzylamine
Cyclometallation, Palladium(II) acetate, 287
BETS
Molecular magnetism, Organic superconductor, Effective exchange integral, Ab initio MO method, Density functional method, BEDT-TTF, TMTTF, TMTSF, 2051
BETS
Superconducting transition, Muon, 2307
Biaryl
Manganese, Epoxidation, Schiff-base, Chiral-at-metal, 1617
Bicyclic guanidinate
Tantalum, Intermolecular hydrogen bonds, Coordination isomer, Dodecahedral geometry, 2731
Bidentate chelating ligand
Ruthenium(II) carbonyl complexes, Phosphine–phosphinesulfide, X-ray crystal structures, Octahedral structures, Steric effect, 2725
Bidentate ligand
Cis and *trans* Co(II) isomers, Crystal structure, UV–Vis and IR spectra, 1329

Bidentate nitrogen ligands
Palladium, Platinum, Chirality, Antitumor compounds, Crystal structures, 1529
Biferrocenium
Metallocene, Pyridinyl, Supramolecule, 1199
Bifunctional ligand
Coordination polymer, Noncentrosymmetric structures, Metal–organic framework, Inclusion compounds, Rectangular grid, 235
2,2′-Biimidazole
Pd(II) and Pt(II) complexes, Pt(I) complexes, *N,N′*-Dimethyl-2,2′-biimidazole, Crystal structure, DNA interactions, Solvolysis by DMSO, 1113
Bimetallic coordination polymers
Dicyanamide, Crystal structures, Magnetic properties, Sandwich, Template, 433
Bimetallic oxalato complexes
Radical salts, Tetrathiafulvalene, Molecular magnetism, Conducting properties, 2381
Binuclear copper(II) complexes
Macrobicyclic ligands, Magnetochemistry, Electrochemistry, Catalytic activity, 1407
Binuclear nickel(II) complex
Crystal structure, Magnetic properties, End-on azido ligand complex, Terminal azido ion complex, Hexadentate ligand, 257
Binucleating ligand
Nickel(II) complexes, Electrochemistry, 989
Bioactivity
Copper, Peptide, Creatinine, Benzimidazole, 3255
Biological activity
Ruthenium(II) complexes, NS-donors, Thiosemicarbazones, X-ray crystal structures, 447
Bipy
Hydrothermal reaction, Crystal structure, Succinate, Open-framework, 3097
2,2′-Bipyridine
Copper, Silver, Ruthenium, Metallostar, X-ray, 93
Bipyridine
Pentamethylcyclopentadienyl, Indenyl, Ruthenium, Molecular structures, Phenanthroline, 307
2,2′-Bipyridine
Praseodymium complexes, Lanthanide, Thiocyanate, Chloride, Nitrate, Dithiocarbamate, Crystal structures, 347
Bipyridine
Spiropyrans, Spirooxazine Ruthenium complexes, Molecular device, 655
4,4′-Bipyridine-N,N′-dioxide
Cobalt complexes, Manganese complexes, Copper complexes, Extended structures, 789
Bipyridine
Copper(II) complexes, Iminodiacetate, Imidazole, Crystal structure, Aromatic π,π-stacking, 1027
Bipyridine
Cyclopentadienyl, Osmium, Chelating ligands, Phenanthroline, 1391
Bipyridine
Rhenium, Nitrosyl, Oxo, X-ray structures, Electronic structures, 2573
4,4′-bipyridine
Coordination polymers, Crystal structures, Transition metal ions, Network solids, 2821
2,2′-Bipyridine
Manganese(II) complexes, 2,2-Dimethylpentanedioic acid, 3,3-Dimethylpentanedioic acid, 1,10-Phenanthroline, Crystal structure, Anti-*Candida* activity, 3187
2,2′-Bipyridine
Cadmium(II) complex, Double-helix, Isophthalate, Polymeric tubes, Zinc(II) complex, 1231
2,2′-Bipyridine complexes
Optically active sulfur-bridged complexes, Dinuclear Co(III)–Pd(II) and Co(III)–Pt(II) complexes, Crystal structures, Spectrochemistry, 1507
2,2′-Biquinoline
p-Cymene, Hexamethylbenzene, Ruthenium, Terpyridine, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
Biradical
Organic ferromagnet, Pressure effect, Curie temperature, Exchange interactions, 2287
Biradicals
Exchange coupling, Heterospin, Spin diverse, 2423
Bis(diphenylphino)methane dioxide
Catalytic properties, Complexes, 967
Bis(diphenylphosphino)amine
Bis(diphenylphosphino)methane, Nickel cluster, 1641
1,4-bis(diphenylphosphino)butane
Ruthenium(II)-bipy derivative complexes, Photoisomerization, 3205
Bis(diphenylphosphino)methane
Bis(diphenylphosphino)amine, Nickel cluster, 1641
Bis(imidazolyl)borate ligand
Organotin(IV), Tin-119 NMR, Electrospray mass spectroscopy, 499
Bis(mercaptoimidazolyl)borate complexes
Thallium, Cadmium, Thiolates, Crystal structures, 3461
Bis(9-(10-phenyl)anthryl)carbene
Polycarbene, Ab initio method, Effective exchange integral, AO-fitting, AO-approach, 2067
2,6-bis(pyrazol-3-yl)pyridine
Thermal spin transition, Transition temperature, Hydration, 2375
1,2-Bis(4-pyridinecarboxamido)ethane
Copper (II) complexes, X-ray structures, Hydrogen bonding, Coordination polymers, Supramolecular isomers, 3493
Bis(2-pyridylthio)methane
Cadmium(II) complexes, Eight-membered chelate rings, X-ray diffraction, Cadmium(II) halides, NMR spectroscopy, 1077
2,3-Bis(α-pyridyl)quinoxaline
p-Cymene, Hexamethylbenzene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 3155
Bis(phosphino)amines, ruthenium
Octahedral complexes, Crystal structures, Cyclic voltammetry, 587
Bisferrocenylimine
Cyclomercuration, 1249
Bisphosphine ligands
Substitution, Iron, Thiocarboxylate, Structure, 3445
Bistability
Spin-crossover, Magnetic field effect, Ising-like model, Monte Carlo, 2441
^{11}B NMR
Borate–polysaccharide complexes, Speciation, Polymer length, Conformation, 909
Bonding
Hydrazine, Hydrogen, Structures, 1397
Boranes
Heteroboranes, NMR spectroscopy, Geometry optimisation, GIAO, 3541
Borate–polysaccharide complexes
Speciation, Polymer length, Conformation, ^{11}B NMR, 909
Boron
Carbonyl complexes, Manganese, Octahydrotriborate(2−), Organophosphine ligands, Rhenium, X-ray structures, 1627
B–O–Si linkages
Cyclo-boratetrasiloxanes, Cyclocondensation, Lewis acidity, 3333
Bridging
Self-assembly, Ligand, Tetrahedral cage, Anion binding, 781
Bridging ligand
Coordination chemistry, Metallacycles, Coordination modes, 1837
Bridging ligands
Ruthenium, N ligand, Heterometallic complexes, EXAFS spectroscopy, 2799
Bridging ligands
Structural and magnetic properties, Chain polymers, X-ray diffraction, 3025
Bromine
Antimony, Isobutyl group, Ring–ring equilibrium, X-ray diffraction, NMR spectra, 1719
Bulk ferromagnetism
Molecule-based magnets, *p*-(nitro)Phenyl nitronyl nitroxide, Theoretical analysis, Magnetic structures, 1935
Bulk modulus
Canted antiferromagnet, Fe complex, Molecular magnet, High pressure, Compressibility, 2139
1,4-Butylenediphosphonates
Crystal structures, Transition-metal, 2739

Caboxylate
Malonate, Magnetic properties, Molecular magnetism, 2111
Cadmium
Cadmium halides, Coordination polymers, Framework materials, Hydrothermal synthesis, 3043

Cadmium
Tetradentate, Quadradentate, Schiff-base, Polymeric, 3213
Cadmium
Thallium, Thiolates, Bis(mercaptoimidazolyl)borate complexes, Crystal structures, 3461
Cadmium (II) complexes
Arylazoimidazoles, Square grid, X-ray structure, 3161
Cadmium halides
Cadmium, Coordination polymers, Framework materials, Hydrothermal synthesis, 3043
Cadmium sulfide
Nanocrystallites, Single-source precursor method, 3129
Cadmium(II)
Coordination polymers, Hexamethylenetetramine, Terephthalate, Thiocyanate, 2933
Cadmium(II) azido and thiocyanato complexes
Pyridine derivative complexes, Preparation, Spectra, Crystal structures, 975
Cadmium(II) complex
2,2′-Bipyridine, Double-helix, Isophthalate, Polymeric tubes, Zinc(II) complex, 1231
Cadmium(II) complexes
N-Alkylthiourea, Synthesis, X-ray structures, 595
Cadmium(II) complexes
Bis(2-pyridylthio)methane, Eight-membered chelate rings, X-ray diffraction, Cadmium(II) halides, NMR spectroscopy, 1077
Cadmium(II) halides
Bis(2-pyridylthio)methane, Cadmium(II) complexes, Eight-membered chelate rings, X-ray diffraction, NMR spectroscopy, 1077
Cadmium(II) pseudohalides
Pyridine derivative complexes, Syntheses, Spectra, Crystal structures, 3137
Calixarenes
Uranyl ion, Homooxacalixarenes, Clusters, Crystal structures, 3499
Candida albicans
(Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile, Metal complexes, X-ray structures, Silver(I), Anti-fungal, 1595
Canted antiferromagnet
Fe complex, Molecular magnet, High pressure, Compressibility, Bulk modulus, 2139
Canted antiferromagnetism
Molecular magnetism, Metamagnetism, a.c. susceptibility, High pressure, 2249
Carbacylamidophosphates
Phosphorylic ligands, Self-complementary molecules, Supramolecular chemistry, 1221
Carbazole
N-carbazolylacetate, Crystal structures, Complexes, Photoluminescence, 397
Carbenes
Palladium, Platinum, Iodine, Crystal structures, Luminescence, 1515
Carbenes
Copper, Assembly, Spin-glass, Magnetic properties, Photolysis, 1877
Carbonyl
Thiocarbonate complexes, Iron, X-ray structure, Sulfur-ligands, 3105
Carbonyl complexes
Boron, Manganese, Octahydrotriborate(2−), Organophosphine ligands, Rhenium, X-ray structures, 1627
Carborane
Isomerisation, Synthesis, Spectroscopy, Crystallographic study, Vertex labelling, 1293
Carborane ligands
Cobalt complexes, Nitrosyl ligands, Crystal structures, 109
Carboxylate
Coordination network, Double betaine, Transition metal, 811
Carboxylate
Cobalt, Iron, Magnetism, Manganese, Pyromellitate, Framework, 1921
Carboxylate
Molecular magnetism, Supramolecular, Radical, Co(II) complexes, Hydrogen-bond, 1929
Carboxylate
Malonate, Magnetic properties, Molecular magnetism, 2111
Carboxylate
Coordination network, Double betaine, Lanthanide salt, 2787
Carboxylate chain structures
Manganese(III), Hydrogen-bonded sheets, Metamagnetism, Crystal structures, 2161
Carboxylates
Hydrogen bonding, Crystal engineering, Zinc, X-ray crystal structures, 673
CASPT2
Ab initio calculations, Difference dedicated CI, Magnetic properties, Oxalato-bridged complexes, Hetero-bimetallic complexes, 2409
Catalysis
Co-ordination chemistry, Platinum, Hemi-labile, Phosphines, Chelate ligands, 19
Catalysis
Lanthanides, Amides, Compound, Polymerization, Polymer, 1019
Catalytic activity
Binuclear copper(II) complexes, Macrobicyclic ligands, Magnetochemistry, Electrochemistry, 1407
Catalytic activity
Ternary manganese(II) complexes, 1,10-Phenanthroline, Neocuproine, Indole-2-carboxylic acid, Crystal structures, IR, 1461
Catalytic activity
Macrobicyclic copper(II) complexes, Tricompartmental ligands, Magnetic properties, Electrochemical properties, 3483
Catalytic epoxidation
Salen Cu(II) complexes, Schiff-base ligands, Iodosylbenzene, Styrene, Hammett substituent constants, 1653
Catalytic properties
Complexes, Bis(diphenylphino)methane dioxide, 967
Catechol
Mn^{III}–Schiff base complex, Crystal structures, Redox activity, Hydroquinone, 1191
Cd compounds
Coordination chemistry, Schiff bases, X-ray structure determination, Hydrogen bonding, Reversible absorption and desorption of water, 3451
Centrosymmetric dimer
Antiferromagnetic interaction, Singlet–triplet, Curie–Weiss law, 2311
Chain polymers
Structural and magnetic properties, X-ray diffraction, Bridging ligands, 3025
Chalcogens
Diphosphino ligands, Pyridine, Tin(IV), X-ray crystallography, 1585
Channel
Ferromagnetic interaction, Supramolecule, Nitroxide, Ligand, Free radical, 2133
Charge fluctuation
Oxophenalenoxyl, Radical dianion, Redox-based spin diversity, Spin structure, Density functional calculation, 2209
Charge repulsion
Acidity constants, Phosphonate complexes, Pyrimidine nucleotide analogue, Stability constants, Stacking interactions, Ternary complexes, 1067
Charge transfer transitions
Electrical conductivities, Crystal structures, Fluorescence spectroscopies, Molar conductances, 3547
Charge-transfer band
Valence tautomerism, Cobalt, Magnetic moment, 2401
Charge-transfer salts
Dithiolates, Gold(III) complexes, Crystallographic studies, Magnetic properties, Electrical transport properties, 2447
Charged biradical
Organic ferrimagnet, Nitronyl nitroxide, Magnetic susceptibility, Electron spin resonance, Supramolecular crystal engineering, 1817
Charged high-spin systems
Oligoarylamines, Coupling reactions, Electrochemical methods, UV–Vis absorption, Organic mixed-valence system, 2003
C–H···π Interaction
Cobalt(III) isomers, X-ray crystal structures, 2D NMR, Energy minimisation, 3467
CH···Cl bonding
Hydrogen bonding, CH···O bonding, CH···N bonding, Poly(pyrazolyl)borate ligands modified, Supramolecular interactions, 1123

CH···N bonding
Hydrogen bonding, CH···O bonding, CH···Cl bonding, Poly(pyrazolyl)borate ligands modified, Supramolecular interactions, 1123
CH···O bonding
Hydrogen bonding, CH···N bonding, CH···Cl bonding, Poly(pyrazolyl)borate ligands modified, Supramolecular interactions, 1123
CH···O hydrogen bonds
Dibenzotetraaza[14]annulenes, Alkoxycarbonylation, Macrocyclic Schiff bases, Stacking, 3299
Chelate complexes
Diimine, Diazadiene, Palladium, 1447
Chelate ligands
Co-ordination chemistry, Platinum, Catalysis, Hemi-labile, Phosphines, 19
Chelating
Palladium(II) cyclometallated complexes, Crystal and molecular structures, Ammonium hexafluorophosphate, Phosphines, 241
Chelating ligands
Cyclopentadienyl, Osmium, Bipyridine, Phenanthroline, 1391
Chelation
Organotin, Phosphine oxide, Crystal structures, 3277
Chemical vapor deposition
Copper(II) complexes, Dialkyldithiocarbamate ligands, Volatility, Crystal structures, Thermal studies, 1575
Chiral complexes
Macrocycles, Lanthanide complexes, NMR, 2877
Chiral compounds
Platinum, Imine ligands, Oxidative addition, Steric effects, Crystal structure, 3363
Chiral ligands
Cyanide complexes, Molecular magnets, 2435
Chiral-at-metal
Manganese, Epoxidation, Biaryl, Schiff-base, 1617
Chiral-at-metal complexes
Configurational stability, Epimerization, Diastereomer equilibria, X-ray structure analyses, 861
Chiral-at-metal complexes
Rhodium, Configurational stability, Epimerization, X-ray structure analyses, 2639
Chirality
Palladium, Platinum, Bidentate nitrogen ligands, Antitumor compounds, Crystal structures, 1529
Chirality
Circular dichroism, Nitroxide, Manganese, 2349
Chirality
Single molecule magnet, Susceptibility, Manganese, Magnetic clusters, 2355
Chloride
Amide, Gallium, Ligand exchange, Titanium, 9
Chloride
Praseodymium complexes, Lanthanide, 2,2′-Bipyridine, Thiocyanate, Nitrate, Dithiocarbamate, Crystal structures, 347
Chloride
Coordination chemistry, β-Diketiminato ligand, Titanium(III), Fluoride, 2669
Chromaticity
Cobalt(II) complexes, Schiff base, Salicylideneaniline, Solutions, Ligand-field parameters, Electronic spectra, Solvatochromism, 997
Chromium picolinate
8-OHdG, Lipid peroxidation, Rats, DNA, 455
Chromium thioantimonates
Solvothermal synthesis, Crystal structure, 2839
Chromium(III)
μ-Oxalato-bridge, Copper(II), Iron(III), Heterotrinuclear complexes, Magnetism, 3223
Circular dichroism
Chirality, Nitroxide, Manganese, 2349
Circular dichroism spectra (CD)
Salen ligands, Axial coordination cobalt(III) complexes, X-ray structures, 1535
Cis and *trans* Co(II) isomers
Bidentate ligand, Crystal structure, UV–Vis and IR spectra, 1329
Cluster glass
Molecule-based magnet, Magnetic properties, Cobalt, 2387
Clusters
Ruthenium, Sensors, ArgoGel resins, Supported transition metals, Gas sensing, 3
Clusters
Tellurium, Sulfur, Laser ablation synthesis, Mass spectrometry, Post-source decay, 2601
Clusters
Rhenium, Copper, Sulfur, Selenium, Tellurium, 3383
Clusters
Uranyl ion, Calixarenes, Homooxacalixarenes, Crystal structures, 3499
^{13}C NMR
Iron, Dithiocarbamate, Diselenocarbamate, Thioselenocarbamate, Nitrosyl, ^{15}N NMR, 3423
^{13}C NMR
Quantum spin chain, $S=1/2$ antiferromagnet, Cu complex, Molecular magnet, Field-induced excitation gap, 2273
Co(II) complexes
Zn(II) complexes, Crystal structures, Multi-directional ligand, Polydentate pyridine ligand, N-donor ligand, 205
Co(II) complexes
Molecular magnetism, Supramolecular, Carboxylate, Radical, Hydrogen-bond, 1929
Co-ordination chemistry
Platinum, Catalysis, Hemi-labile, Phosphines, Chelate ligands, 19
CO/O_2 discrimination
Electron-pair repulsion, Polarizing molecular mechanics, Iron–porphyrin complex, Heme charge, Oxygen fixation, 1091
Co^{II}-edta-type complexes
Crystal packing, Electronic absorption spectra, 2745
Cobaloximes
Cobalt(III) complexes, Diphenylglyoximato ligands, Dimethylglyoximato ligands, NMR spectroscopy, Crystal structures, 2809
Cobalt
Decafluorodiphenylamido, Titanium, Zirconium, Vanadium, Iron, 153
Cobalt
Nickel, Copper, Tetra(3-*iso*-propylpyrazolyl)borate, Structures, Magnetism, 1645
Cobalt
Carboxylate, Iron, Magnetism, Manganese, Pyromellitate, Framework, 1921
Cobalt
Molecule-based magnet, Magnetic properties, Cluster glass, 2387
Cobalt
Valence tautomerism, Magnetic moment, Charge-transfer band, 2401
Cobalt acetate
Oxo-centred trimers, Ancillary ligands, X-ray crystal structures, 947
Cobalt cluster
Magnetic properties, Crystal structures, Hydrothermal synthesis, MCD, 1917
Cobalt complexes
Nitrosyl ligands, Crystal structures, Carborane ligands, 109
Cobalt complexes
Manganese complexes, Copper complexes, 4,4′-Bipyridine-N,N′-dioxide, Extended structures, 789
Cobalt complexes
Rhodium complexes, Metal–metal bonds, X-ray structure analyses, Electronic structures, Cyclic voltammetry, 3413
Cobalt oxydiacetate
Coordination polymer, Hydro(solvo)thermal synthesis, Topological isomerism, Interconversion, Self-assembly, 2953
Cobalt(II)
Iron(III), Nickel(II), Copper(II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Cobalt(II)
Molecular magnets, Copper(II), Manganese(II), Nitroxide, Magnetic exchange coupling, 2487
Cobalt(II) clusters
Kinetic exchange, Magnetic anisotropy, 2537
Cobalt(II) complexes
Schiff base, Salicylideneaniline, Solutions, Ligand-field parameters, Electronic spectra, Chromaticity, Solvatochromism, 997

Cobalt(II) complexes
Arylazoimidazoles, EO azido bridged complexes, X-ray structures, 2587
Cobalt(II) complexes
Imidazole-4-acetic acid, Manganese(II) complexes, X-ray structure, Absorption spectra, EPR spectra, 3123
Cobalt(III) complex
Manganese(IV) complex, Crystal structure, Magnetic moment, Hydrogen bonds, 3515
Cobalt(III) complexes
Sym–fac-$[Co(bpma)(bipy)Cl]^{2+}$ isomer, Isomer preference, Crystal structures, Energy minimisation, 263
Cobalt(III) complexes
Nickel(II) complexes, Synthesis, Spectroscopy, Thiosemicarbazone, X-ray crystallography, 383
Cobalt(III) complexes
X-ray structures, Diethylenetriamnine, Isobutylenediamine, 1603
Cobalt(III) complexes
Cobaloximes, Diphenylglyoximato ligands, Dimethylglyoximato ligands, NMR spectroscopy, Crystal structures, 2809
Cobalt(III) isomers
C–H···π Interaction, X-ray crystal structures, 2D NMR, Energy minimisation, 3467
Columnar structure
Neutral radical, Diazaphenalenyl, ^{15}N atom, Gyromagnetic ratio, Spin structure, 2199
Compartmental ligands
Crystal structure, Tetranuclear nickel(II) complexes, Dinickel(II) complexes, 75
Complex formation
Palladium(II), Glutathione, L-Cysteine, Sodium dodecyl sulfate, Micellar catalysis, 279
Complex formation
Isotopic fractionation, Ion-exchange chromatography, Dimerization, Separation coefficient, Molecular vibration, 1377
Complexation
Macrocyclic compounds, Transition metal ions, Conductometry, Potentiometry, 569
Complexed ligand
$\kappa^2N{:}\kappa^3N$ Bridging fashion, Local C_2 symmetry, Ferromagnetic behavior, 1789
Complexes
Carbazole, *N*-carbazolylacetate, Crystal structures, Photoluminescence, 397
Complexes
Crystal structures, Pteridine, Lumazine, 483
Complexes
Anion, Receptor, Emission intensity, Ruthenium, 775
Complexes
Catalytic properties, Bis(diphenylphino)-methane dioxide, 967
Complexes
Vanadium, Schiff bases, 1009
Complexes
Dimalonate[C_{60}]fullerene protonation, Uranyl, Stability constants, 1085
Compound
Lanthanides, Amides, Catalysis, Polymerization, Polymer, 1019
Compressibility
Canted antiferromagnet, Fe complex, Molecular magnet, High pressure, Bulk modulus, 2139
Conducting properties
Radical salts, Tetrathiafulvalene, Bimetallic oxalato complexes, Molecular magnetism, 2381
Conductometry
Macrocyclic compounds, Transition metal ions, Complexation, Potentiometry, 569
Configurational stability
Chiral-at-metal complexes, Epimerization, Diastereomer equilibria, X-ray structure analyses, 861
Configurational stability
Chiral-at-metal complexes, Rhodium, Epimerization, X-ray structure analyses, 2639
Conformation
Borate–polysaccharide complexes, Speciation, Polymer length, ^{11}B NMR, 909
Conjugated polymer
Polyradical, Phenoxyl, Poly(aryleneethynylene), Anthracene, High-spin polymer, 1845
η^2-Coordination
3,5-Di-*t*-butylpyrazolyl, Molybdenum complexes, $[pz^{Bu^t}{}_2]Mo(PMe_3)_4H$, $Mo(PMe_3)_6$, 199
Coordination chemistry
Bridging ligand, Metallacycles, Coordination modes, 1837
Coordination chemistry
β-Diketiminato ligand, Titanium(III), Chloride, Fluoride, 2669
Coordination chemistry
Supramolecular chemistry, Copper, Self-assemblies, Oligomers, 2985
Coordination chemistry
Schiff bases, Cd compounds, X-ray structure determination, Hydrogen bonding, Reversible absorption and desorption of water, 3451
Coordination compound
Supramolecular architecture, Lanthanide, Glycine, 1,10-Phenanthroline, Non-covalent interactions, 2617
Coordination compounds
Napthylazoimidazole, H-bonding, Organomercuration, X-ray structure, 1367
Coordination isomer
Tantalum, Bicyclic guanidinate, Intermolecular hydrogen bonds, Dodecahedral geometry, 2731
Coordination mode
Lead, Dicyanamide, Coordination polymer, Double-stranded, One-dimensional, 917
Coordination modes
Coordination chemistry, Bridging ligand, Metallacycles, 1837
2D coordination networks
Solid-state, X-ray structures, Vanadium oxo clusters, 3037
Coordination network
Carboxylate, Double betaine, Transition metal, 811
Coordination network
Carboxylate, Double betaine, Lanthanide salt, 2787
Coordination polymer
Noncentrosymmetric structures, Metal–organic framework, Inclusion compounds, Rectangular grid, Bifunctional ligand, 235
Coordination polymer
Thioquinoline units, Mononuclear complexes, 507
Coordination polymer
Lead, Dicyanamide, Coordination mode, Double-stranded, One-dimensional, 917
Coordination polymer
Hydro(solvo)thermal synthesis, Cobalt oxydiacetate, Topological isomerism, Interconversion, Self-assembly, 2953
Coordination polymers
Cu(II) complexes, Mercury, Cyanide ligands, Magnetic properties, 1735
Coordination polymers
Cyano-bridged coordination compounds, Crystal structures, Octacyanometallates, Molecular magnets, 2183
Coordination polymers
TEMPO, Nitroxides, Copper(II) complexes, Manganese(II) complexes, 2363
Coordination polymers
Manganese, Suberato complexes, X-ray structures, 2699
Coordination polymers
Crystal structures, Transition metal ions, 4,4′-bipyridine, Network solids, 2821
Coordination polymers
Cadmium(II), Hexamethylenetetramine, Terephthalate, Thiocyanate, 2933
Coordination polymers
Metal clusters, Supramolecular chemistries, Single crystal X-ray diffractions, 2999
Coordination polymers
Synthesis, Crystal structures, 4,7-Phenanthroline, Cu(I), 3015
Coordination polymers
Cadmium, Cadmium halides, Framework materials, Hydrothermal synthesis, 3043
Coordination polymers
1,2-Bis(4-pyridinecarboxamido)ethane, Copper (II) complexes, X-ray structures, Hydrogen bonding, Supramolecular isomers, 3493
Coordination shift
Zn(II) complexes, Purine, ^{15}N NMR, HETCOR, CPMAS, 391
Copper
Silver, Ruthenium, 2,2′-Bipyridine, Metallostar, X-ray, 93

Copper
Tetradentate, Quadridentate, Schiff-base, Polymethylenediamine, Salicylidene, 887
Copper
Cobalt, Nickel, Tetra(3-*iso*-propylpyrazolyl)borate, Structures, Magnetism, 1645
Copper
Carbenes, Assembly, Spin-glass, Magnetic properties, Photolysis, 1877
Copper
Gadorinium, Trinuclear complex, Magnetic property, Crystal structure, 1905
Copper
X-ray diffraction, Neutron powder diffraction, Pyrazine, Quantum spin chain, 2045
Copper
DFT calculation, Verdazyl, Singlet–triplet separation, 2241
Copper
Magnetic measurement, Shiff base, Cubane structure, Nickel, Manganese, 2359
Copper
Hydroxyacetophenone, Thiosemicarbazone, Nickel, Crystal structures, Metal(II) complexes, 2831
Copper
Supramolecular chemistry, Self-assemblies, Coordination chemistry, Oligomers, 2985
Copper
Porphyrazines, Phthalocyanines, Magnesium, Zinc, Electrochemistry, 3083
Copper
Polyoxometallates, Octamolybdates, Keggin-type anions, Imidazole ligands, 3091
Copper
Peptide, Creatinine, Benzimidazole, Bioactivity, 3255
Copper
Rhenium, Clusters, Sulfur, Selenium, Tellurium, 3383
Copper (II) complexes
1,2-Bis(4-pyridinecarboxamido)ethane, X-ray structures, Hydrogen bonding, Coordination polymers, Supramolecular isomers, 3493
Copper complex
N,N′-disubstituted diaza-18-crown-6, Crystal structure, 3249
Copper complexes
Crystal structures, Pyridazine ligands, Pyrimidine ligands, Thermogravimetric analysis, Triazine ligands, 419
Copper complexes
Cobalt complexes, Manganese complexes, 4,4′-Bipyridine-N,N′-dioxide, Extended structures, 789
Copper complexes
Dissymmetric Schiff base, Mixed donor set, X-ray structures, Cyclic voltammetry, 1437
Copper complexes
Template synthesis, Direct synthesis, Schiff-base, Oxaaza macrocycles, 1701
Copper(I)
Diphosphines, Perfluorinated carboxylates, NMR, MS, 3389
Copper(I) complex
Triazene, Triazenide, Silver(I) complex, Dinuclear structure, 563
Copper(I) complexes
Naphthylazoimidazoles, X-ray structures, Electrochemistry, EHMO, 247
Copper(I) complexes
Dimethyldipicolinate complexes, Hexacoordinate copper(I), Synthesis, Spectra, Crystal structures, 515
Copper(II)
Iron(III), Cobalt(II), Nickel(II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Copper(II)
Guanidinoacetic acid, Guanidino–carboxylate interactions, Ternary complexes, Stability constants, Potentiometry, 225
Copper(II)
Thiodiglycolic acid complexes, Crystal structures, EPR, Magnetic properties, 411
Copper(II)
Asymmetrical tetradentate Schiff base, X-ray crystallography, Cu(II) catalysed hydrolysis, 617
Copper(II)
Mixed-ligand complexes, Crystal structures, π,π-Stacking, Nitro, Benzyl, 1039
Copper(II)
Molecular magnets, Nitroxide, Imidazole, Exchange coupling, 1957
Copper(II)
Spin ladder, Antiferromagnetic, Quinoxaline, 2325
Copper(II)
Molecular magnets, Manganese(II), Cobalt(II), Nitroxide, Magnetic exchange coupling, 2487
Copper(II)
μ-Oxalato-bridge, Chromium(III), Iron(III), Heterotrinuclear complexes, Magnetism, 3223
Copper(II)
Thiosemicarbazone, Electronic spectra, IR spectra, EPR, X-ray crystal structure, 3321
Copper(II) complexes
Mannich, α-Amino acids, Formaldehyde, Acetamide, 521
Copper(II) complexes
Tetranuclear complexes, Magnetic properties and ferromagnetic interactions, 625
Copper(II) complexes
Iminodiacetate, Imidazole, Bipyridine, Crystal structure, Aromatic π,π-stacking, 1027
Copper(II) complexes
Dialkyldithiocarbamate ligands, Chemical vapor deposition, Volatility, Crystal structures, Thermal studies, 1575
Copper(II) complexes
Magnetic behavior, Exchange interaction, Iminonitroxide, 1803
Copper(II) complexes
Coordination polymers, TEMPO, Nitroxides, Manganese(II) complexes, 2363
Copper(II) complexes
Self-assembly, Structural elucidation, Magnetic properties, 2661
Copper(II) complexes
Salicylaldehyde semicarbazone, Crystal structures, 2781
Copper (II) complexes
1,2-Bis(4-pyridinecarboxamido)ethane, X-ray structures, Hydrogen bonding, Coordination polymers, Supramolecular isomers, 3493
Copper(II) coordination compounds
Malonate ligands, Dicarboxylates, Ferromagnetism, 2143
Copper(II)–Schiff base complexes
N-Salicylidene derivative, X-ray structures, Ternary copper(II) complexes, Toxicity of copper(II) complexes, *Drosophila melanogaster*, 403
Coulombic repulsion
Keggin anion, Electron transfer, Ab initio calculation, Magnetic coupling, 2331
Coupling reactions
Oligoarylamines, Electrochemical methods, UV–Vis absorption, Charged high-spin systems, Organic mixed-valence system, 2003
Covalent spin delocalisation
Spin density, Superexchange magnetic interaction, 2297
CPMAS
Zn(II) complexes, Purine, ^{15}N NMR, HETCOR, Coordination shift, 391
Creatinine
Copper, Peptide, Benzimidazole, Bioactivity, 3255
12-Crown-4
Lithium, Sodium, Potassium, Amide ligands, Crystal structures, 3507
Crown ethers
Divalent europium, Lanthanides, Structures, Luminescence, 337
Crown thioether
Weak-ferromagnetism, Ferrimagnet, Molecular based magnet, Transition metal complex, Benzene dithiolate, 1755
Cryptands
Polyether macrocycles, Xanthate, Methyl viologen, 795
Crystal
Trpn, Abpt, Monoclinic, Octahedral geometry, Intramolecular hydrogen bonding, 3181
Crystal and molecular structures
Palladium(II) cyclometallated complexes, Ammonium hexafluorophosphate, Chelating, Phosphines, 241
Crystal engineering
Hydrogen bonding, Zinc, Carboxylates, X-ray crystal structures, 673
Crystal packing
Diphosphine complexes, Nickel complexes, Molecular structures, 1567

Crystal packing
Co^{II}-edta-type complexes, Electronic absorption spectra, 2745
Crystal sponge
4-Hydroxypyrimidine, Nanoporous material, N,N′-exobidentate mode, 3051
Crystal structure
Tetranuclear nickel(II) complexes, Dinickel(II) complexes, Compartmental ligands, 75
Crystal structure
Binuclear nickel(II) complex, Magnetic properties, End-on azido ligand complex, Terminal azido ion complex, Hexadentate ligand, 257
Crystal structure
Dicatechol, Helicate, 643
Crystal structure
Copper(II) complexes, Iminodiacetate, Imidazole, Bipyridine, Aromatic π,π-stacking, 1027
Crystal structure
Pd(II) and Pt(II) complexes, Pt(I) complexes, 2,2′-Biimidazole, *N*,*N*′-Dimethyl-2,2′-biimidazole, DNA interactions, Solvolysis by DMSO, 1113
Crystal structure
Synthesis, Equilibria, Dinuclear complexes, Polyamines, Phenol, 1135
Crystal structure
Cyano-bridged complexes, Manganese complexes, Iron complexes, Macrocyclic ligands, Magnetic properties, 1315
Crystal structure
Cis and *trans* Co(II) isomers, Bidentate ligand, UV–Vis and IR spectra, 1329
Crystal structure
Dithiocarbimate complexes, Nickel complexes, Sulfonamide, 1561
Crystal structure
Gadorinium, Copper, Trinuclear complex, Magnetic property, 1905
Crystal structure
Solvothermal synthesis, Chromium thioantimonates, 2839
Crystal structure
Hydrothermal reaction, Succinate, Bipy, Open-framework, 3097
Crystal structure
Manganese(II) complexes, 2,2-Dimethylpentanedioic acid, 3,3-Dimethylpentanedioic acid, 2,2′-Bipyridine, 1,10-Phenanthroline, Anti-*Candida* activity, 3187
Crystal structure
N,N′-disubstituted diaza-18-crown-6, Copper complex, 3249
Crystal structure
Pentadentate Rh(III) complex, Ring conformations, 3265
Crystal structure
Dithiocarbimates, Zinc complexes, NMR, IR-spectroscopy, 3355
Crystal structure
Platinum, Imine ligands, Chiral compounds, Oxidative addition, Steric effects, 3363
Crystal structure
Antimony(V) compounds, Imidodiphosphinato ligands, 3395
Crystal structure
Manganese(IV) complex, Cobalt(III) complex, Magnetic moment, Hydrogen bonds, 3515
Crystal structures
Iron(III), Cobalt(II), Nickel(II), Copper (II), Palladium(II), Platinum(II), Spectral properties, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Crystal structures
Cobalt complexes, Nitrosyl ligands, Carborane ligands, 109
Crystal structures
Polymeric, Mn compounds, Solid state, 133
Crystal structures
Dicyanonitrosomethanide derived oximate ligands, Mixed valent manganese clusters, Trinuclear, Tetranuclear, Magnetism, 165
Crystal structures
Zn(II) complexes, Co(II) complexes, Multi-directional ligand, Polydentate pyridine ligand, N-donor ligand, 205
Crystal structures
Sym–fac-$[Co(bpma)(bipy)Cl]^{2+}$ isomer, Isomer preference, Cobalt(III) complexes, Energy minimisation, 263
Crystal structures
Lanthanides, Rare earths, Vibration spectra, 271
Crystal structures
Ni(III) thiolate complexes, Magnetism, Spin canting, 299
Crystal structures
Niobium diphthalocyanine, Niobium(V) complexes, UV–Vis spectroscopy, 'Stapled' sandwich-type diphthalocyanine, Raman spectroscopy, 313
Crystal structures
Praseodymium complexes, Lanthanide, 2,2′-Bipyridine, Thiocyanate, Chloride, Nitrate, Dithiocarbamate, 347
Crystal structures
Phosphorus sulfur ligand, Monodentate bidentate, Transition metal complexes, 361
Crystal structures
Carbazole, *N*-carbazolylacetate, Complexes, Photoluminescence, 397
Crystal structures
Copper(II), Thiodiglycolic acid complexes, EPR, Magnetic properties, 411
Crystal structures
Copper complexes, Pyridazine ligands, Pyrimidine ligands, Thermogravimetric analysis, Triazine ligands, 419
Crystal structures
Bimetallic coordination polymers, Dicyanamide, Magnetic properties, Sandwich, Template, 433
Crystal structures
Synthesis, Lanthanide, Samarium, Ytterbium, β-Diketiminate ligand, 441
Crystal structures
Complexes, Pteridine, Lumazine, 483
Crystal structures
Syntheses, Zinc complexes, Polynitrile ligands, Fluorescence, 493
Crystal structures
Copper(I) complexes, Dimethyldipicolinate complexes, Hexa-coordinate copper(I), Synthesis, Spectra, 515
Crystal structures
Zinc(II) complexes, Macrocycles, Five-coordinated, Diamine-bridged, Dinuclear complexes, 529
Crystal structures
Bis(phosphino)amines, ruthenium, Octahedral complexes, Cyclic voltammetry, 587
Crystal structures
Palladium complexes, Insertion, Sulfur dioxide, 805
Crystal structures
Silver carboxylates complexes, Thermal analysis, 837
Crystal structures
Cu,Zn-SOD model, ESR magnetic susceptibility, SOD-like activity, 925
Crystal structures
Polyoxometalate, Phosphotungstate, NMR, Heteropolyanion, 933
Crystal structures
Nitrilotriacetate, Iminodiacetate, Iron, Hydrogen sulfide, 941
Crystal structures
Cadmium(II) azido and thiocyanato complexes, Pyridine derivative complexes, Preparation, Spectra, 975
Crystal structures
Copper(II), Mixed-ligand complexes, π,π-Stacking, Nitro, Benzyl, 1039
Crystal structures
Manganese(II), Nickel(II), Zinc(II), 2-Methyllactato complexes, Thermal analysis, 1051
Crystal structures
Zinc complexes, Sulfonamide ligands, Electrochemical synthesis, 1099
Crystal structures
Mercury(II) complexes, Thiosemicarbazone complexes, Spectral data, 1147
Crystal structures
Mn^{III}–Schiff base complex, Redox activity, Hydroquinone, Catechol, 1191
Crystal structures
Arylazoimidazole, Azopyrimidine, Hg(II) complexes, 1205
Crystal structures
Arylazoimidazole, Zinc(II) complexes, Hydrogen bonding, 1D chain, 1213
Crystal structures
Organolanthanide complex, Ytterbium, β-Diketiminate ligand, Synthesis, 1241
Crystal structures
Synthesis, Dirhenium, *Pseudo*-halides, Dication, Amidato, 1281
Crystal structures
Tetranuclear copper(II) complexes, Schiff-bases, Molecular rectangles, 1385

Crystal structures
Oligovanadates, L-Glutamic acid, L-Glutamine, Decomposition, Electronic spectra, 1415
Crystal structures
Ternary manganese(II) complexes, 1,10-Phenanthroline, Neocuproine, Indole-2-carboxylic acid, IR, Catalytic activity, 1461
Crystal structures
Optically active sulfur-bridged complexes, Dinuclear Co(III)–Pd(II) and Co(III)–Pt(II) complexes, 2,2′-Bipyridine complexes, Spectrochemistry, 1507
Crystal structures
Carbenes, Palladium, Platinum, Iodine, Luminescence, 1515
Crystal structures
Palladium, Platinum, Chirality, Bidentate nitrogen ligands, Antitumor compounds, 1529
Crystal structures
Copper(II) complexes, Dialkyldithiocarbamate ligands, Chemical vapor deposition, Volatility, Thermal studies, 1575
Crystal structures
Dicyanamido-bridged complexes, Manganese complexes, Macrocyclic ligands, Magnetic properties, 1611
Crystal structures
Thallium *meso*-tetra-(p-chlorophenyl)porphyrin, Indium *meso*-tetra-(p-chlorophenyl)porphyrin, Indium *meso*-tetra-(p-bromophenyl)porphyrin, 1633
Crystal structures
Rhenium(V), Phosphinite ligands, Oxo-complexes, Alkoxo-complexes, 1711
Crystal structures
Single-molecule magnets, Magnetic properties, 1765
Crystal structures
Cobalt cluster, Magnetic properties, Hydrothermal synthesis, MCD, 1917
Crystal structures
Manganese(III), Carboxylate chain structures, Hydrogen-bonded sheets, Metamagnetism, 2161
Crystal structures
Cyano-bridged coordination compounds, Coordination polymers, Octacyanometallates, Molecular magnets, 2183
Crystal structures
Manganese complexes, 1,1-Cyclobutanedicarboxylate complexes, IR spectra, Thermal analysis, TG-FTIR analysis, 2595
Crystal structures
Dirhenium complexes, Metal–metal multiple bonds, Face-sharing bioctahedral complexes, Thiolate ligands, Phosphine ligands, 2625
Crystal structures
Schiff bases, Heteropolymetallic complexes, Uranyl ions, 2683
Crystal structures
Dipyridinated manganese(II) phthalocyanine, Magnetic properties, Antiferromagnetic interactions, Oxidation, UV–Vis spectroscopy, 2689
Crystal structures
Lead(II) complexes, Lariat ether, Macrobicycle, Template synthesis, 2709
Crystal structures
Europium organic complexes, Luminescence, Lifetime, Synthesis, 2719
Crystal structures
Transition-metal, 1,4-Butylenediphosphonates, 2739
Crystal structures
Alkoxide complexes, Phenolate ligands, Tungsten, 2755
Crystal structures
2,5-Dimercapto-4-phenyl-1,3,4-thiodiazole, Organogermanium(IV), Non-bonded interaction, X-ray crystallography diffraction, 2767
Crystal structures
Copper(II) complexes, Salicylaldehyde semicarbazone, 2781
Crystal structures
Cobalt(III) complexes, Cobaloximes, Diphenylglyoximato ligands, Dimethylglyoximato ligands, NMR spectroscopy, 2809
Crystal structures
Coordination polymers, Transition metal ions, 4,4′-bipyridine, Network solids, 2821
Crystal structures
Hydroxyacetophenone, Thiosemicarbazone, Copper, Nickel, Metal(II) complexes, 2831
Crystal structures
Rhenium complexes, Benzotriazole complexes, Oxo-complexes, Spectroscopic investigation, 2869
Crystal structures
Trinuclear copper complexes, Magnetic properties, 2927
Crystal structures
Synthesis, Coordination polymers, 4,7-Phenanthroline, Cu(I), 3015
Crystal structures
Synthesis, Magnetic properties, Oxalato complexes, 3115
Crystal structures
Rhodium, Rhodoximes, Oximates, Spectral properties, 3195
Crystal structures
Organotin, Phosphine oxide, Chelation, 3277
Crystal structures
Rhodium, 3,5-Dimethylpyrazole, Pentafluorophenylthiolate, Mercury, 3293
Crystal structures
Dicyanamide complexes, Magnetic properties, 3315
Crystal structures
Cadmium(II) pseudohalides, Pyridine derivative complexes, Syntheses, Spectra, 3137
Crystal structures
Ylide complexes, Mercury(II), Silver(I), 3345
Crystal structures
Uranyl ion, Calixarenes, Homooxacalixarenes, Clusters, 3499
Crystal structures
Lithium, Sodium, Potassium, Amide ligands, 12-Crown-4, 3507
Crystal structures
Lanthanide complexes, 2-Hydroxynicotinic acid, Luminescence, 3529
Crystal structures
Electrical conductivities, Charge transfer transitions, Fluorescence spectroscopies, Molar conductances, 3547
Crystal sturcture
Iorn, Nonporous solids, 725
Crystal water molecules
Prussian-blue analogs, Local magnetic structures, Solid-state ^{13}C NMR, Hyperfine coupling of CN ions, Solid-state high-resolution deuterium NMR, 1981
Crystallization
Single-molecule magnets, Magnetization, Two-electron reduction, 1777
Crystallographic studies
Dithiolates, Gold(III) complexes, Magnetic properties, Electrical transport properties, Charge-transfer salts, 2447
Crystallographic study
Carborane, Isomerisation, Synthesis, Spectroscopy, Vertex labelling, 1293
Crystallography
Pyridyl, Hexadentate, Ligand, Helicate, 755
Cu complex
^{13}C NMR, Quantum spin chain, S=1/2 antiferromagnet, Molecular magnet, Field-induced excitation gap, 2273
Cu(I)
Synthesis, Coordination polymers, crystal structures, 4,7-phenanthroline, 3015
Cu(II) catalysed hydrolysis
Asymmetrical tetradentate Schiff base, Copper(II), X-ray crystallography, 617
Cu(II) complexes
Mercury, Cyanide ligands, Coordination polymers, Magnetic properties, 1735
Cu(II) complexes
Imino nitroxide, Nitronyl nitroxide, Molecular magnets, 2499
Cu,Zn-SOD model
Crystal structures, ESR magnetic susceptibility, SOD-like activity, 925
Cubane structure
Magnetic measurement, Shiff base, Copper, Nickel, Manganese, 2359
Curie temperature
Organic ferromagnet, Pressure effect, Biradical, Exchange interactions, 2287
Curie–Weiss law
Centrosymmetric dimer, Antiferromagnetic interaction, Singlet–triplet, 2311
Cyanide
Pentafluoropropionate, Triflate, Trifluoroacetate, Silver, 217
Cyanide complexes
Chiral ligands, Molecular magnets, 2435

Cyanide ligands
Cu(II) complexes, Mercury, Coordination polymers, Magnetic properties, 1735
Cyano-bridged complexes
Crystal structure, Manganese complexes, Iron complexes, Macrocyclic ligands, Magnetic properties, 1315
Cyano-bridged coordination compounds
Coordination polymers, Crystal structures, Octacyanometallates, Molecular magnets, 2183
Cyanohydrin trimethylsilyl ether
Acylferrocene, Trimethylsilyl cyanide, 1523
Cyclic phosphazenes
MP2 method, Geometry optimization, Stable non-planar conformations, Electronic structures, 3243
Cyclic phosphazines
Ab-initio methods, Electron propagator methods, Electronic structures, Ionization energies, Vibrational frequencies, 473
Cyclic voltammetry
Bis(phosphino)amines, ruthenium, Octahedral complexes, Crystal structures, 587
Cyclic voltammetry
Dissymmetric Schiff base, Mixed donor set, Copper complexes, X-ray structures, 1437
Cyclic voltammetry
Heteropolyanion, Keggin structures, LB films, 2647
Cyclic voltammetry
Rhodium complexes, Cobalt complexes, Metal–metal bonds, X-ray structure analyses, Electronic structures, 3413
Cyclo-boratetrasiloxanes
B–O–Si linkages, Cyclocondensation, Lewis acidity, 3333
1,1-Cyclobutanedicarboxylate complexes
Manganese complexes, Crystal structures, IR spectra, Thermal analysis, TG-FTIR analysis, 2595
Cyclocondensation
Cyclo-boratetrasiloxanes, B–O–Si linkages, Lewis acidity, 3333
Cyclodiphosphazanes
Pentacoordinate, X-ray structures, 843
Cyclomercuration
Bisferrocenylimine, 1249
Cyclometallation
Benzylamine, Palladium(II) acetate, 287
Cyclopentadienyl
Lanthanides, Dications, Divalent, Amide, Protonolysis, 119
Cyclopentadienyl
Osmium, Chelating ligands, Bipyridine, Phenanthroline, 1391
Cyclopentadienyl ligands
Titanium, Intramolecular coordination, O ligands, P ligands, Variable-temperature NMR spectroscopy, 2885
Cyclotriphosphazene
Ferrocene, Synthesis, Electrochemistry, 1237
Cytotoxic activity
Trans-platinum complexes, NMR, (hydroxymethyl)-Pyridine, 3379

π–d
Magnetic conductors, Magnetic superconductor, Effective exchange intregal, Hybrid density functional method, Jaccarino–Peter effect, 2077
d^1 and d^5 metal complexes
Magnetic properties, Jahn–Teller effect, 2545
1D chain
Arylazoimidazole, Zinc(II) complexes, Crystal structures, Hydrogen bonding, 1213
Deamination of amino acids
Diorganotin(IV) complexes, Pyridoxal 5′-phospate, Pyridoxal–pyridoxamine Schiff base, X-ray structures, Antibacterial activity, 53
Decafluorodiphenylamido
Titanium, Zirconium, Vanadium, Iron, Cobalt, 153
Decomposition
Oligovanadates, L-Glutamic acid, L-Glutamine, Electronic spectra, Crystal structures, 1415
Dendrimer
Anion, Electrochemistry, Ferrocene, Receptor, Supramolecular, 763
Density
Superconductivity, Electron-doping, HDFT, Infinite layer, Natural orbital, 2191
Density functional calculation
Oxophenalenoxyl, Monoradicals, Spin topology, Spin density distribution, Molecular spin diversity, 2205
Density functional calculation
Oxophenalenoxyl, Radical dianion, Redox-based spin diversity, Spin structure, Charge fluctuation, 2209
Density functional method
Molecular magnetism, Organic superconductor, Effective exchange integral, Ab initio MO method, BEDT-TTF, BETS, TMTTF, TMTSF, 2051
Density functional theory
Generalized spin orbital, Tetrahedral manganese clusters, Noncollinear molecular magnetism, Hybrid methods, Three-dimensional spin structure, 2013
Density functional theory
1,6-Dithiapyrene, Imino nitroxide, Oxoverdazyl, Spin structure, ESR/ENDOR/TRIPLE spectroscopy, 2219
Density-functional calculations
Nanomagnets, Single-molecule magnets, Magnetic anisotropy, Spin–orbit coupling, 1871
DFT calculation
Organic magnetism, Nitronyl nitroxide radical, ^{1}H MAS NMR, Fermi contact shift, Electron spin density distribution, 1989
DFT calculation
Copper, Verdazyl, Singlet–triplet separation, 2241
DFT calculations
Tricarbonylrhenium(I) halide complexes, Diastereoisomers, ^{1}H NMR, Acetal ligands, 3371
2,6-Diacetylpyridine Schiff base of *S*-benzyldithiocarbazate
Zinc(II) and cadmium(II) complexes, Pentadentate sulfur–nitrogen ligand, 3433
3,5-Di-*t*-butylpyrazolyl
Molybdenum complexes, $[pz^{Bu^t}_2]Mo(PMe_3)_4H$, η^2-Coordination, $Mo(PMe_3)_6$, 199
Di-2-pyridylketone Schiff base of *S*-benzyldithiocarbazate
Zinc(II) and cadmium(II) complexes, Schiff bases, Dithiocarbazates, 1471
Di-cation
Synthesis, Dirhenium, *Pseudo*-halides, Crystal structures, Amidato, 1281
Dialkyldithiocarbamate ligands
Copper(II) complexes, Chemical vapor deposition, Volatility, Crystal structures, Thermal studies, 1575
Diamine-bridged
Zinc(II) complexes, Macrocycles, Five-coordinated, Dinuclear complexes, Crystal structures, 529
Diaryl porphyrin
Molecular-based magnetism, Magnetic property, Monolayer, 2281
Diastereoisomers
Tricarbonylrhenium(I) halide complexes, ^{1}H NMR, DFT calculations, Acetal ligands, 3371
Diastereomer equilibria
Chiral-at-metal complexes, Configurational stability, Epimerization, X-ray structure analyses, 861
Diazadiene
Diimine, Palladium, Chelate complexes, 1447
1,3-Diazaphenalene
1,3-Diazaphenalenyl, Radical–metal complexes, X-ray structure analysis, 2215
Diazaphenalenyl
Neutral radical, ^{15}N atom, Gyromagnetic ratio, Spin structure, Columnar structure, 2199
1,3-Diazaphenalenyl
1,3-Diazaphenalene, Radical–metal complexes, X-ray structure analysis, 2215
Diazoketiminato species
2-(Arylazo)anilines, Gold(III) complex, 3109
Dibenzotetraaza[14]annulenes
Alkoxycarbonylation, Macrocyclic Schiff bases, Stacking, CH·····O hydrogen bonds, 3299
Dicarboxylates
Copper(II) coordination compounds, Malonate ligands, Ferromagnetism, 2143
Dicatechol
Crystal structure, Helicate, 643

Dications
Lanthanides, Divalent, Cyclopentadienyl, Amide, Protonolysis, 119
Dicyanamide
Bimetallic coordination polymers, Crystal structures, Magnetic properties, Sandwich, Template, 433
Dicyanamide
Lead, Coordination polymer, Coordination mode, Double-stranded, One-dimensional, 917
Dicyanamide complexes
Crystal structures, Magnetic properties, 3315
Dicyanamido-bridged complexes
Crystal structures, Manganese complexes, Macrocyclic ligands, Magnetic properties, 1611
Dicyanonitrosomethanide derived oximate ligands
Mixed valent manganese clusters, Trinuclear, Tetranuclear, Magnetism, Crystal structures, 165
Diethyl ether
Metal sulfide, Molecular precursor, Annealing, 1255
Diethylenetriamnine
X-ray structures, Cobalt(III) complexes, Isobutylenediamine, 1603
Difference dedicated CI
Ab initio calculations, CASPT2, Magnetic properties, Oxalato-bridged complexes, Hetero-bimetallic complexes, 2409
Diffraction gratings
Porphyrins, Thin films, Zirconium phosphonates, 3065
Diffuse reflectance spectra
Heteropolynuclear cobalt(III)–dysprosium(III) complexes, Oxalato-bridged complexes, Nitrilotriacetate complexes, X-ray structures, 1455
Diimine
Diazadiene, Palladium, Chelate complexes, 1447
Diimine ligands
Ruthenium(II), Tetradentate, Syntheses, Structures, 867
β-Diketiminate ligand
Synthesis, Crystal structures, Lanthanide, Samarium, Ytterbium, 441
β-Diketiminate ligand
Organolanthanide complex, Ytterbium, Synthesis, Crystal structures, 1241
β-Diketiminato ligand
Coordination chemistry, Titanium(III), Chloride, Fluoride, 2669
Dimalonate[C_{60}]fullerene protonation
Uranyl, Complexes, Stability constants, 1085
Dimer
Molybdenum complexes, Benzoinoxime, Magnetic moment, Electrochemical properties, 895
2,5-Dimercapto-4-phenyl-1,3,4-thiodiazole
Organogermanium(IV), Non-bonded interaction, Crystal structures, X-ray crystallography diffraction, 2767
Dimeric structures
Lanthanide nitrates, Ligand, Reaction, 1431
Dimerization
Isotopic fractionation, Ion-exchange chromatography, Complex formation, Separation coefficient, Molecular vibration, 1377
Dimethylamine
Tricarbonylrhenium (I) complexes, Tetramethyldiaminomethane, X-ray crystallography, 1321
Dimethyldipicolinate complexes
Copper(I) complexes, Hexa-coordinate copper(I), Synthesis, Spectra, Crystal structures, 515
Dimethylglyoximato ligands
Cobalt(III) complexes, Cobaloximes, Diphenylglyoximato ligands, NMR spectroscopy, Crystal structures, 2809
2,9-Dimethyl
p-Cymene, Hexamethylbenzene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
2,2-Dimethylpentanedioic acid
Manganese(II) complexes, 3,3-Dimethylpentanedioic acid, 2,2′-Bipyridine, 1,10-Phenanthroline, Crystal structure, Anti-*Candida* activity, 3187
3,3-Dimethylpentanedioic acid
Manganese(II) complexes, 2,2-Dimethylpentanedioic acid, 2,2′-Bipyridine, 1,10-Phenanthroline, Crystal structure, Anti-*Candida* activity, 3187
3,5-Dimethylpyrazole
Rhodium, Pentafluorophenylthiolate, Mercury, Crystal structures, 3293
Dimethylsulfoxide
Tenoxicam, Meloxicam, X-ray diffraction, 1355
3,5-dimethyl-tetrahydro-2H-1,3,5-thiadiazine-2-thione
Pesticides, Antiprotooans, 1689
Dinickel(II) complexes
Crystal structure, Tetranuclear nickel (II) complexes, Compartmental ligands, 75
Dinitrogen trioxide
Nitrosation, Amino acid, Spectrophotometry, 1059
π–d interaction
Molecular conductor, Molecular magnet, Magnetoresistance, Weak ferromagnetism, Magnetic anisotropy, 2227
Dinuclear Co(III)–Pd(II) and Co(III)–Pt(II) complexes
Optically active sulfur-bridged complexes, 2,2′-Bipyridine complexes, Crystal structures, Spectrochemistry, 1507
Dinuclear complexes
Zinc(II) complexes, Macrocycles, Five-coordinated, Diamine-bridged, Crystal structures, 529
Dinuclear complexes
Synthesis, Equilibria, Polyamines, Phenol, Crystal structure, 1135
Dinuclear structure
Triazene, Triazenide, Copper(I) complex, Silver(I) complex, 563
Diorganotin(IV) complexes
Deamination of amino acids, Pyridoxal 5′-phospate, Pyridoxal–pyridoxamine Schiff base, X-ray structures, Antibacterial activity, 53
Dipeptides
β-Alanine, Tripeptides, Nickel(II), Palladium(II), Stability constants, 2607
Diphenylglyoximato ligands
Cobalt(III) complexes, Cobaloximes, Dimethylglyoximato ligands, NMR spectroscopy, Crystal structures, 2809
4,7-Diphenyl-1
p-Cymene, Hexamethylbenzene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
Diphosphine complexes
Nickel complexes, Molecular structures, Crystal packing, 1567
Diphosphine disulfide, 1659
Diphosphines
Copper(I), Perfluorinated carboxylates, NMR, MS, 3389
Diphosphino ligands
Chalcogens, Pyridine, Tin(IV), X-ray crystallography, 1585
Dipolar interactions
Molecular magnetism, Ferromagnetism, Ac susceptibility, High pressure, 3339
Dipyridinated manganese(II) phthalocyanine
Crystal structures, Magnetic properties, Antiferromagnetic interactions, Oxidation, UV–Vis spectroscopy, 2689
Direct synthesis
Copper complexes, Template synthesis, Schiff-base, Oxaaza macrocycles, 1701
Dirhenium
Synthesis, *Pseudo*-halides, Crystal structures, Di-cation, Amidato, 1281
Dirhenium complexes
Metal–metal multiple bonds, Crystal structures, Face-sharing bioctahedral complexes, Thiolate ligands, Phosphine ligands, 2625
Diselenocarbamate
Iron, Dithiocarbamate, Thioselenocarbamate, Nitrosyl, ^{13}C NMR, ^{15}N NMR, 3423
Dissolution in ammonia
Europium, Ytterbium, MVS, Aryloxides, 1425
Dissymmetric Schiff base
Mixed donor set, Copper complexes, X-ray structures, Cyclic voltammetry, 1437
1,6-Dithiapyrene
Imino nitroxide, Oxoverdazyl, Spin structure, Density functional theory, ESR/ENDOR/TRIPLE spectroscopy, 2219
Dithiocarbamate
Praseodymium complexes, Lanthanide, 2,2′-Bipyridine, Thiocyanate, Chloride, Nitrate, Crystal structures, 347

Dithiocarbamate
Iron, Diselenocarbamate, Thioselenocarbamate, Nitrosyl, ^{13}C NMR, ^{15}N NMR, 3423
Dithiocarbazates
Zinc(II) and cadmium(II) complexes, Di-2-pyridylketone Schiff base of *S*-benzyldithiocarbazate, Schiff bases, 1471
Dithiocarbimate complexes
Nickel complexes, Sulfonamide, Crystal structure, 1561
Dithiocarbimates
Zinc complexes, Crystal structure, NMR, IR-spectroscopy, 3355
Dithiolate complexes
Ruthenium clusters, Protonation, X-ray structures, 633
Dithiolates
Gold(III) complexes, Crystallographic studies, Magnetic properties, Electrical transport properties, Charge-transfer salts, 2447
Dithiolene complexes
Metal complexes, Metallocene, Ferromagnetism, 2339
Dithiophosphates
Nickel(II), Syntheses, X-ray structures, 1341
Divalent
Lanthanides, Dications, Cyclopentadienyl, Amide, Protonolysis, 119
Divalent europium
Lanthanides, Crown ethers, Structures, Luminescence, 337
Divalent europium
Lanthanides, Nitrilotriacetate, Structures, Spectroscopy, 2761
DNA
Chromium picolinate, 8-OHdG, Lipid peroxidation, Rats, 455
DNA interactions
Pd(II) and Pt(II) complexes, Pt(I) complexes, 2,2′-Biimidazole, *N*,*N*′-Dimethyl-2,2′-biimidazole, Crystal structure, Solvolysis by DMSO, 1113
2D NMR
Cobalt(III) isomers, C–H···π Interaction, X-ray crystal structures, Energy minimisation, 3467
Dodecahedral geometry
Tantalum, Bicyclic guanidinate, Intermolecular hydrogen bonds, Coordination isomer, 2731
Doping effect
Verdazyl radical, Spin-Peierls transition, Heat capacity, Magnetism, Antiferromagnetic order, High-field magnetization, 2091
Double betaine
Carboxylate, Coordination network, Transition metal, 811
Double betaine
Carboxylate, Coordination network, Lanthanide salt, 2787
Double exchange
Exchange interaction, Magnetic anisotropy, Mixed-valence compounds, 2521
Double-exchange mechanism
High-spin organic polymer, Spin-polarized nano-wire, Quantum chemical calculations, 1829
Double-helix
2,2′-Bipyridine, Cadmium(II) complex, Isophthalate, Polymeric tubes, Zinc(II) complex, 1231
Double-stranded
Lead, Dicyanamide, Coordination polymer, Coordination mode, One-dimensional, 917
Drosophila melanogaster
Copper(II)–Schiff base complexes, *N*-Salicylidene derivative, X-ray structures, Ternary copper(II) complexes, Toxicity of copper(II) complexes, 403

Effective exchange integral
Ab inito MO calculation, Hybrid-DFT, Organomagnetic conductors, Electronic structure, 2039
Effective exchange integral
Molecular magnetism, Organic superconductor, Ab initio MO method, Density functional method, BEDT-TTF, BETS, TMTTF, TMTSF, 2051
Effective exchange integral
Bis(9-(10-phenyl)anthryl)carbene, Polycarbene, Ab initio method, AO-fitting, AO-approach, 2067
Effective exchange integrals
One-dimensional (1D) metal chain complexes, Magnetic effective density functional, MEDF, 2019
Effective exchange interaction
Hybrid density functional theory, MMX, $Ni_2(dta)_4I$, 2027
Effective exchange intregal
Magnetic conductors, Magnetic superconductor, π–d, Hybrid density functional method, Jaccarino–Peter effect, 2077
EHMO
Naphthylazoimidazoles, Copper(I) complexes, X-ray structures, Electrochemistry, 247
EHMO
Arylazoimidazoles, 1,10-Phenanthroline, Ruthenium(II) complexes, Electrochemistry, X-ray structures, 849
EHMO calculations
Polyoxotungstate, ^{183}W and ^{17}O NMR shifts, 1183
Eight-membered chelate rings
Bis(2-pyridylthio)methane, Cadmium(II) complexes, X-ray diffraction, Cadmium(II) halides, NMR spectroscopy, 1077
Electrical conductivities
Crystal structures, Charge transfer transitions, Fluorescence spectroscopies, Molar conductances, 3547
Electrical conductivity
Tetrathiafulvalenes, Metal bis-dithiolene complexes, Magnetism, X-ray crystal structures, 2415
Electrical transport properties
Dithiolates, Gold(III) complexes, Crystallographic studies, Magnetic properties, Charge-transfer salts, 2447
Electrochemical methods
Oligoarylamines, Coupling reactions, UV–Vis absorption, Charged high-spin systems, Organic mixed-valence system, 2003
Electrochemical properties
Molybdenum complexes, Benzoinoxime, Dimer, Magnetic moment, 895
Electrochemical properties
Macrobicyclic copper(II) complexes, Tricompartmental ligands, Magnetic properties, Catalytic activity, 3483
Electrochemical sensing
Anion binding, Urea, 649
Electrochemical sensor
Anion binding, Pyrrole, Ferrocene, Self-assembly, 699
Electrochemical synthesis
Zinc complexes, Sulfonamide ligands, Crystal structures, 1099
Electrochemical synthesis
2-Aminopyridine, Methanol, Schiff base, 1335
Electrochemistry
Naphthylazoimidazoles, Copper(I) complexes, X-ray structures, EHMO, 247
Electrochemistry
Anion, Dendrimer, Ferrocene, Receptor, Supramolecular, 763
Electrochemistry
Arylazoimidazoles, 1,10-Phenanthroline, Ruthenium(II) complexes, X-ray structures, EHMO, 849
Electrochemistry
Binucleating ligand, Nickel(II) complexes, 989
Electrochemistry
Ferrocene, Cyclotriphosphazene, Synthesis, 1237
Electrochemistry
Binuclear copper(II) complexes, Macrobicyclic ligands, Magnetochemistry, Catalytic activity, 1407
Electrochemistry
Radical, Second-order, NLO, HRS, 1851
Electrochemistry
Ni dithiolenes, Se-donors, Raman, X-ray, 2175
Electrochemistry
Porphyrazines, Phthalocyanines, Magnesium, Copper, Zinc, 3083
Electrochemical studies
Tetratolylporphyrins, Tetranaphthylporphyrins, Octabromoporphyrins, Zn(II) porphyrins, Electronic properties, Fluorescence properties, 3145
Electron paramagnetic resonance
Single molecule magnets, Nanomagnet, Quantum tunneling, Manganese, 1889
Electron paramagnetic resonance
Single molecule magnets, Nanomagnet, Quantum tunneling, Manganese, 1897
Electron paramagnetic resonance
Single-molecule magnets, Nanomagnet, Quantum tunneling, Manganese, 1911

Electron propagator methods
Ab-initio methods, Cyclic phosphazines, Electronic structures, Ionization energies, Vibrational frequencies, 473
Electron spin density distribution
Organic magnetism, Nitronyl nitroxide radical, ^{1}H MAS NMR, Fermi contact shift, DFT calculation, 1989
Electron spin resonance
Single-component organic ferrimagnet, Magnetic susceptibility, Nitronyl nitroxide, Perturbation treatment, Triradical, 1809
Electron spin resonance
Organic ferrimagnet, Nitronyl nitroxide, Magnetic susceptibility, Charged biradical, Supramolecular crystal engineering, 1817
Electron transfer
Benzotriazole, Intervalence charge-transfer, Mixed-valence, Ruthenium-polypyridine, 1303
Electron transfer
Keggin anion, Coulombic repulsion, Ab initio calculation, Magnetic coupling, 2331
Electron transfer
Photochromic effect, Metastable states, Pseudo-Jahn–Teller effect, 2527
Electron-doping
Superconductivity, HDFT, Infinite layer, Natural orbital, Density, 2191
Electron-pair repulsion
Polarizing molecular mechanics, Iron–porphyrin complex, Heme charge, Oxygen fixation, CO/O_2 discrimination, 1091
Electronic absorption spectra
Co^{II}-edta-type complexes, Crystal packing, 2745
Electronic properties
Tetratolylporphyrins, Tetranaphthylporphyrins, Octabromoporphyrins, Zn(II) porphyrins, Fluorescence properties, Electrochemical studies, 3145
Electronic spectra
Titania, Photocatalyst, Stearic acid, 35
Electronic spectra
Cobalt(II) complexes, Schiff base, Salicylideneaniline, Solutions, Ligand-field parameters, Chromaticity, Solvatochromism, 997
Electronic spectra
Oligovanadates, L-Glutamic acid, L-Glutamine, Decomposition, Crystal structures, 1415
Electronic spectra
Thiosemicarbazone, Copper(II), IR spectra, EPR, X-ray crystal structure, 3321
Electronic structure
Tungsten alkylidyne, Molybdenum alkylidyne, Frontier molecular orbitals, Alkoxide, Thiolate, 145
Electronic structure
Ab inito MO calculation, Hybrid-DFT, Organomagnetic conductors, Effective exchange integral, 2039
Electronic structures
Ab-initio methods, Cyclic phosphazines, Electron propagator methods, Ionization energies, Vibrational frequencies, 473
Electronic structures
Rhenium, Nitrosyl, Oxo, Bipyridine, X-ray structures, 2573
Electronic structures
Rhenium, Organodiazenido, X-ray structures, 3307
Electronic structures
MP2 method, Geometry optimization, Cyclic phosphazenes, Stable non-planar conformations, 3243
Electronic structures
Rhodium complexes, Cobalt complexes, Metal–metal bonds, X-ray structure analyses, Cyclic voltammetry, 3413
Electrospray mass spectroscopy
Organotin(IV), Bis(imidazolyl)borate ligand, Tin-119 NMR, 499
Emission intensity
Anion, Receptor, Complexes, Ruthenium, 775
Encapsulating ligand
Iron(II), Low-spin, π-Acceptor, Thiaether, 45
End-on azido ligand complex
Binuclear nickel(II) complex, Crystal structure, Magnetic properties, Terminal azido ion complex, Hexadentate ligand, 257
Energy conversion
Mixed-valence, Ruthenium complexes, Rhenium complexes, Intramolecular electron transfer, 369
Energy conversion
Mixed-valence, Ruthenium complexes, Intramolecular electron transfer, Inverted region, Reorganization energies, 465
Energy minimisation
Sym–fac-$[Co(bpma)(bipy)Cl]^{2+}$ isomer, Isomer preference, Cobalt(III) complexes, Crystal structures, 263
Energy minimisation
Cobalt(III) isomers, C–H$\cdots\pi$ Interaction, X-ray crystal structures, 2D NMR, 2467
Energy-dispersive X-ray analysis
Atmospheric pressure chemical vapour deposition, TiS_2, 1263
EO azido bridged complexes
Arylazoimidazoles, Cobalt(II) complexes, X-ray structures, 2587
Epimerization
Chiral-at-metal complexes, Configurational stability, Diastereomer equilibria, X-ray structure analyses, 861
Epimerization
Chiral-at-metal complexes, Rhodium, Configurational stability, X-ray structure analyses, 2639
Epoxidation
Manganese, Biaryl, Schiff-base, Chiral-at-metal, 1617
EPR
Copper(II), Thiodiglycolic acid complexes, Crystal structures, Magnetic properties, 411
EPR
Thiosemicarbazone, Copper(II), Electronic spectra, IR spectra, X-ray crystal structure, 3321
EPR radicals
Terpyridine, Organic based magnets, Open-shell molecules, Nitronyl nitroxide, Semiempirical (AM1) calculations, 2099
EPR spectra
Imidazole-4-acetic acid, Cobalt(II) complexes, Manganese(II) complexes, X-ray structure, Absorption spectra, 3123
Equilibria
Synthesis, Dinuclear complexes, Polyamines, Phenol, Crystal structure, 1135
ESR
Ferromagnetic interaction, Nitroxide, Ligand, Free radical, 2557
ESR magnetic susceptibility
Cu,Zn-SOD model, Crystal structures, SOD-like activity, 925
ESR/ENDOR/TRIPLE spectroscopy
1,6-Dithiapyrene, Imino nitroxide, Oxoverdazyl, Spin structure, Density functional theory, 2219
Ethylene polymerization
Palladium, Pyridylimine, Pyridyl-2-methanimine, HDPE, Polyethylene, 2855
Europium
Ytterbium, MVS, Dissolution in ammonia, Aryloxides, 1425
Europium complex
X-ray crystallography, Photophysical property, 1,10-Phenanthroline, Succinamic acid, 323
Europium organic complexes
Crystal structures, Luminescence, Lifetime, Synthesis, 2719
EXAFS
Molybdenum, Rhodium, Polyoxometalate, Organometallic chemistry, 1157
EXAFS spectroscopy
Ruthenium, N ligand, Bridging ligands, Heterometallic complexes, 2799
Exchange coupling
Molecular magnets, Copper(II), Nitroxide, Imidazole, 1957
Exchange coupling
Biradicals, Heterospin, Spin diverse, 2423
Exchange interaction
Magnetic behavior, Copper(II) complexes, Iminonitroxide, 1803
Exchange interaction
Double exchange, Magnetic anisotropy, Mixed-valence compounds, 2521
Exchange interactions
Organic ferromagnet, Pressure effect, Curie temperature, Biradical, 2287
Extended structures
Cobalt complexes, Manganese complexes, Copper complexes, 4,4′-Bipyridine-N,N′-dioxide, 789

Face-sharing bioctahedral complexes
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Thiolate ligands, Phosphine ligands, 2625
Fe complex
Canted antiferromagnet, Molecular magnet, High pressure, Compressibility, Bulk modulus, 2139
Fe–Bisdithiolene complexes
Magnetic susceptibility, Mössbauer spectroscopy, X-ray crystal structures, 2481
Fe8
Nuclear magnetic resonance, Quantum tunneling, 2277
$[Fe(ptz)_6](BF_4)_4$
Polarised neutron diffraction, Light-induced excited spin state trapping, Spin density, 2155
Fermi contact shift
Organic magnetism, Nitronyl nitroxide radical, ^1H MAS NMR, Electron spin density distribution, DFT calculation, 1989
Ferrimagnet
Weak-ferromagnetism, Molecular based magnet, Transition metal complex, Crown thioether, Benzene dithiolate, 1755
Ferrocene
Anion binding, Pyrrole, Self-assembly, Electrochemical sensor, 699
Ferrocene
Anion, Dendrimer, Electrochemistry, Receptor, Supramolecular, 763
Ferrocene
Cyclotriphosphazene, Synthesis, Electrochemistry, 1237
Ferromagnetic behavior
Complexed ligand, $\kappa^2N{:}\kappa^3N$ Bridging fashion, Local C_2 symmetry, 1789
Ferromagnetic interaction
Supramolecule, Channel, Nitroxide, Ligand, Free radical, 2133
Ferromagnetic interaction
Nitroxide, Ligand, Free radical, ESR, 2557
Ferromagnetism
Copper(II) coordination compounds, Malonate ligands, Dicarboxylates, 2143
Ferromagnetism
Metal complexes, Metallocene, Dithiolene complexes, 2339
Ferromagnetism
Molecular magnetism, Dipolar interactions, Ac susceptibility, High pressure, 3339
Field-induced excitation gap
^{13}C NMR, Quantum spin chain. S=1/2 antiferromagnet, Cu complex, Molecular magnet, 2273
First-principles calculation
Itinerant ferromagnetism, Organic polymer, Flat band, Polyaminotriazole, Molecular crystal, 1883
Five-coordinated
Zinc(II) complexes, Macrocycles, Diamine-bridged, Dinuclear complexes, Crystal structures, 529
Flat band
Itinerant ferromagnetism, Organic polymer, Polyaminotriazole, Molecular crystal, First-principles calculation, 1883
Fluorescence
Syntheses, Crystal structures, Zinc complexes, Polynitrile ligands, 493
Fluorescence properties
Tetratolylporphyrins, Tetranaphthylporphyrins, Octabromoporphyrins, Zn(II) porphyrins, Electronic properties, Electrochemical studies, 3145
Fluorescence spectroscopies
Electrical conductivities, Crystal structures, Charge transfer transitions, Molar conductances, 3547
Fluoride
Praseodymium, Neodymium, X-ray structure, Titanium, 575
Fluoride
Coordination chemistry, β-Diketiminato ligand, Titanium(III), Chloride, 2669
Formaldehyde
Mannich, Copper(II) complexes, α-Amino acids, Acetamide, 521
Formation
Kinetics, Adduct, Transmetalation, Heteropolymetallic, Target, 2917
Fractal cluster
Organic-based magnet, Spin glass, Tetracyanoethylene, Low-dimensional magnetism, Susceptibility, 1751
Framework
Carboxylate, Cobalt, Iron, Magnetism, Manganese, Pyromellitate, 1921
Framework materials
Cadmium, Cadmium halides, Coordination polymers, Hydrothermal synthesis, 3043
Free radical
Ferromagnetic interaction, Supramolecule, Channel, Nitroxide, Ligand, 2133
Free radical
Ferromagnetic interaction, Nitroxide, Ligand, ESR, 2557
Frontier molecular orbitals
Tungsten alkylidyne, Molybdenum alkylidyne, Electronic structure, Alkoxide, Thiolate, 145
FT-IR spectroscopy
Organotin compounds, Aryltin compounds, NMR spectroscopy, X-ray crystal structure, 3523
Fullerene
Molecular complexes, Magnetic properties, Anomalous paramagnetic centers, 2009

Gadorinium
Copper, Trinuclear complex, Magnetic property, Crystal structure, 1905
Gallium
Amide, Chloride, Ligand exchange, Titanium, 9
Gas sensing
Clusters, Ruthenium, Sensors, ArgoGel resins, Supported transition metals, 3
Generalized spin orbital
Density functional theory, Tetrahedral manganese clusters, Noncollinear molecular magnetism, Hybrid methods, Three-dimensional spin structure, 2013
Germanium
Phosphide, Thinfilm, APCVD, 1683
Geometry optimisation
Boranes, Heteroboranes, NMR spectroscopy, GIAO, 3541
Geometry optimization
MP2 method, Cyclic phosphazenes, Stable non-planar conformations, Electronic structures, 3243
Geometry optimizations
Lead(II) clusters, Hydroxo-complexes, Molecular structures, 2863
GIAO
Boranes, Heteroboranes, NMR spectroscopy, Geometry optimization, 3541
GIXD
Magnetic thin film, Metal cyanide square grid, Langmuir–Boldgett, 3059
Glutathione
Palladium(II), L-Cysteine, Sodium dodecyl sulfate, Complex formation, Micellar catalysis, 279
Glycine
Supramolecular architecture, Lanthanide, 1,10-Phenanthroline, Coordination compound, Non-covalent interactions, 2617
Glycine–alanine
2-Hydroxypropyl *p*-nitrophenyl phosphate, Benzyl alanine esters, Lanthanide complexes, 711
Gold(I) complexes
X-ray structures, Thiourea, 1349
Gold(III) complex
2-(Arylazo)anilines, Diazoketiminato species, 3109
Gold(III) complexes
Dithiolates, Crystallographic studies, Magnetic properties, Electrical transport properties, Charge-transfer salts, 2447
Grafting
Lanthanum, X-ray structures, Alkoxides, Triflate, 127
Group 15
Stibine, Arsine, Synthesis, X-ray structures, π-Stacking, 211
Guanidino–carboxylate interactions
Guanidinoacetic acid, Ternary complexes, Stability constants, Potentiometry, Copper(II), 225
Guanidinoacetic acid
Guanidino–carboxylate interactions, Ternary complexes, Stability constants, Potentiometry, Copper(II), 225
Guanidinobenzimidazole derivatives
Supramolecular, X-ray structure, Nickel (II), 735
Gyromagnetic ratio
Neutral radical, Diazaphenalenyl, ^{15}N atom, Spin structure, Columnar structure, 2199

H-bonding
Napthylazoimidazole, Coordination compounds, Organomercuration, X-ray structure, 1367
Hammett substituent constants
Salen Cu(II) complexes, Schiff-base ligands, Catalytic epoxidation, Iodosylbenzene, Styrene, 1653
HDFT
Superconductivity, Electron-doping, Infinite layer, Natural orbital, Density, 2191
HDPE
Palladium, Pyridylimine, Pyridyl-2-methanimine, Ethylene polymerization, Polyethylene, 2855
Heat capacity
Verdazyl radical, Spin-Peierls transition, Magnetism, Doping effect, Antiferromagnetic order, High-field magnetization, 2091
Helicate
Crystal structure, Dicatechol, 643
Helicate
Pyridyl, Crystallography, Hexadentate, Ligand, 755
Heme charge
Electron-pair repulsion, Polarizing molecular mechanics, Iron–porphyrin complex, Oxygen fixation, CO/O_2 discrimination, 1091
Heme-oxygenase
Hydroperoxo-iron(III) species, Oxygen atom transfer reaction, Spin-state of iron(III) ion, 293
Hemi-labile
Co-ordination chemistry, Platinum, Catalysis, Phosphines, Chelate ligands, 19
HETCOR
Zn(II) complexes, Purine, ^{15}N NMR, CPMAS, Coordination shift, 391
Hetero-bimetallic complexes
Ab initio calculations, CASPT2, Difference dedicated CI, Magnetic properties, Oxalato-bridged complexes, 2409
Heterobinuclear complexes
Oxamido-bridged, Spin-doublet ground state, Homotrinuclear nickel(II) complexes, Supramolecular structures, 2911
Heteroboranes
Boranes, NMR spectroscopy, Geometry optimisation, GIAO, 3541
Heterometallic complexes
Ruthenium, N ligand, Bridging ligands, EXAFS spectroscopy, 2799
Heteropolyanion
Crystal structures, Polyoxometalate, Phosphotungstate, NMR, 933
Heteropolyanion
Keggin structures, LB films, Cyclic voltammetry, 2647
Heteropolymetallic
Kinetics, Adduct, Transmetalation, Target, Formation, 2917
Heteropolymetallic complexes
Schiff bases, Uranyl ions, Crystal structures, 2683
Heteropolynuclear cobalt(III)–dysprosium(III) complexes
Oxalato-bridged complexes, Nitrilotriacetate complexes, X-ray structures, Diffuse reflectance spectra, 1455
Heteropolyoxometalates
Redox process, Spectroscopy, 2901
Heterospin
Biradicals, Exchange coupling, Spin diverse, 2423
Heterotrinuclear complexes
μ-Oxalato-bridge, Copper(II), Chromium(III), Iron(III), Magnetism, 3223
Hexa-coordinate copper(I)
Copper(I) complexes, Dimethyldipicolinate complexes, Synthesis, Spectra, Crystal structures, 515
Hexaazacyclohexadecane
Nickel complexes, Macrocyclic complexes, Template synthesis, 2633
Hexacyanometalates
Molecular magnetism, Trinuclear cyano-complexes, Intermolecular interactions, 2427
Hexadentate
Pyridyl, Crystallography, Ligand, Helicate, 755
Hexadentate ligand
Binuclear nickel(II) complex, Crystal structure, Magnetic properties, End-on azido ligand complex, Terminal azido ion complex, 257
Hexamethylbenzene
p-Cymene, *N*-(2-pyridinylmethylene)phenylamines, *N*-(2-pyridinylmethylene)cyclohexylamine, Schiff base, Ruthenium, 605
Hexamethylbenzene
p-Cymene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)-quinoxaline, 3155
Hexamethylenetetramine
Coordination polymers, Cadmium(II), Terephthalate, Thiocyanate, 2933
Hg(II) complexes
Arylazoimidazole, Azopyrimidine, Crystal structures, 1205
High pressure
Canted antiferromagnet, Fe complex, Molecular magnet, Compressibility, Bulk modulus, 2139
High pressure
Molecular magnetism, Metamagnetism, Canted antiferromagnetism, a.c. susceptibility, 2249
High pressure
Molecular magnetism, Ferromagnetism, Dipolar interactions, Ac susceptibility, 3339
High-field magnetization
Verdazyl radical, Spin-Peierls transition, Heat capacity, Magnetism, Doping effect, Antiferromagnetic order, 2091
High-spin organic polymer
Double-exchange mechanism, Spin-polarized nano-wire, Quantum chemical calculations, 1829
High-spin polymer
Conjugated polymer, Polyradical, Phenoxyl, Poly(aryleneethynylene), Anthracene, 1845
^1H MAS NMR
Organic magnetism, Nitronyl nitroxide radical, Fermi contact shift, Electron spin density distribution, DFT calculation, 1989
^1H NMR
Tricarbonylrhenium(I) halide complexes, Diastereoisomers, DFT calculations, Acetal ligands, 3371
Homooxacalixarenes
Uranyl ion, Calixarenes, Clusters, Crystal structures, 3499
Homotrinuclear nickel(II) complexes
Oxamido-bridged, Heterobinuclear complexes, Spin-doublet ground state, Supramolecular structures, 2911
Homooxacalixarenes
Uranyl ion, Calixarenes, Clusters, Crystal structures, 3499
Host–guest systems
MCM-41, Mesoporous materials, Single-molecule magnets, Magnetic properties, Mn clusters, 2395
HRS
Radical, Second-order, NLO, Electrochemistry, 1851
Hybrid density functional method
Magnetic conductors, Magnetic superconductor, π–d, Effective exchange intregal, Jaccarino–Peter effect, 2077
Hybrid density functional theory
MMX, $Ni_2(dta)_4I$, Effective exchange interaction, 2027
Hybrid methods
Generalized spin orbital, Density functional theory, Tetrahedral manganese clusters, Noncollinear molecular magnetism, Three-dimensional spin structure, 2013
Hybrid-DFT
Ab inito MO calculation, Organomagnetic conductors, Electronic structure, Effective exchange integral, 2039
Hydration
2,6-bis(pyrazol-3-yl)pyridine, Thermal spin transition, Transition temperature, 2375
Hydrazine
Hydrogen, Bonding, Structures, 1397
Hydride
Aluminium, Thiolate, 2655
Hydro(solvo)thermal synthesis
Coordination polymer, Cobalt oxydiacetate, Topological isomerism, Interconversion, Self-assembly, 2953
Hydrogen
Hydrazine, Bonding, Structures, 1397
Hydrogen bonded coordination complexes
Lanthanide(III) complexes, *N*,*N*′-dimethylurea metal complexes, Spectroscopic characterisation, X-ray crystal structures, 825

Hydrogen bonding
Crystal engineering, Zinc, Carboxylates, X-ray crystal structures, 673
Hydrogen bonding
Interaction, Proton, Intramolecular, 769
Hydrogen bonding
CH···O bonding, CH···N bonding, CH···Cl bonding, Poly(pyrazolyl)borate ligands modified, Supramolecular interactions, 1123
Hydrogen bonding
Arylazoimidazole, Zinc(II) complexes, Crystal structures, 1D chain, 1213
Hydrogen bonding
Metalla-macrocycles, Templating agents, Palladium and nickel complexes, Triphenylphosphine, Anion template, 2991
Hydrogen bonding
Coordination chemistry, Schiff bases, Cd compounds, X-ray structure determination, Reversible absorption and desorption of water, 3451
Hydrogen bonding
1,2-Bis(4-pyridinecarboxamido)ethane, Copper (II) complexes, X-ray structures, Coordination polymers, Supramolecular isomers, 3493
Hydrogen bonds
Supramolecular chemistry, Self-assemblies, Solid state structures, Pyrroles, Molecular recognition, 2963
Hydrogen bonds
Manganese(IV) complex, Cobalt(III) complex, Crystal structure, Magnetic moment, 3515
Hydrogen sulfide
Nitrilotriacetate, Iminodiacetate, Iron, Crystal structures, 941
Hydrogen-bond
Molecular magnetism, Supramolecular, Carboxylate, Radical, Co(II) complexes, 1929
Hydrogen-bonded sheets
Manganese(III), Carboxylate chain structures, Metamagnetism, Crystal structures, 2161
Hydroperoxo-iron(III) species
Oxygen atom transfer reaction, Spin-state of iron(III) ion, Heme-oxygenase, 293
Hydroquinone
Mn^{III}–Schiff base complex, Crystal structures, Redox activity, Catechol, 1191
Hydrothermal
Lead soaps, Palmitic acid, Stearic acid, Red lead, Lead-tin yellow, 3171
Hydrothermal reaction
Crystal structure, Succinate, Bipy, Open-framework, 3097
Hydrothermal reactions
Octamolybdate subunits, Hydrothermal synthesis, Mixed metal oxides, 177
Hydrothermal synthesis
Octamolybdate subunits, Mixed metal oxides, Hydrothermal reactions, 177
Hydrothermal synthesis
Neodymium complexes, X-ray crystallography, IR, TGA, Supramolecular structures, 981
Hydrothermal synthesis
Cobalt cluster, Magnetic properties, Crystal structures, MCD, 1917
Hydrothermal synthesis
Cadmium, Cadmium halides, Coordination polymers, Framework materials, 3043
Hydroxo-complexes
Lead(II) clusters, Molecular structures, Geometry optimizations, 2863
Hydroxyacetophenone
Thiosemicarbazone, Copper, Nickel, Crystal structures, Metal(II) complexes, 2831
2-Hydroxynicotinic acid
Lanthanide complexes, Luminescence, Crystal structures, 3529
(hydroxymethyl)-Pyridine
Trans-platinum complexes, Cytotoxic activity, NMR, 3379
4-Hydroxypyrimidine
Nanoporous material, *N,N'*-exobidentate mode, Crystal sponge, 3051
2-Hydroxypropyl *p*-nitrophenyl phosphate
Glycine–alanine, Benzyl alanine esters, Lanthanide complexes, 711
Hyperfine coupling of CN ions
Prussian-blue analogs, Local magnetic structures, Solid-state ^{13}C NMR, Solid-state high-resolution deuterium NMR, Crystal water molecules, 1981
Hyperfine coupling of OD^- ions
Layer-structured basic copper compound, Local magnetic structures, Local magnetic interactions, Solid-state high-resolution deuterium NMR, 1995
Hysteresis
Single-molecule magnets, Jahn-Teller isomers, Quantum tunneling of magnetization, 1783
Hysteresis
Mn clusters, Quantum tunneling, Single-molecule magnets, 2267

Imidazole
Copper(II) complexes, Iminodiacetate, Bipyridine, Crystal structure, Aromatic π,π-stacking, 1027
Imidazole
Molecular magnets, Copper(II), Nitroxide, Exchange coupling, 1957
Imidazole ligands
Polyoxometallates, Octamolybdates, Keggin-type anions, Copper, 3091
Imidazole-4-acetic acid
Cobalt(II) complexes, Manganese(II) complexes, X-ray structure, Absorption spectra, EPR spectra, 3123
Imidodiphosphinato ligands
Antimony(V) compounds, Crystal structure, 3395
Imine ligands
Platinum, Chiral compounds, Oxidative addition, Steric effects, Crystal structure, 3363
Imino nitroxide
1,6-Dithiapyrene, Oxoverdazyl, Spin structure, Density functional theory, ESR/ENDOR/TRIPLE spectroscopy, 2219
Imino nitroxide
Nitronyl nitroxide, Cu(II) complexes, Molecular magnets, 2499
Iminodiacetate
Nitrilotriacetate, Iron, Hydrogen sulfide, Crystal structures, 941
Iminodiacetate
Copper(II) complexes, Imidazole, Bipyridine, Crystal structure, Aromatic π,π-stacking, 1027
Iminonitroxide
Magnetic behavior, Exchange interaction, Copper(II) complexes, 1803
Inclusion compounds
Octakis(2-pyridyloxy)cyclotetraphosphazene, Octakis(4-methyl-2-pyridyloxy)cyclotetraphosphazene, X-ray structures, 189
Inclusion compounds
Coordination polymer, Noncentrosymmetric structures, Metal–organic framework, Rectangular grid, Bifunctional ligand, 235
Indenyl
Pentamethylcyclopentadienyl, Ruthenium, Molecular structures, Bipyridine, Phenanthroline, 307
Indium *meso*-tetra-(p-bromophenyl)porphyrin
Crystal structures, Thallium *meso*-tetra-(p-chlorophenyl)porphyrin, Indium *meso*-tetra-(p-chlorophenyl)porphyrin, 1633
Indium *meso*-tetra-(p-chlorophenyl)porphyrin
Crystal structures, Thallium *meso*-tetra-(p-chlorophenyl)porphyrin, Indium *meso*-tetra-(p-bromophenyl)porphyrin, 1633
Indole-2-carboxylic acid
Ternary manganese(II) complexes, 1,10-Phenanthroline, Neocuproine, Crystal structures, IR, Catalytic activity, 1461
Inelastic neutron scattering
Tetranuclear cluster, Magnetic anisotropy, Susceptibility, Magnetic frustration, 2471
Infinite layer
Superconductivity, Electron-doping, HDFT, Natural orbital, Density, 2191
Insertion
Palladium complexes, Sulfur dioxide, Crystal structures, 805
Insulin-mimics
VO(IV) complexes, Picolinic acid derivatives, X-ray crystallography, Speciations, 27
Interaction
Hydrogen bonding, Proton, Intramolecular, 769

Interconversion
Coordination polymer, Hydro(solvo)thermal synthesis, Cobalt oxydiacetate, Topological isomerism, Self-assembly, 2953
Interlocked structure
Molecule-based magnets, Metamagnetism, 2391
Intermolecular hydrogen bonds
Tantalum, Bicyclic guanidinate, Coordination isomer, Dodecahedral geometry, 2731
Intermolecular interactions
Molecular magnetism, Hexacyanometalates, Trinuclear cyanocomplexes, 2427
Intervalence charge-transfer
Benzotriazole, Electron transfer, Mixed-valence, Ruthenium-polypyridine, 1303
Intramolecular
Interaction, Hydrogen bonding, Proton, 769
Intramolecular coordination
Titanium, Cyclopentadienyl ligands, O ligands, P ligands, Variable-temperature NMR spectroscopy, 2885
Intramolecular electron transfer
Mixed-valence, Ruthenium complexes, Rhenium complexes, Energy conversion, 369
Intramolecular electron transfer
Mixed-valence, Ruthenium complexes, Inverted region, Reorganization energies, Energy conversion, 465
Intramolecular hydrogen bonding
Trpn, Abpt, Monoclinic, Crystal, Octahedral geometry, 3181
Inverted region
Mixed-valence, Ruthenium complexes, Intramolecular electron transfer, Reorganization energies, Energy conversion, 465
Iodide
Uranium, Lanthanides, Triphenylphosphine oxide, Triflate, X-ray crystal structure, 3475
Iodine
Carbenes, Palladium, Platinum, Crystal structures, Luminescence, 1515
Iodosylbenzene
Salen Cu(II) complexes, Schiff-base ligands, Catalytic epoxidation, Styrene, Hammett substituent constants, 1653
Ion-exchange chromatography
Isotopic fractionation, Complex formation, Dimerization, Separation coefficient, Molecular vibration, 1377
Ionic crystals
Nitronyl nitroxide, Radical ions, Magnetism, Organic crystals, 2343
Ionization energies
Ab-initio methods, Cyclic phosphazines, Electron propagator methods, Electronic structures, Vibrational frequencies, 473
Iorn
Crystal sturcture, Nonporous solids, 725
IR
Neodymium complexes, Hydrothermal synthesis, X-ray crystallography, TGA, Supramolecular structures, 981
IR
Ternary manganese(II) complexes, 1,10-Phenanthroline, Neocuproine, Indole-2-carboxylic acid, Crystal structures, Catalytic activity, 1461
IR spectra
Manganese complexes, 1,1-Cyclobutanedicarboxylate complexes, Crystal structures, Thermal analysis, TG-FTIR analysis, 2595
IR spectra
Thiosemicarbazone, Copper(II), Electronic spectra, EPR, X-ray crystal structure, 3321
IR-spectroscopy
Dithiocarbimates, Zinc complexes, Crystal structure, NMR, 3355
Iron
Decafluorodiphenylamido, Titanium, Zirconium, Vanadium, Cobalt, 153
Iron
Nitrilotriacetate, Iminodiacetate, Hydrogen sulfide, Crystal structures, 941
Iron
Carboxylate, Cobalt, Magnetism, Manganese, Pyromellitate, Framework, 1921
Iron
Thiocarbonate complexes, X-ray structure, Carbonyl, Sulfur-ligands, 3105
Iron
Dithiocarbamate, Diselenocarbamate, Thioselenocarbamate, Nitrosyl, ^{13}C NMR, ^{15}N NMR, 3423
Iron
Substitution, Thiocarboxylate, Bisphosphine ligands, Structure, 3445
Iron complexes
Crystal structure, Cyano-bridged complexes, Manganese complexes, Macrocyclic ligands, Magnetic properties, 1315
Iron–porphyrin complex
Electron-pair repulsion, Polarizing molecular mechanics, Heme charge, Oxygen fixation, CO/O_2 discrimination, 1091
Iron(II)
Encapsulating ligand, Low-spin, π-Acceptor, Thiaether, 45
Iron(III)
Cobalt(II), Nickel(II), Copper(II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridine formamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Iron(III)
μ-Oxalato-bridge, Copper(II), Chromium(III), Heterotrinuclear complexes, Magnetism, 3223
Iron(III) complexes
Synthesis, Pyrazolylthiosemicarbazone, X-ray crystal structures, 375
Ironglucose
2,2′:6′,2′-terpyridine, sugar, X-ray, 687
Ising-like Hamiltonian
Monte Carlo entropic sampling technique, Spin-transition, Thermal hysteresis loop, 2453
Ising-like model
Spin-crossover, Bistability, Magnetic field effect, Monte Carlo, 2441
Isobutyl group
Antimony, Bromine, Ring–ring equilibrium, X-ray diffraction, NMR spectra, 1719
Isobutylenediamine
X-ray structures, Cobalt(III) complexes, Diethylenetriamnine, 1603
Isomer preference
Sym–fac-$[Co(bpma)(bipy)Cl]^{2+}$ isomer, Cobalt(III) complexes, Crystal structures, Energy minimisation, 263
Isomerisation
Carborane, Synthesis, Spectroscopy, Crystallographic study, Vertex labelling, 1293
Isomers
Phenylazoisoquinolin, Ruthenium(II) complexes, X-ray structures, 535
Isophthalate
2,2′-Bipyridine, Cadmium(II) complex, Double-helix, Polymeric tubes, Zinc(II) complex, 1231
Isopropoxo
N-phenylsalicylideneiminato, Aluminium(III) atoms, Molecular structures, 2943
Isotopic fractionation
Ion-exchange chromatography, Complex formation, Dimerization, Separation coefficient, Molecular vibration, 1377
Itinerant ferromagnetism
Organic polymer, Flat band, Polyaminotriazole, Molecular crystal, First-principles calculation, 1883

Jaccarino–Peter effect
Magnetic conductors, Magnetic superconductor, π–d, Effective exchange intregal, Hybrid density functional method, 2077
Jahn–Teller effect
d^1 and d^5 metal complexes, Magnetic properties, 2545
Jahn-Teller isomers
Single-molecule magnets, Hysteresis, Quantum tunneling of magnetization, 1783

Keggin anion
Electron transfer, Coulombic repulsion, Ab initio calculation, Magnetic coupling, 2331
Keggin structures
Heteropolyanion, LB films, Cyclic voltammetry, 2647
Keggin-type anions
Polyoxometallates, Octamolybdates, Imidazole ligands, Copper, 3091
Kinetic exchange
Cobalt(II) clusters, Magnetic anisotropy, 2537
Kinetics
Adduct, Transmetalation, Heteropolymetallic, Target, Formation, 2917

Langmuir–Blodgett
Magnetic thin films, Metal cyanide square grid, GIXD, 3059

Lanthanide
Praseodymium complexes, 2,2′-Bipyridine, Thiocyanate, Chloride, Nitrate, Dithiocarbamate, Crystal structures, 347
Lanthanide
Synthesis, Crystal structures, Samarium, Ytterbium, β-Diketiminate ligand, 441
Lanthanide
Luminescence, Macrocycles, Ternary complexes, 745
Lanthanide
Supramolecular architecture, Glycine, 1,10-Phenanthroline, Coordination compound, Non-covalent interactions, 2617
Lanthanide complexes
2-Hydroxypropyl *p*-nitrophenyl phosphate, Glycine–alanine, Benzyl alanine esters, 711
Lanthanide complexes
Macrocycles, Chiral complexes, NMR, 2877
Lanthanide complexes
2-Hydroxynicotinic acid, Luminescence, Crystal structures, 3529
Lanthanide nitrates
Dimeric structures, Ligand, Reaction, 1431
Lanthanide picrates complexes
X-ray structures, Solvent extraction, 1695
Lanthanide salt
Carboxylate, Coordination network, Double betaine, 2787
Lanthanide(III) complexes
Hydrogen bonded coordination complexes, *N,N′*-dimethylurea metal complexes, Spectroscopic characterisation, X-ray crystal structures, 825
Lanthanides
Dications, Divalent, Cyclopentadienyl, Amide, Protonolysis, 119
Lanthanides
Crystal structures, Rare earths, Vibration spectra, 271
Lanthanides
Divalent europium, Crown ethers, Structures, Luminescence, 337
Lanthanides
Amides, Compound, Catalysis, Polymerization, Polymer, 1019
Lanthanides
Divalent europium, Nitrilotriacetate, Structures, Spectroscopy, 2761
Lanthanides
Yttrium, Macrocyclic Schiff base complexes, Template synthesis, X-ray structure, 2773
Lanthanides
Uranium, Triphenylphosphine oxide, Iodide, Triflate, X-ray crystal structure, 3475
Lanthanum
X-ray structures, Alkoxides, Triflate, Grafting, 127
Lariat ether
Lead(II) complexes, Macrobicycle, Crystal structures, Template synthesis, 2709
Laser ablation synthesis
Tellurium, Sulfur, Clusters, Mass spectrometry, Post-source decay, 2601
Late transition metal
Antiferromagnetic interaction, Alkoxide, X-ray, Molecular structure, 2581
Layer-structured basic copper compound
Local magnetic structures, Local magnetic interactions, Hyperfine coupling of OD^- ions, Solid-state high-resolution deuterium NMR, 1995
Layered compounds
Phosphonates, *Octadecyl*, Nickel(II) ion, Magnetic properties, Weak ferromagnet, 2463
Layered materials
Magnetic and structural characterisation, $AMnFe(C_2S_2O_2)_3$, 2317
LB films
Heteropolyanion, Keggin structures, Cyclic voltammetry, 2647
L-Cysteine
Palladium(II), Glutathione, Sodium dodecyl sulfate, Complex formation, Micellar catalysis, 279
Lead
Dicyanamide, Coordination polymer, Coordination mode, Double-stranded, One-dimensional, 917
Lead soaps
Hydrothermal, Palmitic acid, Stearic acid, Red lead, Lead-tin yellow, 3171
Lead(II) clusters
Hydroxo-complexes, Molecular structures, Geometry optimizations, 2863
Lead(II) complexes
Lariat ether, Macrobicycle, Crystal structures, Template synthesis, 2709
Lewis acidity
Cyclo-boratetrasiloxanes, B–O–Si linkages, Cyclocondensation, 3333
Lead-tin yellow
Lead soaps, Hydrothermal, Palmitic acid, Stearic acid, Red lead, 3171
L-Glutamic acid
Oligovanadates, L-Glutamine, Decomposition, Electronic spectra, Crystal structures, 1415
L-Glutamine
Oligovanadates, L-Glutamic acid, Decomposition, Electronic spectra, Crystal structures, 1415
Li_xMoSo_2
Magnetic properties, Susceptibility, Nanotubes, 2293
Lifetime
Crystal structures, Europium organic complexes, Luminescence, Synthesis, 2719
Ligand
Pyridyl, Crystallography, Hexadentate, Helicate, 755
Ligand
Self-assembly, Bridging, Tetrahedral cage, Anion binding, 781
Ligand
Dimeric structures, Lanthanide nitrates, Reaction, 1431
Ligand
Ferromagnetic interaction, Supramolecule, Channel, Nitroxide, Free radical, 2133
Ligand
Ferromagnetic interaction, Nitroxide, Free radical, ESR, 2557
Ligand exchange
Amide, Chloride, Gallium, Titanium, 9
Ligand exchange reaction
Ru(II) complex, Solid state, Phase transfer catalyst, 3289
Ligand-field parameters
Cobalt(II) complexes, Schiff base, Salicylideneaniline, Solutions, Electronic spectra, Chromaticity, Solvatochromism, 997
Ligands
Molecular assemblies, Metal precursors, Polymeric network, 3009
Light-induced excited spin state trapping
$[Fe(ptz)_6](BF_4)_4$, Polarised neutron diffraction, Spin density, 2155
Lipid peroxidation
Chromium picolinate, 8-OHdG, Rats, DNA, 455
Lithium
Sodium, Potassium, Amide ligands, 12-Crown-4, Crystal structures, 3507
Local C_2 symmetry
Complexed ligand, $\kappa^2N{:}\kappa^3N$ Bridging fashion, Ferromagnetic behavior, 1789
Local magnetic interactions
Layer-structured basic copper compound, Local magnetic structures, Hyperfine coupling of OD^- ions, Solid-state high-resolution deuterium NMR, 1995
Local magnetic structures
Prussian-blue analogs, Solid-state ^{13}C NMR, Hyperfine coupling of CN ions, Solid-state high-resolution deuterium NMR, Crystal water molecules, 1981
Local magnetic structures
Layer-structured basic copper compound, Local magnetic interactions, Hyperfine coupling of OD^- ions, Solid-state high-resolution deuterium NMR, 1995
Long range ^1H–^{15}N HMQC
ATP–cisplatin complexes, pH variation, NMR DOSY, 611
Low-dimensional magnetism
Organic-based magnet, Spin glass, Tetracyanoethylene, Susceptibility, Fractal cluster, 1751
Low-spin
Encapsulating ligand, Iron(II), π-Acceptor, Thiaether, 45
Lumazine
Crystal structures, Complexes, Pteridine, 483
Luminescence
Divalent europium, Lanthanides, Crown ethers, Structures, 337

Luminescence
Lanthanide, Macrocycles, Ternary complexes, 745
Luminescence
Carbenes, Palladium, Platinum, Iodine, Crystal structures, 1515
Luminescence
Crystal structures, Europium organic complexes, Lifetime, Synthesis, 2719
Luminescence
Lanthanide complexes, 2-Hydroxynicotinic acid, Crystal structures, 3529

Macrobicycle
Lead(II) complexes, Lariat ether, Crystal structures, Template synthesis, 2709
Macrobicyclic copper(II) complexes
Tricompartmental ligands, Magnetic properties, Electrochemical properties, Catalytic activity, 3483
Macrobicyclic ligands
Binuclear copper(II) complexes, Magnetochemistry, Electrochemistry, Catalytic activity, 1407
Macrocycle
Schiff base, Template, Nickel(II) complexes, Mixed-donor macrocycles, Aza-crown ethers, 1481
Macrocycles
Zinc(II) complexes, Five-coordinated, Diamine-bridged, Dinuclear complexes, Crystal structures, 529
Macrocycles
Luminescence, Lanthanide, Ternary complexes, 745
Macrocycles
Lanthanide complexes, Chiral complexes, NMR, 2877
Macrocyclic complexes
Nickel complexes, Template synthesis, Hexaazacyclohexadecane, 2633
Macrocyclic compounds
Transition metal ions, Complexation, Conductometry, Potentiometry, 569
Macrocyclic ligands
Crystal structure, Cyano-bridged complexes, Manganese complexes, Iron complexes, Magnetic properties, 1315
Macrocyclic ligands
Crystal structures, Dicyanamido-bridged complexes, Manganese complexes, Magnetic properties, 1611
Macrocyclic Schiff base complexes
Yttrium, Lanthanides, Template synthesis, X-ray structure, 2773
Macrocyclic Schiff bases
Dibenzotetraaza[14]annulenes, Alkoxycarbonylation, Stacking, CH···O hydrogen bonds, 3299
Maghemite
Nanocomposite, Polyvinylpyridine, Nanoparticles, Magnetic properties, 2457
Magnesium
Porphyrazines, Phthalocyanines, Copper, Zinc, Electrochemistry, 3083
Magnetic and structural characterisation
Layered materials, $AMnFe(C_2S_2O_2)_3$, 2317
Magnetic anisotropy
Nanomagnets, Single-molecule magnets, Density-functional calculations, Spin–orbit coupling, 1871
Magnetic anisotropy
Molecular conductor, Molecular magnet, π–d interaction, Magnetoresistance, Weak ferromagnetism, 2227
Magnetic anisotropy
Tetranuclear cluster, Inelastic neutron scattering, Susceptibility, Magnetic frustration, 2471
Magnetic anisotropy
Exchange interaction, Double exchange, Mixed-valence compounds, 2521
Magnetic anisotropy
Kinetic exchange, Cobalt(II) clusters, 2537
Magnetic behavior
Exchange interaction, Copper(II) complexes, Iminonitroxide, 1803
Magnetic clusters
Single molecule magnet, Susceptibility, Chirality, Manganese, 2355
Magnetic conductors
Magnetic superconductor, π–d, Effective exchange intregal, Hybrid density functional method, Jaccarino–Peter effect, 2077
Magnetic coupling
Keggin anion, Electron transfer, Coulombic repulsion, Ab initio calculation, 2331
Magnetic effective density functional, MEDF
One-dimensional (1D) metal chain complexes, Effective exchange integrals, 2019
Magnetic exchange coupling
Molecular magnets, Copper(II), Manganese(II), Cobalt(II), Nitroxide, 2487
Magnetic field effect
Spin-crossover, Bistability, Ising-like model, Monte Carlo, 2441
Magnetic frustration
Tetranuclear cluster, Inelastic neutron scattering, Magnetic anisotropy, Susceptibility, 2471
Magnetic interaction
Molecule-based magnetism, Nitronyl nitroxide, Thieno[3,4-*d*]imidazole, Solution ESR spectra, 1823
Magnetic interactions
Spin densities, Molecular magnet, 2301
Magnetic measurement
Shiff base, Cubane structure, Copper, Nickel, Manganese, 2359
Magnetic moment
Molybdenum complexes, Benzoinoxime, Dimer, Electrochemical properties, 895
Magnetic moment
Valence tautomerism, Cobalt, Charge-transfer band, 2401
Magnetic moment
Manganese(IV) complex, Cobalt(III) complex, Crystal structure, Hydrogen bonds, 3515
Magnetic order
Single-molecule magnets, Mn_4, Spin-lattice relaxation, Quantum tunneling of the magnetic moment, Very-low-temperature time-dependent specific heat, 2169
Magnetic properties
Binuclear nickel(II) complex, Crystal structure, End-on azido ligand complex, Terminal azido ion complex, Hexadentate ligand, 257
Magnetic properties
Copper(II), Thiodiglycolic acid complexes, Crystal structures, EPR, 411
Magnetic properties
Bimetallic coordination polymers, Dicyanamide, Crystal structures, Sandwich, Template, 433
Magnetic properties
Crystal structure, Cyano-bridged complexes, Manganese complexes, Iron complexes, Macrocyclic ligands, 1315
Magnetic properties
Crystal structures, Dicyanamido-bridged complexes, Manganese complexes, Macrocyclic ligands, 1611
Magnetic properties
Cu(II) complexes, Mercury, Cyanide ligands, Coordination polymers, 1735
Magnetic properties
Single-molecule magnets, Crystal structures, 1765
Magnetic properties
Carbenes, Copper, Assembly, Spin-glass, Photolysis, 1877
Magnetic properties
Cobalt cluster, Crystal structures, Hydrothermal synthesis, MCD, 1917
Magnetic properties
Fullerene, Molecular complexes, Anomalous paramagnetic centers, 2009
Magnetic properties
Malonate, Caboxylate, Molecular magnetism, 2111
Magnetic properties
Pentacyanoferrate complexes, Square grid network, Magnetometry, 2125
Magnetic properties
Li_xMoSo_2, Susceptibility, Nanotubes, 2293
Magnetic properties
Molecule-based magnet, Cobalt, Cluster glass, 2387
Magnetic properties
Host–guest systems, MCM-41, Mesoporous materials, Single-molecule magnets, Mn clusters, 2395
Magnetic properties
Ab initio calculations, CASPT2, Difference dedicated CI, Oxalato-bridged complexes, Hetero-bimetallic complexes, 2409

Magnetic properties
Dithiolates, Gold(III) complexes, Crystallographic studies, Electrical transport properties, Charge-transfer salts, 2447
Magnetic properties
Nanocomposite, Polyvinylpyridine, Maghemite, Nanoparticles, 2457
Magnetic properties
Phosphonates, *Octadecyl*, Nickel(II) ion, Layered compounds, Weak ferromagnet, 2463
Magnetic properties
d^1 and d^5 metal complexes, Jahn–Teller effect, 2545
Magnetic properties
Copper(II) complexes, Self-assembly, Structural elucidation, 2661
Magnetic properties
Dipyridinated manganese(II) phthalocyanine, Crystal structures, Antiferromagnetic interactions, Oxidation, UV–Vis spectroscopy, 2689
Magnetic properties
Trinuclear copper complexes, Crystal structures, 2927
Magnetic properties
Synthesis, Crystal structures, Oxalato complexes, 3115
Magnetic properties
Dicyanamide complexes, Crystal structures, 3315
Magnetic properties
Macrobicyclic copper(II) complexes, Tricompartmental ligands, Electrochemical properties, Catalytic activity, 3483
Magnetic properties and ferromagnetic interactions
Copper(II) complexes, Tetranuclear complexes, 625
Magnetic property
Trinuclear complexes, Tritopic hydrazide ligands, Structural property, 1271
Magnetic property
Gadorinium, Copper, Trinuclear complex, Crystal structure, 1905
Magnetic property
Molecular-based magnetism, Diaryl porphyrin, Monolayer, 2281
Magnetic structures
Molecule-based magnets, Bulk ferromagnetism, *p*-(nitro)Phenyl nitronyl nitroxide, Theoretical analysis, 1935
Magnetic superconductor
Magnetic conductors, π–d, Effective exchange intregal, Hybrid density functional method, Jaccarino–Peter effect, 2077
Magnetic susceptibility
Single-component organic ferrimagnet, Electron spin resonance, Nitronyl nitroxide, Perturbation treatment, Triradical, 1809
Magnetic susceptibility
Organic ferrimagnet, Nitronyl nitroxide, Charged biradical, Electron spin resonance, Supramolecular crystal engineering, 1817
Magnetic susceptibility
Tetrabromocuprates, Two-dimensional Heisenberg antiferromagnet, Ab initio, 2235
Magnetic susceptibility
Fe–Bisdithiolene complexes, Mössbauer spectroscopy, X-ray crystal structures, 2481
Magnetic susceptibility
Antiferromagnetic coupling, Square-pyramidal environment, 2515
Magnetic thin films
Metal cyanide square grid, Langmuir–Blodgett, GIXD, 3059
Magnetism
Dicyanonitrosomethanide derived oximate ligands, Mixed valent manganese clusters, Trinuclear, Tetranuclear, Crystal structures, 165
Magnetism
Ni(III) thiolate complexes, Crystal structures, Spin canting, 299
Magnetism
Cobalt, Nickel, Copper, Tetra(3-*iso*-propylpyrazolyl)borate, Structures, 1645
Magnetism
Carboxylate, Cobalt, Iron, Manganese, Pyromellitate, Framework, 1921
Magnetism
Verdazyl radical, Spin-Peierls transition, Heat capacity, Doping effect, Antiferromagnetic order, High-field magnetization, 2091
Magnetism
Nitronyl nitroxide, Radical ions, Organic crystals, Ionic crystals, 2343
Magnetism
Tetrathiafulvalenes, Metal bis-dithiolene complexes, Electrical conductivity, X-ray crystal structures, 2415
Magnetism
μ-Oxalato-bridge, Copper(II), Chromium(III), Iron(III), Heterotrinuclear complexes, 3223
Magnetization
Single-molecule magnets, Two-electron reduction, Crystallization, 1777
Magnetization tunneling
Single-molecule magnets, Nanomagnet, Superparamagnet, Nickel, 1727
Magnetization tunneling
Single-molecule magnets, Nanomagnet, Superparamagnet, Manganese, 1857
Magnetization tunnelling
Manganese cages, Single-molecule magnet, 1,1,1-Tris(hydroxymethyl)ethane, 1771
Magnetochemistry
Binuclear copper(II) complexes, Macrobicyclic ligands, Electrochemistry, Catalytic activity, 1407
Magnetometry
Magnetic properties, Pentacyanoferrate complexes, Square grid network, 2125
Magnetoresistance
Molecular conductor, Molecular magnet, π–d interaction, Weak ferromagnetism, Magnetic anisotropy, 2227
Malonate
Caboxylate, Magnetic properties, Molecular magnetism, 2111
Malonate ligands
Copper(II) coordination compounds, Dicarboxylates, Ferromagnetism, 2143
Manganese
Epoxidation, Biaryl, Schiff-base, Chiral-at-metal, 1617
Manganese
Boron, Carbonyl complexes, Octahydrotriborate(2−), Organophosphine ligands, Rhenium, X-ray structures, 1627
Manganese
Single-molecule magnets, Nanomagnet, Magnetization tunneling, Superparamagnet, 1857
Manganese
Single molecule magnets, Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, 1889
Manganese
Single molecule magnets, Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, 1897
Manganese
Single-molecule magnets, Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, 1911
Manganese
Carboxylate, Cobalt, Iron, Magnetism, Pyromellitate, Framework, 1921
Manganese
Chirality, Circular dichroism, Nitroxide, 2349
Manganese
Single molecule magnet, Susceptibility, Chirality, Magnetic clusters, 2355
Manganese
Magnetic measurement, Shiff base, Cubane structure, Copper, Nickel, 2359
Manganese
Suberato complexes, Coordination polymers, X-ray structures, 2699
Manganese cages
Single-molecule magnet, Magnetization tunnelling, 1,1,1-Tris(hydroxymethyl)ethane, 1771
Manganese complexes
Cobalt complexes, Copper complexes, 4,4′-Bipyridine-N,N′-dioxide, Extended structures, 789
Manganese complexes
Crystal structure, Cyano-bridged complexes, Iron complexes, Macrocyclic ligands, Magnetic properties, 1315
Manganese complexes
Crystal structures, Dicyanamido-bridged complexes, Macrocyclic ligands, Magnetic properties, 1611
Manganese complexes
Nitronyl nitroxide, Tetrazole, Nickel complexes, 1965
Manganese complexes
1,1-Cyclobutanedicarboxylate complexes, Crystal structures, IR spectra, Thermal analysis, TG-FTIR analysis, 2595

Manganese(II)
Nickel(II), Zinc(II), Crystal structures, 2-Methyllactato complexes, Thermal analysis, 1051
Manganese(II)
Molecular magnets, Copper(II), Cobalt(II), Nitroxide, Magnetic exchange coupling, 2487
Manganese(II) complexes
Coordination polymers, TEMPO, Nitroxides, Copper(II) complexes, 2363
Manganese(II) complexes
Imidazole-4-acetic acid, Cobalt(II) complexes, X-ray structure, Absorption spectra, EPR spectra, 3123
Manganese(II) complexes
2,2-Dimethylpentanedioic acid, 3,3-Dimethylpentanedioic acid, 2,2′-Bipyridine, 1,10-Phenanthroline, Crystal structure, Anti-*Candida* activity, 3187
Manganese(III)
Carboxylate chain structures, Hydrogen-bonded sheets, Metamagnetism, Crystal structures, 2161
Manganese(IV) complex
Cobalt(III) complex, Crystal structure, Magnetic moment, Hydrogen bonds, 3515
Mannich
Copper(II) complexes, α-Amino acids, Formaldehyde, Acetamide, 521
Mass spectrometry
Tellurium, Sulfur, Clusters, Laser ablation synthesis, Post-source decay, 2601
MCD
Cobalt cluster, Magnetic properties, Crystal structures, Hydrothermal synthesis, 1917
MCM-41
Host–guest systems, Mesoporous materials, Single-molecule magnets, Magnetic properties, Mn clusters, 2395
MeIm, methylimidazole
Malonate, Caboxylate, Magnetic properties, Molecular magnetism, 2111
Meloxicam
Tenoxicam, X-ray diffraction, Dimethylsulfoxide, 1355
Mercaptophenol
Multi-functional ligand, (Arene)ruthenium, Tristhiolato, 543
Mercury
Cu(II) complexes, Cyanide ligands, Coordination polymers, Magnetic properties, 1735
Mercury
Rhodium, 3,5-Dimethylpyrazole, Pentafluorophenylthiolate, Crystal structures, 3293
Mercury(II)
Ylide complexes, Crystal structures, Silver(I), 3345
Mercury(II) complexes
Thiosemicarbazone complexes, Crystal structures, Spectral data, 1147
Mesoporous materials
Host–guest systems, MCM-41, Single-molecule magnets, Magnetic properties, Mn clusters, 2395
Metal amide
Pyridine, X-ray crystallography, Silyamide, 67
Metal bis-dithiolene complexes
Tetrathiafulvalenes, Magnetism, Electrical conductivity, X-ray crystal structures, 2415
Metal clusters
Supramolecular chemistries, Coordination polymers, Single crystal X-ray diffractions, 2999
Metal complex
Phthalocyanine, Unsymmetrical, Substituted, Trimeric, s-Triazine, 819
Metal complexes
(*Z*)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile, X-ray structures, Silver(I), Antifungal, *Candida albicans*, 1595
Metal complexes
Metallocene, Ferromagnetism, Dithiolene complexes, 2339
Metal cyanide square grid
Magnetic thin films, Langmuir–Blodgett, GIXD, 3059
Metal precursors
Ligands, Molecular assemblies, Polymeric network, 3009
Metal sulfide
Molecular precursor, Diethyl ether, Annealing, 1255
Metal sulfide
Molecular precursor, 1499
Metal–metal bonds
Rhodium complexes, Cobalt complexes, X-ray structure analyses, Electronic structures, Cyclic voltammetry, 3413
Metal–metal multiple bonds
Dirhenium complexes, Crystal structures, Face-sharing bioctahedral complexes, Thiolate ligands, Phosphine ligands, 2625
Metal–organic framework
Coordination polymer, Noncentrosymmetric structures, Inclusion compounds, Rectangular grid, Bifunctional ligand, 235
Metal(II) complexes
Hydroxyacetophenone, Thiosemicarbazone, Copper, Nickel, Crystal structures, 2831
Metalla-macrocycles
Templating agents, Palladium and nickel complexes, Triphenylphosphine, Anion template, Hydrogen bonding, 2991
Metallacycles
Coordination chemistry, Bridging ligand, Coordination modes, 1837
Metallation
Osmium, Methyl substituent, Trimethylthiazole, X-ray structures, 355
Metallocene
Biferrocenium, Pyridinyl, Supramolecule, 1199
Metallocene
Metal complexes, Ferromagnetism, Dithiolene complexes, 2339
Metallostar
Copper, Silver, Ruthenium, 2,2′-Bipyridine, X-ray, 93
Metamagnetism
Manganese(III), Carboxylate chain structures, Hydrogen-bonded sheets, Crystal structures, 2161
Metamagnetism
Molecular magnetism, Canted antiferromagnetism, a.c. susceptibility, High pressure, 2249
Metamagnetism
Molecule-based magnets, Interlocked structure, 2391
Metastable states
Photochromic effect, Pseudo-Jahn–Teller effect, Electron transfer, 2527
Methanol
Electrochemical synthesis, 2-Aminopyridine, Schiff base, 1335
Methoxo complexes
Molybdenum clusters, Tungsten clusters, X-ray crystal structures, 1553
2-Methyllactato complexes
Manganese(II), Nickel(II), Zinc(II), Crystal structures, Thermal analysis, 1051
Methyl substituent
Osmium, Metallation, Trimethylthiazole, X-ray structures, 355
Methyl viologen
Cryptands, Polyether macrocycles, Xanthate, 795
$MgPc(H_2O)$
Recrystallization, Photodynamic, 1167
Micellar catalysis
Palladium(II), Glutathione, L-Cysteine, Sodium dodecyl sulfate, Complex formation, 279
Mixed donor set
Dissymmetric Schiff base, Copper complexes, X-ray structures, Cyclic voltammetry, 1437
Mixed metal oxides
Octamolybdate subunits, Hydrothermal synthesis, Hydrothermal reactions, 177
Mixed valent manganese clusters
Dicyanonitrosomethanide derived oximate ligands, Trinuclear, Tetranuclear, Magnetism, Crystal structures, 165
Mixed-donor macrocycles
Macrocycle, Schiff base, Template, Nickel(II) complexes, Azacrown ethers, 1481
Mixed-ligand complexes
Copper(II), Crystal structures, π,π-Stacking, Nitro, Benzyl, 1039
Mixed-valence
Ruthenium complexes, Rhenium complexes, Intramolecular electron transfer, Energy conversion, 369

Mixed-valence
Ruthenium complexes, Intramolecular electron transfer, Inverted region, Reorganization energies, Energy conversion, 465
Mixed-valence
Benzotriazole, Electron transfer, Intervalence charge-transfer, Ruthenium-polypyridine, 1303
Mixed-valence clusters
Antisymmetric double exchange, Zero-field splitting, 2253
Mixed-valence compounds
Exchange interaction, Double exchange, Magnetic anisotropy, 2521
MMX
Hybrid density functional theory, $Ni_2(dta)_4I$, Effective exchange interaction, 2027
Mn cluster
Single-molecule magnet, Benzenesulfonic acid, 1759
Mn clusters
Hysteresis, Quantum tunneling, Single-molecule magnets, 2267
Mn clusters
Host–guest systems, MCM-41, Mesoporous materials, Single-molecule magnets, Magnetic properties, 2395
Mn compounds
Crystal structures, Polymeric, Solid state, 133
Mn_{12}
Single molecule magnets, Thermal stability, Thermolytic synthetic methods, 1951
Mn_{12} complexes
Single-molecule magnet, Single crystal X-ray analysis, a.c. and d.c. magnetic susceptibility, 2-Thiophenecarboxylic acid, PPh_4 salt, 1795
Mn_4
Single-molecule magnets, Spin-lattice relaxation, Quantum tunneling of the magnetic moment, Magnetic order, Very-low-temperature time-dependent specific heat, 2169
Mn^{III}–Schiff base complex
Crystal structures, Redox activity, Hydroquinone, Catechol, 1191
$Mo(PMe_3)_6$
3,5-Di-*t*-butylpyrazolyl, Molybdenum complexes, $[pz^{Bu^t}_2]Mo(PMe_3)_4H$, η^2-Coordination, 199
Molecular assemblies
Ligands, Metal precursors, Polymeric network, 3009
Molecular based magnet
Weak-ferromagnetism, Ferrimagnet, Transition metal complex, Crown thioether, Benzene dithiolate, 1755
Molecular complexes
Fullerene, Magnetic properties, Anomalous paramagnetic centers, 2009
Molecular conductor
Molecular magnet, π–d interaction, Magnetoresistance, Weak ferromagnetism, Magnetic anisotropy, 2227
Molecular crystal
Itinerant ferromagnetism, Organic polymer, Flat band, Polyaminotriazole, First-principles calculation, 1883
Molecular device
Spiropyrans, Spirooxazine, Bipyridine, Ruthenium complexes, 655
Molecular magnet
Nuclear relaxation, Quantum tunnelling, 1745
Molecular magnet
Muon-spin rotation, Organic magnet, Nanodisc, Quantum tunneling, 1973
Molecular magnet
Canted antiferromagnet, Fe complex, High pressure, Compressibility, Bulk modulus, 2139
Molecular magnet
Molecular conductor, π–d interaction, Magnetoresistance, Weak ferromagnetism, Magnetic anisotropy, 2227
Molecular magnet
^{13}C NMR, Quantum spin chain, $S=1/2$ antiferromagnet, Cu complex, Field-induced excitation gap, 2273
Molecular magnet
Spin densities, Magnetic interactions, 2301
Molecular magnetism
Supramolecular, Carboxylate, Radical, Co(II) complexes, Hydrogen-bond, 1929
Molecular magnetism
Organic superconductor, Effective exchange integral, Ab initio MO method, Density functional method, BEDT-TTF, BETS, TMTTF, TMTSF, 2051
Molecular magnetism
Malonate, Caboxylate, Magnetic properties, 2111
Molecular magnetism
Metamagnetism, Canted antiferromagnetism, a.c. susceptibility, High pressure, 2249
Molecular magnetism
Radical salts, Tetrathiafulvalene, Bimetallic oxalato complexes, Conducting properties, 2381
Molecular magnetism
Hexacyanometalates, Trinuclear cyano-complexes, Intermolecular interactions, 2427
Molecular magnetism
Ferromagnetism, Dipolar interactions, Ac susceptibility, High pressure, 3339
Molecular magnets
Copper(II), Nitroxide, Imidazole, Exchange coupling, 1957
Molecular magnets
Cyano-bridged coordination compounds, Coordination polymers, Crystal structures, Octacyanometallates, 2183
Molecular magnets
Chiral ligands, Cyanide complexes, 2435
Molecular magnets
Copper(II), Manganese(II), Cobalt(II), Nitroxide, Magnetic exchange coupling, 2487
Molecular magnets
Imino nitroxide, Nitronyl nitroxide, Cu(II) complexes, 2499
Molecular oxide
Polyoxometalate, Protonation, Molybdenum, 2847
Molecular precursor
Metal sulfide, Diethyl ether, Annealing, 1255
Molecular precursor
Metal sulfide, 1499
Molecular rectangles
Tetranuclear copper(II) complexes, Schiff-bases, Crystal structures, 1385
Molecular recognition
Supramolecular chemistry, Self-assemblies, Solid state structures, Pyrroles, Hydrogen bonds, 2963
Molecular spin diversity
Oxophenalenoxyl, Monoradicals, Spin topology, Spin density distribution, Density functional calculation, 2205
Molecular structure
Antiferromagnetic interaction, Alkoxide, Late transition metal, X-ray, 2581
Molecular structures
Pentamethylcyclopentadienyl, Indenyl, Ruthenium, Bipyridine, Phenanthroline, 307
Molecular structures
Diphosphine complexes, Nickel complexes, Crystal packing, 1567
Molecular structures
Lead(II) clusters, Hydroxo-complexes, Geometry optimizations, 2863
Molecular structures
N-phenylsalicylideneiminato, Isopropoxo, Aluminium(III) atoms, 2943
Molecular vibration
Isotopic fractionation, Ion-exchange chromatography, Complex formation, Dimerization, Separation coefficient, 1377
Molecular-based magnetism
Diaryl porphyrin, Magnetic property, Monolayer, 2281
Molecule-based magnet
Magnetic properties, Cobalt, Cluster glass, 2387
Molecule-based magnetism
Nitronyl nitroxide, Thieno[3,4-*d*]imidazole, Solution ESR spectra, Magnetic interaction, 1823
Molecule-based magnets
Bulk ferromagnetism, *p*-(nitro)Phenyl nitronyl nitroxide, Theoretical analysis, Magnetic structures, 1935
Molecule-based magnets
Metamagnetism, Interlocked structure, 2391
Molybdenum
Rhodium, Polyoxometalate, Organometallic chemistry, EXAFS, 1157
Molybdenum
Polyoxometalate, Protonation, Molecular oxide, 2847

Molybdenum alkylidyne
Tungsten alkylidyne, Electronic structure, Frontier molecular orbitals, Alkoxide, Thiolate, 145
Molybdenum clusters
Tungsten clusters, Methoxo complexes, X-ray crystal structures, 1553
Molybdenum complexes
3,5-Di-*t*-butylpyrazolyl, $[pz^{Bu^t}_2]Mo(PMe_3)_4H$, η^2-Coordination, $Mo(PMe_3)_6$, 199
Molybdenum complexes
Benzoinoxime, Dimer, Magnetic moment, Electrochemical properties, 895
Monoclinic
Trpn, Abpt, Crystal, Octahedral geometry, Intramolecular hydrogen bonding, 3181
Monodentate bidentate
Phosphorus sulfur ligand, Transition metal complexes, Crystal structures, 361
Monolayer
Molecular-based magnetism, Diaryl porphyrin, Magnetic property, 2281
Monomeric compounds
Retro-chloropalladation reaction, Alkynes, Propargyl amines, 1665
Mononuclear complexes
Thioquinoline units, Coordination polymer, 507
Monoradicals
Oxophenalenoxyl, Spin topology, Spin density distribution, Molecular spin diversity, Density functional calculation, 2205
Monte Carlo
Spin-crossover, Bistability, Magnetic field effect, Ising-like model, 2441
Monte Carlo entropic sampling technique
Spin-transition, Thermal hysteresis loop, Ising-like Hamiltonian, 2453
Mössbauer spectroscopy
Fe–Bisdithiolene complexes, Magnetic susceptibility, X-ray crystal structures, 2481
MP2 method
Geometry optimization, Cyclic phosphazenes, Stable non-planar conformations, Electronic structures, 3243
MS
Copper(I), Diphosphines, Perfluorinated carboxylates, NMR, 3389
Multi-directional ligand
Zn(II) complexes, Co(II) complexes, Crystal structures, Polydentate pyridine ligand, N-donor ligand, 205
Multi-functional ligand
(Arene)ruthenium, Tristhiolato, Mercaptophenol, 543
Muon
BETS, Superconducting transition, 2307
Muon-spin rotation
Organic magnet, Nanodisc, Quantum tunneling, Molecular magnet, 1973
MVS
Europium, Ytterbium, Dissolution in ammonia, Aryloxides, 1425
N-Alkylthiourea
Cadmium(II) complexes, Synthesis, X-ray structures, 595
Nanocomposite
Polyvinylpyridine, Maghemite, Nanoparticles, Magnetic properties, 2457
Nanocrystallites
Cadmium sulfide, Single-source precursor method, 3129
Nanodisc
Muon-spin rotation, Organic magnet, Quantum tunneling, Molecular magnet, 1973
Nanomagnet
Single-molecule magnets, Magnetization tunneling, Superparamagnet, Nickel, 1727
Nanomagnet
Single-molecule magnets, Magnetization tunneling, Superparamagnet, Manganese, 1857
Nanomagnet
Single-molecule magnet, Quantum tunneling of magnetization, Superparamagnet, Polynuclear iron complex, 1865
Nanomagnets
Single-molecule magnets, Magnetic anisotropy, Density-functional calculations, Spin-orbit coupling, 1871
Nanomagnet
Single molecule magnets, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1889
Nanomagnet
Single molecule magnets, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1897
Nanomagnet
Single-molecule magnets, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1911
Nanoparticles
Nanocomposite, Polyvinylpyridine, Maghemite, Magnetic properties, 2457
Nanoporous material
4-Hydroxypyrimidine, *N,N′*-exobidentate mode, Crystal sponge, 3051
Nanotubes
Li_xMoSo_2, Magnetic properties, Susceptibility, 2293
Napthylazoimidazole
H-bonding, Coordination compounds, Organomercuration, X-ray structure, 1367
Naphthylazoimidazoles
Copper(I) complexes, X-ray structures, Electrochemistry, EHMO, 247
^{15}N atom
Neutral radical, Diazaphenalenyl, Gyromagnetic ratio, Spin structure, Columnar structure, 2199
Natural orbital
Superconductivity, Electron-doping, HDFT, Infinite layer, Density, 2191
N-carbazolylacetate
Carbazole, Crystal structures, Complexes, Photoluminescence, 397
N(4)-dimethylthiosemicarbazone complexes
Iron(III), Cobalt(II), Nickel(II), Copper(II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridineformamide, 83
N-donor ligand
Zn(II) complexes, Co(II) complexes, Crystal structures, Multi-directional ligand, Polydentate pyridine ligand, 205
Neocuproine
Ternary manganese(II) complexes, 1,10-Phenanthroline, Indole-2-carboxylic acid, Crystal structures, IR, Catalytic activity, 1461
Neodymium
Fluoride, Praseodymium, X-ray structure, Titanium, 575
Neodymium
Praseodymium, 2,2′:6′,2′-Terpyridine, 1,10-Phenanthroline, X-ray crystal structures, 1489
Neodymium complexes
Hydrothermal synthesis, X-ray crystallography, IR, TGA, Supramolecular structures, 981
Network solids
Coordination polymers, Crystal structures, Transition metal ions, 4,4′-bipyridine, 2821
Neutral radical
Diazaphenalenyl, ^{15}N atom, Gyromagnetic ratio, Spin structure, Columnar structure, 2199
Neutron powder diffraction
X-ray diffraction, Pyrazine, Quantum spin chain, Copper, 2045
Ni dithiolenes
Se-donors, Raman, X-ray, Electrochemistry, 2175
Ni(III) thiolate complexes
Crystal structures, Magnetism, Spin canting, 299
$Ni_2(dta)_4I$
Hybrid density functional theory, MMX, Effective exchange interaction, 2027
Nickel
Cobalt, Copper, Tetra(3-*iso*-propylpyrazolyl)borate, Structures, Magnetism, 1645
Nickel
Single-molecule magnets, Nanomagnet, Magnetization tunneling, Superparamagnet, 1727
Nickel
Magnetic measurement, Shiff base, Cubane structure, Copper, Manganese, 2359
Nickel
Hydroxyacetophenone, Thiosemicarbazone, Copper, Crystal structures, Metal(II) complexes, 2831
Nickel cluster
Bis(diphenylphosphino)amine, Bis(diphenylphosphino)methane, 1641
Nickel complexes
Dithiocarbimate complexes, Sulfonamide, Crystal structure, 1561

Nickel complexes
Diphosphine complexes, Molecular structures, Crystal packing, 1567
Nickel complexes
Nitronyl nitroxide, Tetrazole, Manganese complexes, 1965
Nickel complexes
Macrocyclic complexes, Template synthesis, Hexaazacyclohexadecane, 2633
Nickel(II)
Iron(III), Cobalt(II), Copper(II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Nickel(II)
Supramolecular, X-ray structure, Guanidinobenzimidazole derivatives, 735
Nickel(II)
Manganese(II), Zinc(II), Crystal structures, 2-Methyllactato complexes, Thermal analysis, 1051
Nickel(II)
Dithiophosphates, Syntheses, X-ray structures, 1341
Nickel(II)
β-Alanine, Dipeptides, Tripeptides, Palladium(II), Stability constants, 2607
Nickel(II) complexes
Cobalt(III) complexes, Synthesis, Spectroscopy, Thiosemicarbazone, X-ray crystallography, 383
Nickel(II) complexes
Binucleating ligand, Electrochemistry, 989
Nickel(II) complexes
Macrocycle, Schiff base, Template, Mixed-donor macrocycles, Azacrown ethers, 1481
Nickel(II) dithiocarbonate complexes
Nickel(II) xanthates, Trinuclear nickel-sulfur cluster, Tetraphenyldiphosphinoethane, X-ray structures, 2895
Nickel(II) ion
Phosphonates, *Octadecyl*, Layered compounds, Magnetic properties, Weak ferromagnet, 2463
Nickel(II) xanthates
Trinuclear nickel-sulfur cluster, Nickel(II) dithiocarbonate complexes, Tetraphenyldiphosphinoethane, X-ray structures, 2895
Niobium diphthalocyanine
Niobium(V) complexes, Crystal structures, UV–Vis spectroscopy, 'Stapled' sandwich-type diphthalocyanine, Raman spectroscopy, 313
Niobium(V) complexes
Niobium diphthalocyanine, Crystal structures, UV–Vis spectroscopy, 'Stapled' sandwich-type diphthalocyanine, Raman spectroscopy, 313
Nitrate
Praseodymium complexes, Lanthanide, 2,2′-Bipyridine, Thiocyanate, Chloride, Dithiocarbamate, Crystal structures, 347
Nitrilotriacetate
Iminodiacetate, Iron, Hydrogen sulfide, Crystal structures, 941
Nitrilotriacetate
Lanthanides, Divalent europium, Structures, Spectroscopy, 2761
Nitrilotriacetate complexes
Heteropolynuclear cobalt(III)–dysprosium(III) complexes, Oxalato-bridged complexes, X-ray structures, Diffuse reflectance spectra, 1455
Nitro
Copper(II), Mixed-ligand complexes, Crystal structures, π,π-Stacking, Benzyl, 1039
Nitronyl nitroxide
Single-component organic ferrimagnet, Magnetic susceptibility, Electron spin resonance, Perturbation treatment, Triradical, 1809
Nitronyl nitroxide
Organic ferrimagnet, Magnetic susceptibility, Charged biradical, Electron spin resonance, Supramolecular crystal engineering, 1817
Nitronyl nitroxide
Molecule-based magnetism, Thieno[3,4-*d*]imidazole, Solution ESR spectra, Magnetic interaction, 1823
Nitronyl nitroxide
Tetrazole, Manganese complexes, Nickel complexes, 1965
Nitronyl nitroxide
Terpyridine, Organic based magnets, EPR radicals, Open-shell molecules, Semiempirical (AM1) calculations, 2099
Nitronyl nitroxide
Radical ions, Magnetism, Organic crystals, Ionic crystals, 2343
Nitronyl nitroxide
Imino nitroxide, Cu(II) complexes, Molecular magnets, 2499
Nitronyl nitroxide radical
Organic magnetism, ^{1}H MAS NMR, Fermi contact shift, Electron spin density distribution, DFT calculation, 1989
Nitrosation
Amino acid, Dinitrogen trioxide, Spectrophotometry, 1059
Nitrosyl
Rhenium, Oxo, Bipyridine, X-ray structures, Electronic structures, 2573
Nitrosyl
Iron, Dithiocarbamate, Diselenocarbamate, Thioselenocarbamate, ^{13}C NMR, ^{15}N NMR, 3423
Nitrosyl ligands
Cobalt complexes, Crystal structures, Carborane ligands, 109
Nitroxide
Molecular magnets, Copper(II), Imidazole, Exchange coupling, 1957
Nitroxide
Ferromagnetic interaction, Supramolecule, Channel, Ligand, Free radical, 2133
Nitroxide
Chirality, Circular dichroism, Manganese, 2349
Nitroxide
Molecular magnets, Copper(II), Manganese(II), Cobalt(II), Magnetic exchange coupling, 2487
Nitroxide
Ferromagnetic interaction, Ligand, Free radical, ESR, 2557
Nitroxides
Coordination polymers, TEMPO, Copper(II) complexes, Manganese(II) complexes, 2363
N ligand
Ruthenium, Bridging ligands, Heterometallic complexes, EXAFS spectroscopy, 2799
NLO
Radical, Second-order, HRS, Electrochemistry, 1851
^{15}N NMR
Zn(II) complexes, Purine, HETCOR, CPMAS, Coordination shift, 391
^{15}N NMR
Iron, Dithiocarbamate, Diselenocarbamate, Thioselenocarbamate, Nitrosyl, ^{13}C NMR, 3423
NMR
ZnSe, TGA, Structure, 489
NMR
Poly(3-rpyrazolyl)borate cobalt(II) complexes, Structures, 581
NMR
Crystal structures, Polyoxometalate, Phosphotungstate, Heteropolyanion, 933
NMR
Macrocycles, Lanthanide complexes, Chiral complexes, 2877
NMR
Dithiocarbimates, Zinc complexes, Crystal structure, IR-spectroscopy, 3355
NMR
Trans-platinum complexes, Cytotoxic activity, (hydroxymethyl)-Pyridine, 3379
NMR
Copper(I), Diphosphines, Perfluorinated carboxylates, MS, 3389
NMR DOSY
ATP–cisplatin complexes, pH variation, Long range ^{1}H–^{15}N HMQC, 611
NMR spectra
Antimony, Bromine, Isobutyl group, Ring–ring equilibrium, X-ray diffraction, 1719
NMR spectroscopy
Bis(2-pyridylthio)methane, Cadmium(II) complexes, Eight-membered chelate rings, X-ray diffraction, Cadmium(II) halides, 1077
NMR spectroscopy
Cobalt(III) complexes, Cobaloximes, Diphenylglyoximato ligands, Dimethylglyoximato ligands, Crystal structures, 2809

NMR spectroscopy
Organotin compounds, Aryltin compounds, FT-IR spectroscopy, X-ray crystal structure, 3523
NMR spectroscopy
Boranes, Heteroboranes, Geometry optimisation, GIAO, 3541
N,N′-Dimethyl-2,2′-biimidazole
Pd(II) and Pt(II) complexes, Pt(I) complexes, 2,2′-Biimidazole, Crystal structure, DNA interactions, Solvolysis by DMSO, 1113
N,N′-dimethylurea metal complexes
Hydrogen bonded coordination complexes, Lanthanide(III) complexes, Spectroscopic characterisation, X-ray crystal structures, 825
N,N′-disubstituted diaza-18-crown-6
Copper complex, Crystal structure, 3249
N,N′-exobidentate mode
4-Hydroxypyrimidine, Nanoporous material, Crystal sponge, 3051
$\kappa^2N{:}\kappa^3N$ Bridging fashion
Complexed ligand, Local C_2 symmetry, Ferromagnetic behavior, 1789
Non-bonded interaction
2,5-Dimercapto-4-phenyl-1,3,4-thiodiazole, Organogermanium(IV), Crystal structures, X-ray crystallography diffraction, 2767
Non-covalent interactions
Supramolecular architecture, Lanthanide, Glycine, 1,10-Phenanthroline, Coordination compound, 2617
Non-Kekulé molecule
Aromatic polyamine, Polycondensation, Aminium cationic radical, Palladium-catalyzed amination, 1945
Noncentrosymmetric structures
Coordination polymer, Metal–organic framework, Inclusion compounds, Rectangular grid, Bifunctional ligand, 235
Noncollinear molecular magnetism
Generalized spin orbital, Density functional theory, Tetrahedral manganese clusters, Hybrid methods, Three-dimensional spin structure, 2013
Nonporous solids
Iorn, Crystal sturcture, 725
N-phenylsalicylideneiminato
Isopropoxo, Aluminium(III) atoms, Molecular structures, 2943
N-(2-pyridinylmethylene)cyclohexylamine
p-Cymene, Hexamethylbenzene, *N*-(2-pyridinylmethylene)phenylamines, Schiff base, Ruthenium, 605
N-(2-pyridinylmethylene)phenylamines
p-Cymene, Hexamethylbenzene, *N*-(2-pyridinylmethylene)cyclohexylamine, Schiff base, Ruthenium, 605
N-Salicylidene derivative
Copper(II)–Schiff base complexes, X-ray structures, Ternary copper(II) complexes, Toxicity of copper(II) complexes, *Drosophila melanogaster*, 403
NS-donors
Ruthenium(II) complexes, Thiosemicarbazones, X-ray crystal structures, Biological activity, 447
Nuclear magnetic resonance
Fe8, Quantum tunneling, 2277
Nuclear relaxation
Molecular magnet, Quantum tunnelling, 1745

o-aminophenol
Pyridazine, Quasi-reversible, Schiff base, 665
Octabromoporphyrins
Tetratolylporphyrins, Tetranaphthylporphyrins, Zn(II) porphyrins, Electronic properties, Fluorescence properties, Electrochemical studies, 3145
Octachlorodirhenate
Rhenium, Quadruple bond, 1547
Octacyanometallates
Cyano-bridged coordination compounds, Coordination polymers, Crystal structures, Molecular magnets, 2183
Octadecyl
Phosphonates, Nickel(II) ion, Layered compounds, Magnetic properties, Weak ferromagnet, 2463
Octahedral complexes
Bis(phosphino)amines, ruthenium, Crystal structures, Cyclic voltammetry, 587
Octahedral geometry
Trpn, Abpt, Monoclinic, Crystal, Intramolecular hydrogen bonding, 3181
Octahedral structures
Ruthenium(II) carbonyl complexes, Phosphine–phosphinesulfide, Bidentate chelating ligand, X-ray crystal structures, Steric effect, 2725
Octahydrotriborate(2−)
Boron, Carbonyl complexes, Manganese, Organophosphine ligands, Rhenium, X-ray structures, 1627
Octakis(2-pyridyloxy)cyclotetraphosphazene
Octakis(4-methyl-2-pyridyloxy)cyclotetraphosphazene, Inclusion compounds, X-ray structures, 189
Octakis(4-methyl-2-pyridyloxy)cyclotetraphosphazene
Octakis(2-pyridyloxy)cyclotetraphosphazene, Inclusion compounds, X-ray structures, 189
Octamolybdate subunits
Hydrothermal synthesis, Mixed metal oxides, Hydrothermal reactions, 177
Octamolybdates
Polyoxometallates, Keggin-type anions, Imidazole ligands, Copper, 3091
8-OHdG
Chromium picolinate, Lipid peroxidation, Rats, DNA, 455
O ligands
Titanium, Cyclopentadienyl ligands, Intramolecular coordination, P ligands, Variable-temperature NMR spectroscopy, 2885
Oligoarylamines
Coupling reactions, Electrochemical methods, UV–Vis absorption, Charged high-spin systems, Organic mixed-valence system, 2003
Oligomers
Supramolecular chemistry, Copper, Self-assemblies, Coordination chemistry, 2985
Oligovanadates
L-Glutamic acid, L-Glutamine, Decomposition, Electronic spectra, Crystal structures, 1415
One-dimensional
Lead, Dicyanamide, Coordination polymer, Coordination mode, Double-stranded, 917
One-dimensional (1D) metal chain complexes
Magnetic effective density functional, MEDF, Effective exchange integrals, 2019
Open-framework
Hydrothermal reaction, Crystal structure, Succinate, Bipy, 3097
Open-shell molecules
Terpyridine, Organic based magnets, EPR radicals, Nitronyl nitroxide, Semiempirical (AM1) calculations, 2099
Optically active sulfur-bridged complexes
Dinuclear Co(III)–Pd(II) and Co(III)–Pt(II) complexes, 2,2′-Bipyridine complexes, Crystal structures, Spectrochemistry, 1507
Organic based magnets
Terpyridine, EPR radicals, Open-shell molecules, Nitronyl nitroxide, Semiempirical (AM1) calculations, 2099
Organic crystals
Nitronyl nitroxide, Radical ions, Magnetism, Ionic crystals, 2343
Organic ferrimagnet
Nitronyl nitroxide, Magnetic susceptibility, Charged biradical, Electron spin resonance, Supramolecular crystal engineering, 1817
Organic ferromagnet
Pressure effect, Curie temperature, Biradical, Exchange interactions, 2287
Organic magnet
Muon-spin rotation, Nanodisc, Quantum tunneling, Molecular magnet, 1973
Organic magnetism
Nitronyl nitroxide radical, ^{1}H MAS NMR, Fermi contact shift, Electron spin density distribution, DFT calculation, 1989
Organic mixed-valence system
Oligoarylamines, Coupling reactions, Electrochemical methods, UV–Vis absorption, Charged high-spin systems, 2003
Organic polymer
Itinerant ferromagnetism, Flat band, Polyaminotriazole, Molecular crystal, First-principles calculation, 1883
Organic superconductor
Molecular magnetism, Effective exchange integral, Ab initio MO method, Density functional method, BEDT-TTF, BETS, TMTTF, TMTSF, 2051

Organic-based magnet
Spin glass, Tetracyanoethylene, Low-dimensional magnetism, Susceptibility, Fractal cluster, 1751
Organodiazenido
Rhenium, X-ray structures, Electronic structures, 3307
Organogermanium(IV)
2,5-Dimercapto-4-phenyl-1,3,4-thiodiazole, Non-bonded interaction, Crystal structures, X-ray crystallography diffraction, 2767
Organolanthanide complex
Ytterbium, β-Diketiminate ligand, Synthesis, Crystal structures, 1241
Organomagnetic conductors
Ab inito MO calculation, Hybrid-DFT, Electronic structure, Effective exchange integral, 2039
Organomercuration
Napthylazoimidazole, H-bonding, Coordination compounds, X-ray structure, 1367
Organometallic chemistry
Molybdenum, Rhodium, Polyoxometalate, EXAFS, 1157
Organophosphine ligands
Boron, Carbonyl complexes, Manganese, Octahydrotriborate(2−), Rhenium, X-ray structures, 1627
Organotin
Phosphine oxide, Crystal structures, Chelation, 3277
Organotin compounds
Aryltin compounds, FT-IR spectroscopy, NMR spectroscopy, X-ray crystal structure, 3523
Organotin(IV)
Bis(imidazolyl)borate ligand, Tin-119 NMR, Electrospray mass spectroscopy, 499
Osmium
Metallation, Methyl substituent, Trimethylthiazole, X-ray structures, 355
Osmium
Cyclopentadienyl, Chelating ligands, Bipyridine, Phenanthroline, 1391
Oxaaza macrocycles
Copper complexes, Template synthesis, Direct synthesis, Schiff-base, 1701
μ-Oxalato-bridge
Copper(II), Chromium(III), Iron(III), Heterotrinuclear complexes, Magnetism, 3223
Oxalato-bridged complexes
Heteropolynuclear cobalt(III)–dysprosium(III) complexes, Nitrilotriacetate complexes, X-ray structures, Diffuse reflectance spectra, 1455
Oxalato complexes
Synthesis, Crystal structures, Magnetic properties, 3115
Oxalato-bridged complexes
Ab initio calculations, CASPT2, Difference dedicated CI, Magnetic properties, Hetero-bimetallic complexes, 2409
Oxamido-bridged
Heterobinuclear complexes, Spin-doublet ground state, Homotrinuclear nickel(II) complexes, Supramolecular structures, 2911
Oxidation
Dipyridinated manganese(II) phthalocyanine, Crystal structures, Magnetic properties, Antiferromagnetic interactions, UV–Vis spectroscopy, 2689
Oxidative addition
Platinum, Imine ligands, Chiral compounds, Steric effects, Crystal structure, 3363
Oximates
Rhodium, Rhodoximes, Spectral properties, Crystal structures, 3195
Oxo
Rhenium, Nitrosyl, Bipyridine, X-ray structures, Electronic structures, 2573
Oxo-centred trimers
Cobalt acetate, Ancillary ligands, X-ray crystal structures, 947
Oxo-complexes
Rhenium(V), Phosphinite ligands, Alkoxo-complexes, Crystal structures, 1711
Oxo-complexes
Rhenium complexes, Benzotriazole complexes, Crystal structures, Spectroscopic investigation, 2869
Oxomolybdenum(IV) complexes
Thiocarbodihydrazone and diacetyldihydrazones ligands, X-ray crystal structure, Oxotransfer property, 3075
Oxophenalenoxyl
Monoradicals, Spin topology, Spin density distribution, Molecular spin diversity, Density functional calculation, 2205
Oxophenalenoxyl
Radical dianion, Redox-based spin diversity, Spin structure, Charge fluctuation, Density functional calculation, 2209
Oxotransfer property
Oxomolybdenum(IV) complexes, Thiocarbodihydrazone and diacetyldihydrazones ligands, X-ray crystal structure, 3075
Oxoverdazyl
1,6-Dithiapyrene, Imino nitroxide, Spin structure, Density functional theory, ESR/ENDOR/TRIPLE spectroscopy, 2219
Oxygen atom transfer reaction
Hydroperoxo-iron(III) species, Spin-state of iron(III) ion, Heme-oxygenase, 293
Oxygen fixation
Electron-pair repulsion, Polarizing molecular mechanics, Iron–porphyrin complex, Heme charge, CO/O_2 discrimination, 1091

P ligands
Titanium, Cyclopentadienyl ligands, Intramolecular coordination, O ligands, Variable-temperature NMR spectroscopy, 2885
Palladium
Diimine, Diazadiene, Chelate complexes, 1447
Palladium
Carbenes, Platinum, Iodine, Crystal structures, Luminescence, 1515
Palladium
Platinum, Chirality, Bidentate nitrogen ligands, Antitumor compounds, Crystal structures, 1529
Palladium
Pyridylimine, Pyridyl-2-methanimine, Ethylene polymerization, HDPE, Polyethylene, 2855
Palladium and nickel complexes
Metalla-macrocycles, Templating agents, Triphenylphosphine, Anion template, Hydrogen bonding, 2991
Palladium complexes
Insertion, Sulfur dioxide, Crystal structures, 805
Palladium(II)
Iron(III), Cobalt(II), Nickel(II), Copper (II), Platinum(II), Spectral properties, Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Palladium(II)
Glutathione, L-Cysteine, Sodium dodecyl sulfate, Complex formation, Micellar catalysis, 279
Palladium(II)
β-Alanine, Dipeptides, Tripeptides, Nickel(II), Stability constants, 2607
Palladium(II) acetate
Cyclometallation, Benzylamine, 287
Palladium(II) cyclometallated complexes
Crystal and molecular structures, Ammonium hexafluorophosphate, Chelating, Phosphines, 241
Palladium-catalyzed amination
Aromatic polyamine, Polycondensation, Aminium cationic radical, Non-Kekulé molecule, 1945
Palmitic acid
Lead soaps, Hydrothermal, Stearic acid, Red lead, Lead-tin yellow, 3171
p-Cymene
Hexamethylbenzene, *N*-(2-pyridinylmethylene)phenylamines, *N*-(2-pyridinylmethylene)cyclohexylamine, Schiff base, Ruthenium, 605
p-Cymene
Hexamethylbenzene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
Pd(II) and Pt(II) complexes
Pt(I) complexes, 2,2′-Biimidazole, *N*,*N*′-Dimethyl-2,2′-biimidazole, Crystal structure, DNA interactions, Solvolysis by DMSO, 1113
$[PdCl_2\{(C_4H_3S)_3As\}_2]$
2-Thienyl derivatives, Arsenic, Antimony, X-ray structures, 549
Pentacoordinate
Cyclodiphosphazanes, X-ray structures, 843

Pentacyanoferrate complexes
Magnetic properties, Square grid network, Magnetometry, 2125
Pentadentate Rh(III) complex
Crystal structure, Ring conformations, 3265
Pentadentate sulfur–nitrogen ligand
Zinc(II) and cadmium(II) complexes, 2,6-Diacetylpyridine Schiff base of *S*-benzyldithiocarbazate, 3433
Pentafluorophenylthiolate
Rhodium, 3,5-Dimethylpyrazole, Mercury, Crystal structures, 3293
Pentafluoropropionate
Cyanide, Triflate, Trifluoroacetate, Silver, 217
Pentamethylcyclopentadienyl
Indenyl, Ruthenium, Molecular structures, Bipyridine, Phenanthroline, 307
Peptide
Copper, Creatinine, Benzimidazole, Bioactivity, 3255
Perchlorate
SERS, Terpyridine, 1673
Perfluorinated carboxylates
Copper(I), Diphosphines, NMR, MS, 3389
Perturbation treatment
Single-component organic ferrimagnet, Magnetic susceptibility, Electron spin resonance, Nitronyl nitroxide, Triradical, 1809
Pesticides
Antiprotooans, 3,5-dimethyl-tetrahydro-2H-1,3,5-thiadiazine-2-thione, 1689
pH variation
ATP–cisplatin complexes, NMR DOSY, Long range $^{1}H^{15}N$ HMQC, 611
Phase transfer catalyst
Ru(II) complex, Solid state, Ligand exchange reaction, 3289
Phenanthroline
Pentamethylcyclopentadienyl, Indenyl, Ruthenium, Molecular structures, Bipyridine, 307
1,10-Phenanthroline
Europium complex, X-ray crystallography, Photophysical property, Succinamic acid, 323
1,10-Phenanthroline
Arylazoimidazoles, Ruthenium(II) complexes, Electrochemistry, X-ray structures, EHMO, 849
Phenanthroline
Cyclopentadienyl, Osmium, Chelating ligands, Bipyridine, 1391
1,10-Phenanthroline
Ternary manganese(II) complexes, Neocuproine, Indole-2-carboxylic acid, Crystal structures, IR, Catalytic activity, 1461
1,10-Phenanthroline
Praseodymium, Neodymium, 2,2′:6′,2′-Terpyridine, X-ray crystal structures, 1489
1,10-Phenanthroline
Supramolecular architecture, Lanthanide, Glycine, Coordination compound, Noncovalent interactions, 2617
4,7-Phenanthroline
Synthesis, Coordination polymers, Crystal structures, Cu(I), 3015
10-Phenanthroline
p-Cymene, Hexamethylbenzene, Ruthenium, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 2,3-Bis(α-pyridyl)quinoxaline, 3155
1,10-Phenanthroline
Manganese(II) complexes, 2,2-Dimethylpentanedioic acid, 3,3-Dimethylpentanedioic acid, 2,2′-Bipyridine, Crystal structure, Anti-*Candida* activity, 3187
Phenol
Synthesis, Equilibria, Dinuclear complexes, Polyamines, Crystal structure, 1135
Phenolate ligands
Alkoxide complexes, Tungsten, Crystal structures, 2755
Phenoxyl
Conjugated polymer, Polyradical, Poly(-aryleneethynylene), Anthracene, High-spin polymer, 1845
Phenylazoisoquinolin
Ruthenium(II) complexes, Isomers, X-ray structures, 535
Phosphine ligands
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Face-sharing bioctahedral complexes, Thiolate ligands, 2625
Phosphine oxide
Organotin, Crystal structures, Chelation, 3277
Phosphine–phosphinesulfide
Ruthenium(II) carbonyl complexes, Bidentate chelating ligand, X-ray crystal structures, Octahedral structures, Steric effect, 2725
Phosphines
Co-ordination chemistry, Platinum, Catalysis, Hemi-labile, Chelate ligands, 19
Phosphines
Palladium(II) cyclometallated complexes, Crystal and molecular structures, Ammonium hexafluorophosphate, Chelating, 241
Phosphinite ligands
Rhenium(V), Oxo-complexes, Alkoxo-complexes, Crystal structures, 1711
Phosphonate complexes
Acidity constants, Charge repulsion, Pyrimidine nucleotide analogue, Stability constants, Stacking interactions, Ternary complexes, 1067
Phosphonates
Octadecyl, Nickel(II) ion, Layered compounds, Magnetic properties, Weak ferromagnet, 2463
Phosphorus sulfur ligand
Monodentate bidentate, Transition metal complexes, Crystal structures, 361
Phosphorylic ligands
Carbacylamidophosphates, Self-complementary molecules, Supramolecular chemistry, 1221
Phosphotungstate
Crystal structures, Polyoxometalate, NMR, Heteropolyanion, 933
Photocatalyst
Titania, Electronic spectra, Stearic acid, 35
Photochromic effect
Metastable states, Pseudo-Jahn–Teller effect, Electron transfer, 2527
Photodynamic
Recrystallization, $MgPc(H_2O)$, 1167
Photoisomerization
Ruthenium(II)-bipy derivative complexes, 1,4-bis(diphenylphosphino)butane, 3205
Photoluminescence
Carbazole, *N*-carbazolylacetate, Crystal structures, Complexes, 397
Photolysis
Carbenes, Copper, Assembly, Spin-glass, Magnetic properties, 1877
Photophysical property
Europium complex, X-ray crystallography, 1,10-Phenanthroline, Succinamic acid, 323
Phthalocyanine
Unsymmetrical, Substituted, Trimeric, Metal complex, s-Triazine, 819
Phthalocyanines
Porphyrazines, Magnesium, Copper, Zinc, Electrochemistry, 3083
Picolinic acid derivatives
VO(IV) complexes, Insulin-mimics, X-ray crystallography, Speciations, 27
Platinum
Co-ordination chemistry, Catalysis, Hemilabile, Phosphines, Chelate ligands, 19
Platinum
Carbenes, Palladium, Iodine, Crystal structures, Luminescence, 1515
Platinum
Palladium, Chirality, Bidentate nitrogen ligands, Antitumor compounds, Crystal structures, 1529
Platinum
Imine ligands, Chiral compounds, Oxidative addition, Steric effects, Crystal structure, 3363
Platinum(II)
Iron(III), Cobalt(II), Nickel(II), Copper (II), Palladium(II), Spectral properties, Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
p-(nitro)Phenyl nitronyl nitroxide
Molecule-based magnets, Bulk ferromagnetism, Theoretical analysis, Magnetic structures, 1935
Polarised neutron diffraction
$[Fe(ptz)_6](BF_4)_4$, Light-induced excited spin state trapping, Spin density, 2155
Polarizing molecular mechanics
Electron-pair repulsion, Iron–porphyrin complex, Heme charge, Oxygen fixation, CO/O_2 discrimination, 1091
Poly(3-rpyrazolyl)borate cobalt(II) complexes
Structures, NMR, 581

Poly(aryleneethynylene)
Conjugated polymer, Polyradical, Phenoxyl, Anthracene, High-spin polymer, 1845
Poly(pyrazolyl)borate ligands modified
Hydrogen bonding, CH···O bonding, CH···N bonding, CH···Cl bonding, Supramolecular interactions, 1123
Polyamines
Synthesis, Equilibria, Dinuclear complexes, Phenol, Crystal structure, 1135
Polyaminotriazole
Itinerant ferromagnetism, Organic polymer, Flat band, Molecular crystal, First-principles calculation, 1883
Polycarbene
Bis(9-(10-phenyl)anthryl)carbene, Ab initio method, Effective exchange integral, AO-fitting, AO-approach, 2067
Polycondensation
Aromatic polyamine, Aminium cationic radical, Non-Kekulé molecule, Palladium-catalyzed amination, 1945
Polydentate pyridine ligand
Zn(II) complexes, Co(II) complexes, Crystal structures, Multi-directional ligand, N-donor ligand, 205
Polyether macrocycles
Cryptands, Xanthate, Methyl viologen, 795
Polyethylene
Palladium, Pyridylimine, Pyridyl-2-methanimine, Ethylene polymerization, HDPE, 2855
Polymer
Lanthanides, Amides, Compound, Catalysis, Polymerization, 1019
Polymetallic complexes
Solid state structures, Synthesis, Spectroscopic data, 3403
Polymer length
Borate–polysaccharide complexes, Speciation, Conformation, ^{11}B NMR, 909
Polymeric
Crystal structures, Mn compounds, Solid state, 133
Polymeric
Cadmium, Tetradentate, Quadradentate, Schiff-base, 3213
Polymeric network
Ligands, Molecular assemblies, Metal precursors, 3009
Polymeric tubes
2,2′-Bipyridine, Cadmium(II) complex, Double-helix, Isophthalate, Zinc(II) complex, 1231
Polymerization
Lanthanides, Amides, Compound, Catalysis, Polymer, 1019
Poly metallic complexes
Solid state structures, Synthesis, Spectroscopic data, 3403
Polymethylenediamine
Copper, Tetradentate, Quadridentate, Schiff-base, Salicylidene, 887
Polynitrile ligands
Syntheses, Crystal structures, Zinc complexes, Fluorescence, 493
Polynuclear iron complex
Single-molecule magnet, Quantum tunneling of magnetization, Nanomagnet, Superparamagnet, 1865
Polyoxometalate
Crystal structures, Phosphotungstate, NMR, Heteropolyanion, 933
Polyoxometalate
Molybdenum, Rhodium, Organometallic chemistry, EXAFS, 1157
Polyoxometalate
Protonation, Molybdenum, Molecular oxide, 2847
Polyoxometallates
Octamolybdates, Keggin-type anions, Imidazole ligands, Copper, 3091
Polyoxotungstate
^{183}W and ^{17}O NMR shifts, EHMO calculations, 1183
Polypicolylamine ligands
Ruthenium(II) complexes, Tricyanomethane anions, X-ray crystallography, 875
Polyradical
Conjugated polymer, Phenoxyl, Poly(aryleneethynylene), Anthracene, High-spin polymer, 1845
Polyvinylpyridine
Nanocomposite, Maghemite, Nanoparticles, Magnetic properties, 2457
Porphyrazines
Phthalocyanines, Magnesium, Copper, Zinc, Electrochemistry, 3083
Porphyrins
Thin films, Zirconium phosphonates, Diffraction gratings, 3065
Post-source decay
Tellurium, Sulfur, Clusters, Laser ablation synthesis, Mass spectrometry, 2601
Potassium
Lithium, Sodium, Amide ligands, 12-Crown-4, Crystal structures, 3507
Potentiometry
Guanidinoacetic acid, Guanidino–carboxylate interactions, Ternary complexes, Stability constants, Copper(II), 225
Potentiometry
Macrocyclic compounds, Transition metal ions, Complexation, Conductometry, 569
PPh_4 salt
Single-molecule magnet, Single crystal X-ray analysis, Mn_{12} complexes, a.c. and d.c. magnetic susceptibility, 2-Thiophenecarboxylic acid, 1795
Praseodymium
Fluoride, Neodymium, X-ray structure, Titanium, 575
Praseodymium
Neodymium, 2,2′:6′,2′-Terpyridine, 1,10-Phenanthroline, X-ray crystal structures, 1489
Praseodymium complexes
Lanthanide, 2,2′-Bipyridine, Thiocyanate, Chloride, Nitrate, Dithiocarbamate, Crystal structures, 347
Preparation
Cadmium(II) azido and thiocyanato complexes, Pyridine derivative complexes, Spectra, Crystal structures, 975
Pressure effect
Organic ferromagnet, Curie temperature, Biradical, Exchange interactions, 2287
Propargyl amines
Retro-chloropalladation reaction, Monomeric compounds, Alkynes, 1665
Proton
Interaction, Hydrogen bonding, Intramolecular, 769
Protonation
Dithiolate complexes, Ruthenium clusters, X-ray structures, 633
Protonation
Polyoxometalate, Molybdenum, Molecular oxide, 2847
Protonolysis
Lanthanides, Dications, Divalent, Cyclopentadienyl, Amide, 119
Prussian-blue analogs
Local magnetic structures, Solid-state ^{13}C NMR, Hyperfine coupling of CN ions, Solid-state high-resolution deuterium NMR, Crystal water molecules, 1981
Pseudo-halides
Synthesis, Dirhenium, Crystal structures, Di-cation, Amidato, 1281
Pseudo-Jahn–Teller effect
Photochromic effect, Metastable states, Electron transfer, 2527
Pt(I) complexes
Pd(II) and Pt(II) complexes, 2,2′-Biimidazole, *N*,*N*′-Dimethyl-2,2′-biimidazole, Crystal structure, DNA interactions, Solvolysis by DMSO, 1113
Pteridine
Crystal structures, Complexes, Lumazine, 483
Purine
Zn(II) complexes, ^{15}N NMR, HETCOR, CPMAS, Coordination shift, 391
pym, pyrimidine
Malonate, Caboxylate, Magnetic properties, Molecular magnetism, H_2mal, malonic acid, bipym, 2,2′-bipyrimidine, phen, phenantroline, Im, imidazole, MeIm, methylimidazole, 2,4′-bipy, 2,4′-bipyridine, 4,4′-bipy, 4,4&pr, 2111
Pyrazine
X-ray diffraction, Neutron powder diffraction, Quantum spin chain, Copper, 2045
Pyrazolylthiosemicarbazone
Iron(III) complexes, Synthesis, X-ray crystal structures, 375
Pyridazine
Quasi-reversible, Schiff base, *o*-aminophenol, 665

Pyridazine ligands
Copper complexes, Crystal structures, Pyrimidine ligands, Thermogravimetric analysis, Triazine ligands, 419
Pyridine
X-ray crystallography, Metal amide, Silyamide, 67
Pyridine
Diphosphino ligands, Chalcogens, Ti-n(IV), X-ray crystallography, 1585
Pyridine derivative complexes
Cadmium(II) azido and thiocyanato complexes, Preparation, Spectra, Crystal structures, 975
Pyridine derivative complexes
Cadmium(II) pseudohalides, Syntheses, Spectra, Crystal structures, 3137
2-Pyridineformamide
Iron(III), Cobalt(II), Nickel(II), Copper(-II), Palladium(II), Platinum(II), Spectral properties, Crystal structures, *N*(4)-dimethylthiosemicarbazone complexes, 83
Pyridinyl
Biferrocenium, Metallocene, Supramolecule, 1199
Pyridoxal 5′-phospate
Deamination of amino acids, Diorganotin(IV) complexes, Pyridoxal–pyridoxamine Schiff base, X-ray structures, Antibacterial activity, 53
Pyridoxal–pyridoxamine Schiff base
Deamination of amino acids, Diorganotin(IV) complexes, Pyridoxal 5′-phospate, X-ray structures, Antibacterial activity, 53
Pyridyl
Crystallography, Hexadentate, Ligand, Helicate, 755
Pyridyl-2-methanimine
Palladium, Pyridylimine, Ethylene polymerization, HDPE, Polyethylene, 2855
Pyridylimine
Palladium, Pyridyl-2-methanimine, Ethylene polymerization, HDPE, Polyethylene, 2855
Pyrimidine ligands
Copper complexes, Crystal structures, Pyridazine ligands, Thermogravimetric analysis, Triazine ligands, 419
Pyrimidine nucleotide analogue
Acidity constants, Charge repulsion, Phosphonate complexes, Stability constants, Stacking interactions, Ternary complexes, 1067
Pyromellitate
Carboxylate, Cobalt, Iron, Magnetism, Manganese, Framework, 1921
Pyrrole
Anion binding, Ferrocene, Self-assembly, Electrochemical sensor, 699
Pyrroles
Supramolecular chemistry, Self-assemblies, Solid state structures, Hydrogen bonds, Molecular recognition, 2963
pyz, pyrazine
Malonate, Caboxylate, Magnetic properties, Molecular magnetism, H_2mal, malonic acid, bipym, 2,2′-bipyrimidine, phen, phenantroline, Im, imidazole, MeIm, methylimidazole, 2,4′-bipy, 2,4′-bipyridine, 4,4′-bipy, 4,4&pr, 2111
$[pz^{Bu^t}_2]Mo(PMe_3)_4H$
3,5-Di-*t*-butylpyrazolyl, Molybdenum complexes, η^2-Coordination, $Mo(PMe_3)_6$, 199

Quadradentate
Cadmium, Tetradentate, Schiff-base, Polymeric, 3213
Quadridentate
Copper, Tetradentate, Schiff-base, Polymethylenediamine, Salicylidene, 887
Quadruple bond
Rhenium, Octachlorodirhenate, 1547
Quantum chemical calculations
Double-exchange mechanism, High-spin organic polymer, Spin-polarized nanowire, 1829
Quantum spin chain
X-ray diffraction, Neutron powder diffraction, Pyrazine, Copper, 2045
Quantum spin chain
^{13}C NMR, S=1/2 antiferromagnet, Cu complex, Molecular magnet, Field-induced excitation gap, 2273
Quantum tunneling
Single molecule magnets, Nanomagnet, Electron paramagnetic resonance, Manganese, 1889
Quantum tunneling
Single molecule magnets, Nanomagnet, Electron paramagnetic resonance, Manganese, 1897
Quantum tunneling
Single-molecule magnets, Nanomagnet, Electron paramagnetic resonance, Manganese, 1911
Quantum tunneling
Muon-spin rotation, Organic magnet, Nanodisc, Molecular magnet, 1973
Quantum tunneling
Hysteresis, Mn clusters, Single-molecule magnets, 2267
Quantum tunneling
Fe8, Nuclear magnetic resonance, 2277
Quantum tunneling of magnetization
Single-molecule magnets, Hysteresis, Jahn-Teller isomers, 1783
Quantum tunneling of magnetization
Single-molecule magnet, Nanomagnet, Superparamagnet, Polynuclear iron complex, 1865
Quantum tunneling of the magnetic moment
Single-molecule magnets, Mn_4, Spin-lattice relaxation, Magnetic order, Very-low-temperature time-dependent specific heat, 2169
Quantum tunnelling
Molecular magnet, Nuclear relaxation, 1745
Quasi-reversible
Pyridazine, Schiff base, *o*-aminophenol, 665
Quinoxaline
Spin ladder, Antiferromagnetic, Copper (II), 2325

Radical
Second-order, NLO, HRS, Electrochemistry, 1851
Radical
Molecular magnetism, Supramolecular, Carboxylate, Co(II) complexes, Hydrogen-bond, 1929
Radical dianion
Oxophenalenoxyl, Redox-based spin diversity, Spin structure, Charge fluctuation, Density functional calculation, 2209
Radical ions
Nitronyl nitroxide, Magnetism, Organic crystals, Ionic crystals, 2343
Radical salts
Tetrathiafulvalene, Bimetallic oxalato complexes, Molecular magnetism, Conducting properties, 2381
Radical–metal complexes
1,3-Diazaphenalenyl, 1,3-Diazaphenalene, X-ray structure analysis, 2215
Raman
Ni dithiolenes, Se-donors, X-ray, Electrochemistry, 2175
Raman spectroscopy
Niobium diphthalocyanine, Niobium(V) complexes, Crystal structures, UV–Vis spectroscopy, 'Stapled' sandwich-type diphthalocyanine, 313
Rare earths
Crystal structures, Lanthanides, Vibration spectra, 271
Rats
Chromium picolinate, 8-OHdG, Lipid peroxidation, DNA, 455
Reaction
Dimeric structures, Lanthanide nitrates, Ligand, 1431
Receptor
Anion, Dendrimer, Electrochemistry, Ferrocene, Supramolecular, 763
Receptor
Anion, Emission intensity, Complexes, Ruthenium, 775
Recrystallization
$MgPc(H_2O)$, Photodynamic, 1167
Rectangular grid
Coordination polymer, Noncentrosymmetric structures, Metal–organic framework, Inclusion compounds, Bifunctional ligand, 235
Red lead
Lead soaps, Hydrothermal, Palmitic acid, Stearic acid, Lead-tin yellow, 3171
Redox activity
Mn^{III}–Schiff base complex, Crystal structures, Hydroquinone, Catechol, 1191
Redox process
Heteropolyoxometalates, Spectroscopy, 2901
Redox-based spin diversity
Oxophenalenoxyl, Radical dianion, Spin structure, Charge fluctuation, Density functional calculation, 2209
Reorganization energies
Mixed-valence, Ruthenium complexes, Intramolecular electron transfer, Inverted region, Energy conversion, 465

Retro-chloropalladation reaction
Monomeric compounds, Alkynes, Propargyl amines, 1665
Reversible absorption and desorption of water
Coordination chemistry, Schiff bases, Cd compounds, X-ray structure determination, Hydrogen bonding, 3451
Rhenium
Quadruple bond, Octachlorodirhenate, 1547
Rhenium
Boron, Carbonyl complexes, Manganese, Octahydrotriborate(2−), Organophosphine ligands, X-ray structures, 1627
Rhenium
Nitrosyl, Oxo, Bipyridine, X-ray structures, Electronic structures, 2573
Rhenium
Organodiazenido, X-ray structures, Electronic structures, 3307
Rhenium
Clusters, Copper, Sulfur, Selenium, Tellurium, 3383
Rhenium azo chelates
Azopyrimidine chelates, Rhenium pyrimidine chelates, Rhenium azopyrimidine chelates, 901
Rhenium azopyrimidine chelates
Azopyrimidine chelates, Rhenium azo chelates, Rhenium pyrimidine chelates, 901
Rhenium complexes
Mixed-valence, Ruthenium complexes, Intramolecular electron transfer, Energy conversion, 369
Rhenium complexes
Benzotriazole complexes, Oxo-complexes, Crystal structures, Spectroscopic investigation, 2869
Rhenium pyrimidine chelates
Azopyrimidine chelates, Rhenium azo chelates, Rhenium azopyrimidine chelates, 901
Rhenium(V)
Phosphinite ligands, Oxo-complexes, Alkoxo-complexes, Crystal structures, 1711
Rhodium
Molybdenum, Polyoxometalate, Organometallic chemistry, EXAFS, 1157
Rhodium
Chiral-at-metal complexes, Configurational stability, Epimerization, X-ray structure analyses, 2639
Rhodium
Rhodoximes, Oximates, Spectral properties, Crystal structures, 3195
Rhodium
3,5-Dimethylpyrazole, Pentafluorophenylthiolate, Mercury, Crystal structures, 3293
Rhodium complexes
Cobalt complexes, Metal–metal bonds, X-ray structure analyses, Electronic structures, Cyclic voltammetry, 3413
Rhodoximes
Rhodium, Oximates, Spectral properties, Crystal structures, 3195
Ring conformations
Pentadentate Rh(III) complex, Crystal structure, 3265
Ring–ring equilibrium
Antimony, Bromine, Isobutyl group, X-ray diffraction, NMR spectra, 1719
Ru(II) complex
Solid state, Ligand exchange reaction, Phase transfer catalyst, 3289
Ruthenium
Clusters, Sensors, ArgoGel resins, Supported transition metals, Gas sensing, 3
Ruthenium
Copper, Silver, 2,2′-Bipyridine, Metallostar, X-ray, 93
Ruthenium
Pentamethylcyclopentadienyl, Indenyl, Molecular structures, Bipyridine, Phenanthroline, 307
Ruthenium
p-Cymene, Hexamethylbenzene, *N*-(2-pyridinylmethylene)phenylamines, *N*-(2-pyridinylmethylene)cyclohexylamine, Schiff base, 605
Ruthenium
Anion, Receptor, Emission intensity, Complexes, 775
Ruthenium
N ligand, Bridging ligands, Heterometallic complexes, EXAFS spectroscopy, 2799
Ruthenium
p-Cymene, Hexamethylbenzene, Terpyridine, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
Ruthenium clusters
Dithiolate complexes, Protonation, X-ray structures, 633
Ruthenium complexes
Mixed-valence, Rhenium complexes, Intramolecular electron transfer, Energy conversion, 369
Ruthenium complexes
Mixed-valence, Intramolecular electron transfer, Inverted region, Reorganization energies, Energy conversion, 465
Ruthenium complexes
Spiropyrans, Spirooxazine, Bipyridine, Molecular device, 655
Ruthenium(II)
Diimine ligands, Tetradentate, Syntheses, Structures, 867
Ruthenium(II) carbonyl complexes
Phosphine–phosphinesulfide, Bidentate chelating ligand, X-ray crystal structures, Octahedral structures, Steric effect, 2725
Ruthenium(II) complexes
NS-donors, Thiosemicarbazones, X-ray crystal structures, Biological activity, 447
Ruthenium(II) complexes
Phenylazoisoquinolin, Isomers, X-ray structures, 535
Ruthenium(II) complexes
Arylazoimidazoles, 1,10-Phenanthroline, Electrochemistry, X-ray structures, EHMO, 849
Ruthenium(II) complexes
Polypicolylamine ligands, Tricyanomethane anions, X-ray crystallography, 875
Ruthenium(II)-bipy derivative complexes
Photoisomerization, 1,4-bis(diphenylphosphino)butane, 3205
Ruthenium-polypyridine
Benzotriazole, Electron transfer, Intervalence charge-transfer, Mixed-valence, 1303

S=1/2 antiferromagnet
^{13}C NMR, Quantum spin chain, Cu complex, Molecular magnet, Field-induced excitation gap, 2273
Salen Cu(II) complexes
Schiff-base ligands, Catalytic epoxidation, Iodosylbenzene, Styrene, Hammett substituent constants, 1653
Salen ligands
Axial coordination cobalt(III) complexes, Circular dichroism spectra (CD), X-ray structures, 1535
Salicylaldehyde semicarbazone
Copper(II) complexes, Crystal structures, 2781
Salicylidene
Copper, Tetradentate, Quadridentate, Schiff-base, Polymethylenediamine, 887
Salicylideneaniline
Cobalt(II) complexes, Schiff base, Solutions, Ligand-field parameters, Electronic spectra, Chromaticity, Solvatochromism, 997
Samarium
Synthesis, Crystal structures, Lanthanide, Ytterbium, β-Diketiminate ligand, 441
Sandwich
Bimetallic coordination polymers, Dicyanamide, Crystal structures, Magnetic properties, Template, 433
Schiff base
p-Cymene, Hexamethylbenzene, *N*-(2-pyridinylmethylene)phenylamines, *N*-(2-pyridinylmethylene)cyclohexylamine, Ruthenium, 605
Schiff base
Pyridazine, Quasi-reversible, *o*-aminophenol, 665
Schiff base
Cobalt(II) complexes, Salicylideneaniline, Solutions, Ligand-field parameters, Electronic spectra, Chromaticity, Solvatochromism, 997
Schiff base
Electrochemical synthesis, 2-Aminopyridine, Methanol, 1335
Schiff base
Macrocycle, Template, Nickel(II) complexes, Mixed-donor macrocycles, Aza-crown ethers, 1481

Schiff bases
Complexes, Vanadium, 1009
Schiff bases
Zinc(II) and cadmium(II) complexes, Di-2-pyridylketone Schiff base of *S*-benzyldithiocarbazate, Dithiocarbazates, 1471
Schiff bases
Heteropolymetallic complexes, Uranyl ions, Crystal structures, 2683
Schiff bases
Coordination chemistry, Cd compounds, X-ray structure determination, Hydrogen bonding, Reversible absorption and desorption of water, 3451
Schiff-base
Copper, Tetradentate, Quadridentate, Polymethylenediamine, Salicylidene, 887
Schiff-base
Manganese, Epoxidation, Biaryl, Chiral-at-metal, 1617
Schiff-base
Copper complexes, Template synthesis, Direct synthesis, Oxaaza macrocycles, 1701
Schiff-base
Cadmium, Tetradentate, Quadradentate, Polymeric, 3213
Schiff-base ligands
Salen Cu(II) complexes, Catalytic epoxidation, Iodosylbenzene, Styrene, Hammett substituent constants, 1653
Schiff-bases
Tetranuclear copper(II) complexes, Molecular rectangles, Crystal structures, 1385
Se-donors
Ni dithiolenes, Raman, X-ray, Electrochemistry, 2175
Second-order
Radical, NLO, HRS, Electrochemistry, 1851
Selenium
Rhenium, Clusters, Copper, Sulfur, Tellurium, 3383
Self-assemblies
Supramolecular chemistry, Solid state structures, Pyrroles, Hydrogen bonds, Molecular recognition, 2963
Self-assemblies
Supramolecular chemistry, Copper, Coordination chemistry, Oligomers, 2985
Self-assembly
Anion binding, Pyrrole, Ferrocene, Electrochemical sensor, 699
Self-assembly
Bridging, Ligand, Tetrahedral cage, Anion binding, 781
Self-assembly
Copper(II) complexes, Structural elucidation, Magnetic properties, 2661
Self-assembly
Coordination polymer, Hydro(solvo)thermal synthesis, Cobalt oxydiacetate, Topological isomerism, Interconversion, 2953
Self-complementary molecules
Carbacylamidophosphates, Phosphorylic ligands, Supramolecular chemistry, 1221
Semiempirical (AM1) calculations
Terpyridine, Organic based magnets, EPR radicals, Open-shell molecules, Nitronyl nitroxide, 2099
Sensors
Clusters, Ruthenium, ArgoGel resins, Supported transition metals, Gas sensing, 3
Separation coefficient
Isotopic fractionation, Ion-exchange chromatography, Complex formation, Dimerization, Molecular vibration, 1377
SERS
Terpyridine, Perchlorate, 1673
Shiff base
Magnetic measurement, Cubane structure, Copper, Nickel, Manganese, 2359
Silver
Copper, Ruthenium, 2,2′-Bipyridine, Metallostar, X-ray, 93
Silver
Cyanide, Pentafluoropropionate, Triflate, Trifluoroacetate, 217
Silver carboxylates complexes
Crystal structures, Thermal analysis, 837
Silver(I)
(Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile, Metal complexes, X-ray structures, Anti-fungal, *Candida albicans*, 1595
Silver(I)
Ylide complexes, Crystal structures, Mercury(II), 3345
Silver(I) complex
Triazene, Triazenide, Copper(I) complex, Dinuclear structure, 563
Silyamide
Pyridine, X-ray crystallography, Metal amide, 67
Single crystal X-ray analysis
Single-molecule magnet, Mn_{12} complexes, a.c. and d.c. magnetic susceptibility, 2-Thiophenecarboxylic acid, PPh_4 salt, 1795
Single crystal X-ray diffractions
Metal clusters, Supramolecular chemistries, Coordination polymers, 2999
Single molecule magnet
Susceptibility, Chirality, Manganese, Magnetic clusters, 2355
Single molecule magnets
Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1889
Single molecule magnets
Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1897
Single molecule magnets
Mn_{12}, Thermal stability, Thermolytic synthetic methods, 1951
Single-component organic ferrimagnet
Magnetic susceptibility, Electron spin resonance, Nitronyl nitroxide, Perturbation treatment, Triradical, 1809
Single-molecule magnet
Mn cluster, Benzenesulfonic acid, 1759
Single-molecule magnet
Manganese cages, Magnetization tunnelling, 1,1,1-Tris(hydroxymethyl)ethane, 1771
Single-molecule magnet
Single crystal X-ray analysis, Mn_{12} complexes, a.c. and d.c. magnetic susceptibility, 2-Thiophenecarboxylic acid, PPh_4 salt, 1795
Single-molecule magnet
Quantum tunneling of magnetization, Nanomagnet, Superparamagnet, Polynuclear iron complex, 1865
Single-molecule magnets
Nanomagnet, Magnetization tunneling, Superparamagnet, Nickel, 1727
Single-molecule magnets
Crystal structures, Magnetic properties, 1765
Single-molecule magnets
Magnetization, Two-electron reduction, Crystallization, 1777
Single-molecule magnets
Hysteresis, Jahn-Teller isomers, Quantum tunneling of magnetization, 1783
Single-molecule magnets
Nanomagnet, Magnetization tunneling, Superparamagnet, Manganese, 1857
Single-molecule magnets
Nanomagnets, Magnetic anisotropy, Density-functional calculations, Spin–orbit coupling, 1871
Single-molecule magnets
Nanomagnet, Electron paramagnetic resonance, Quantum tunneling, Manganese, 1911
Single-molecule magnets
Mn_4, Spin-lattice relaxation, Quantum tunneling of the magnetic moment, Magnetic order, Very-low-temperature time-dependent specific heat, 2169
Single-molecule magnets
Hysteresis, Mn clusters, Quantum tunneling, 2267
Single-molecule magnets
Host–guest systems, MCM-41, Mesoporous materials, Magnetic properties, Mn clusters, 2395
Single-source precursor method
Cadmium sulfide, Nanocrystallites, 3129
Singlet–triplet
Centrosymmetric dimer, Antiferromagnetic interaction, Curie–Weiss law, 2311
Singlet–triplet separation
DFT calculation, Copper, Verdazyl, 2241
SOD-like activity
Cu,Zn-SOD model, Crystal structures, ESR magnetic susceptibility, 925
Sodium
Lithium, Potassium, Amide ligands, 12-Crown-4, Crystal structures, 3507
Sodium dodecyl sulfate
Palladium(II), Glutathione, L-Cysteine, Complex formation, Micellar catalysis, 279

Solid state
Crystal structures, Polymeric, Mn compounds, 133
Solid state
Ru(II) complex, Ligand exchange reaction, Phase transfer catalyst, 3289
Solid state structures
Supramolecular chemistry, Self-assemblies, Pyrroles, Hydrogen bonds, Molecular recognition, 2963
Solid state structures
Synthesis, Spectroscopic data, Polymetallic complexes, 3403
Solid-state
X-ray structures, 2D coordination networks, Vanadium oxo clusters, 3037
Solid-state ^{13}C NMR
Prussian-blue analogs, Local magnetic structures, Hyperfine coupling of CN ions, Solid-state high-resolution deuterium NMR, Crystal water molecules, 1981
Solid-state high-resolution deuterium NMR
Prussian-blue analogs, Local magnetic structures, Solid-state ^{13}C NMR, Hyperfine coupling of CN ions, Crystal water molecules, 1981
Solid-state high-resolution deuterium NMR
Layer-structured basic copper compound, Local magnetic structures, Local magnetic interactions, Hyperfine coupling of OD^- ions, 1995
Solution ESR spectra
Molecule-based magnetism, Nitronyl nitroxide, Thieno[3,4-*d*]imidazole, Magnetic interaction, 1823
Solutions
Cobalt(II) complexes, Schiff base, Salicylideneaniline, Ligand-field parameters, Electronic spectra, Chromaticity, Solvatochromism, 997
Solvatochromism
Cobalt(II) complexes, Schiff base, Salicylideneaniline, Solutions, Ligand-field parameters, Electronic spectra, Chromaticity, 997
Solvent extraction
Lanthanide picrates complexes, X-ray structures, 1695
Solvolysis by DMSO
Pd(II) and Pt(II) complexes, Pt(I) complexes, 2,2′-Biimidazole, *N*,*N*′-Dimethyl-2,2′-biimidazole, Crystal structure, DNA interactions, 1113
Solvothermal synthesis
Chromium thioantimonates, Crystal structure, 2839
Speciation
Borate–polysaccharide complexes, Polymer length, Conformation, ^{11}B NMR, 909
Speciations
VO(IV) complexes, Picolinic acid derivatives, Insulin-mimics, X-ray crystallography, 27
Spectra
Copper(I) complexes, Dimethyldipicolinate complexes, Hexa-coordinate copper(I), Synthesis, Crystal structures, 515
Spectra
Cadmium(II) azido and thiocyanato complexes, Pyridine derivative complexes, Preparation, Crystal structures, 975
Spectra
Cadmium(II) pseudohalides, Pyridine derivative complexes, Syntheses, Crystal structures, 3137
Spectral data
Mercury(II) complexes, Thiosemicarbazone complexes, Crystal structures, 1147
Spectral properties
Iron(III), Cobalt(II), Nickel(II), Copper(II), Palladium(II), Platinum(II), Crystal structures, 2-Pyridineformamide, *N*(4)-dimethylthiosemicarbazone complexes, 83
Spectral properties
Rhodium, Rhodoximes, Oximates, Crystal structures, 3195
Spectrochemistry
Optically active sulfur-bridged complexes, Dinuclear Co(III)–Pd(II) and Co(III)–Pt(II) complexes, 2,2′-Bipyridine complexes, Crystal structures, 1507
Spectrophotometry
Nitrosation, Amino acid, Dinitrogen trioxide, 1059
Spectroscopic characterisation
Hydrogen bonded coordination complexes, Lanthanide(III) complexes, *N*,*N*′-dimethylurea metal complexes, X-ray crystal structures, 825
Spectroscopic data
Solid state structures, Synthesis, Polymetallic complexes, 3403
Spectroscopic investigation
Rhenium complexes, Benzotriazole complexes, Oxo-complexes, Crystal structures, 2869
Spectroscopy
Cobalt(III) complexes, Nickel(II) complexes, Synthesis, Thiosemicarbazone, X-ray crystallography, 383
Spectroscopy
Carborane, Isomerisation, Synthesis, Crystallographic study, Vertex labelling, 1293
Spectroscopy
Lanthanides, Divalent europium, Nitrilotriacetate, Structures, 2761
Spectroscopy
Heteropolyoxometalates, Redox process, 2901
Spin canting
Ni(III) thiolate complexes, Crystal structures, Magnetism, 299
Spin densities
Molecular magnet, Magnetic interactions, 2301
Spin density
$[Fe(ptz)_6](BF_4)_4$, Polarised neutron diffraction, Light-induced excited spin state trapping, 2155
Spin density
Covalent spin delocalisation, Superexchange magnetic interaction, 2297
Spin density distribution
Oxophenalenoxyl, Monoradicals, Spin topology, Molecular spin diversity, Density functional calculation, 2205
Spin diverse
Biradicals, Exchange coupling, Heterospin, 2423
Spin glass
Organic-based magnet, Tetracyanoethylene, Low-dimensional magnetism, Susceptibility, Fractal cluster, 1751
Spin ladder
Antiferromagnetic, Copper(II), Quinoxaline, 2325
Spin structure
Neutral radical, Diazaphenalenyl, ^{15}N atom, Gyromagnetic ratio, Columnar structure, 2199
Spin structure
Oxophenalenoxyl, Radical dianion, Redox-based spin diversity, Charge fluctuation, Density functional calculation, 2209
Spin structure
1,6-Dithiapyrene, Imino nitroxide, Oxoverdazyl, Density functional theory, ESR/ENDOR/TRIPLE spectroscopy, 2219
Spin topology
Oxophenalenoxyl, Monoradicals, Spin density distribution, Molecular spin diversity, Density functional calculation, 2205
Spin-crossover
Bistability, Magnetic field effect, Ising-like model, Monte Carlo, 2441
Spin-doublet ground state
Oxamido-bridged, Heterobinuclear complexes, Homotrinuclear nickel(II) complexes, Supramolecular structures, 2911
Spin-glass
Carbenes, Copper, Assembly, Magnetic properties, Photolysis, 1877
Spin-lattice relaxation
Single-molecule magnets, Mn_4, Quantum tunneling of the magnetic moment, Magnetic order, Very-low-temperature time-dependent specific heat, 2169
Spin–orbit coupling
Nanomagnets, Single-molecule magnets, Magnetic anisotropy, Density-functional calculations, 1871
Spin-Peierls transition
Verdazyl radical, Heat capacity, Magnetism, Doping effect, Antiferromagnetic order, High-field magnetization, 2091
Spin-polarized nano-wire
Double-exchange mechanism, High-spin organic polymer, Quantum chemical calculations, 1829
Spin-state of iron(III) ion
Hydroperoxo-iron(III) species, Oxygen atom transfer reaction, Heme-oxygenase, 293
Spin-transition
Monte Carlo entropic sampling technique, Thermal hysteresis loop, Ising-like Hamiltonian, 2453

Spirooxazine
Spiropyrans, Bipyridine, Ruthenium complexes, Molecular device, 655
Spiropyrans
Spirooxazine, Bipyridine, Ruthenium complexes, Molecular device, 655
Square grid
Arylazoimidazoles, Cadmium (II) complexes, X-ray structure, 3161
Square grid network
Magnetic properties, Pentacyanoferrate complexes, Magnetometry, 2125
Square-pyramidal environment
Antiferromagnetic coupling, Magnetic susceptibility, 2515
Stability constants
Guanidinoacetic acid, Guanidino–carboxylate interactions, Ternary complexes, Potentiometry, Copper(II), 225
Stability constants
Acidity constants, Charge repulsion, Phosphonate complexes, Pyrimidine nucleotide analogue, Stacking interactions, Ternary complexes, 1067
Stability constants
Dimalonate[C_{60}]fullerene protonation, Uranyl, Complexes, 1085
Stability constants
β-Alanine, Dipeptides, Tripeptides, Nickel(II), Palladium(II), 2607
Stable non-planar conformations
MP2 method, Geometry optimization, Cyclic phosphazenes, Electronic structures, 3243
π-Stacking
Stibine, Arsine, Synthesis, X-ray structures, Group 15, 211
π,π-Stacking
Copper(II), Mixed-ligand complexes, Crystal structures, Nitro, Benzyl, 1039
Stacking
Dibenzotetraaza[14]annulenes, Alkoxycarbonylation, Macrocyclic Schiff bases, CH·····O hydrogen bonds, 3299
Stacking interactions
Acidity constants, Charge repulsion, Phosphonate complexes, Pyrimidine nucleotide analogue, Stability constants, Ternary complexes, 1067
'Stapled' sandwich-type diphthalocyanine
Niobium diphthalocyanine, Niobium(V) complexes, Crystal structures, UV–Vis spectroscopy, Raman spectroscopy, 313
Stearic acid
Titania, Photocatalyst, Electronic spectra, 35
Stearic acid
Lead soaps, Hydrothermal, Palmitic acid, Red lead, Lead-tin yellow, 3171
Steric effect
Ruthenium(II) carbonyl complexes, Phosphine–phosphinesulfide, Bidentate chelating ligand, X-ray crystal structures, Octahedral structures, 2725
Steric effects
Platinum, Imine ligands, Chiral compounds, Oxidative addition, Crystal structure, 3363
Stibine
Arsine, Synthesis, X-ray structures, π-Stacking, Group 15, 211
s-Triazine
Phthalocyanine, Unsymmetrical, Substituted, Trimeric, Metal complex, 819
Structural and magnetic properties
Chain polymers, X-ray diffraction, Bridging ligands, 3025
Structural elucidation
Copper(II) complexes, Self-assembly, Magnetic properties, 2661
Structural property
Trinuclear complexes, Tritopic hydrazide ligands, Magnetic property, 1271
Structure
ZnSe, NMR, TGA, 489
Structure
Substitution, Iron, Thiocarboxylate, Bisphosphine ligands, 3445
Structures
Divalent europium, Lanthanides, Crown ethers, Luminescence, 337
Structures
Poly(3-rpyrazolyl)borate cobalt(II) complexes, NMR, 581
Structures
Ruthenium(II), Diimine ligands, Tetradentate, Syntheses, 867
Structures
Hydrazine, Hydrogen, Bonding, 1397
Structures
Cobalt, Nickel, Copper, Tetra(3-*iso*-propylpyrazolyl)borate, Magnetism, 1645
Structures
Lanthanides, Divalent europium, Nitrilotriacetate, Spectroscopy, 2761
Styrene
Salen Cu(II) complexes, Schiff-base ligands, Catalytic epoxidation, Iodosylbenzene, Hammett substituent constants, 1653
Suberato complexes
Manganese, Coordination polymers, X-ray structures, 2699
Substituted
Phthalocyanine, Unsymmetrical, Trimeric, Metal complex, s-Triazine, 819
Substitution
Iron, Thiocarboxylate, Bisphosphine ligands, Structure, 3445
Succinamic acid
Europium complex, X-ray crystallography, Photophysical property, 1,10-Phenanthroline, 323
Succinate
Hydrothermal reaction, Crystal structure, Bipy, Open-framework, 3097
Sugar
Ironglucose, 2,2′:6′,2′-terpyridine, X-ray, 687
Sulfonamide
Dithiocarbimate complexes, Nickel complexes, Crystal structure, 1561
Sulfonamide ligands
Zinc complexes, Electrochemical synthesis, Crystal structures, 1099
Sulfur
Tellurium, Clusters, Laser ablation synthesis, Mass spectrometry, Post-source decay, 2601
Sulfur
Rhenium, Clusters, Copper, Selenium, Tellurium, 3383
Sulfur dioxide
Palladium complexes, Insertion, Crystal structures, 805
Sulfur-ligands
Thiocarbonate complexes, Iron, X-ray structure, Carbonyl, 3105
Superconducting transition
BETS, Muon, 2307
Superconductivity
Electron-doping, HDFT, Infinite layer, Natural orbital, Density, 2191
Superexchange magnetic interaction
Spin density, Covalent spin delocalisation, 2297
Superparamagnet
Single-molecule magnets, Nanomagnet, Magnetization tunneling, Nickel, 1727
Superparamagnet
Single-molecule magnets, Nanomagnet, Magnetization tunneling, Manganese, 1857
Superparamagnet
Single-molecule magnet, Quantum tunneling of magnetization, Nanomagnet, Polynuclear iron complex, 1865
Supported transition metals
Clusters, Ruthenium, Sensors, ArgoGel resins, Gas sensing, 3
Supramolecular
X-ray structure, Nickel(II), Guanidinobenzimidazole derivatives, 735
Supramolecular
Anion, Dendrimer, Electrochemistry, Ferrocene, Receptor, 763
Supramolecular
Molecular magnetism, Carboxylate, Radical, Co(II) complexes, Hydrogen-bond, 1929
Supramolecular architecture
Lanthanide, Glycine, 1,10-Phenanthroline, Coordination compound, Non-covalent interactions, 2617
Supramolecular chemistries
Metal clusters, Coordination polymers, Single crystal X-ray diffractions, 2999
Supramolecular chemistry
Carbacylamidophosphates, Phosphorylic ligands, Self-complementary molecules, 1221
Supramolecular chemistry
Self-assemblies, Solid state structures, Pyrroles, Hydrogen bonds, Molecular recognition, 2963

Supramolecular chemistry
Copper, Self-assemblies, Coordination chemistry, Oligomers, 2985
Supramolecular crystal engineering
Organic ferrimagnet, Nitronyl nitroxide, Magnetic susceptibility, Charged biradical, Electron spin resonance, 1817
Supramolecular interactions
Hydrogen bonding, CH···O bonding, CH···N bonding, CH···Cl bonding, Poly(pyrazolyl)borate ligands modified, 1123
Supramolecular isomers
1,2-Bis(4-pyridinecarboxamido)ethane, Copper(II) complexes, X-ray structures, Hydrogen bonding, Coordination polymers, 3493.
Supramolecular structures
Neodymium complexes, Hydrothermal synthesis, X-ray crystallography, IR, TGA, 981
Supramolecular structures
Oxamido-bridged, Heterobinuclear complexes, Spin-doublet ground state, Homotrinuclear nickel(II) complexes, 2911
Supramolecule
Biferrocenium, Metallocene, Pyridinyl, 1199
Supramolecule
Ferromagnetic interaction, Channel, Nitroxide, Ligand, Free radical, 2133
Susceptibility
Organic-based magnet, Spin glass, Tetracyanoethylene, Low-dimensional magnetism, Fractal cluster, 1751
Susceptibility
Li_xMoSo_2, Magnetic properties, Nanotubes, 2293
Susceptibility
Single molecule magnet, Chirality, Manganese, Magnetic clusters, 2355
Susceptibility
Tetranuclear cluster, Inelastic neutron scattering, Magnetic anisotropy, Magnetic frustration, 2471
Sym–fac-$[Co(bpma)(bipy)Cl]^{2+}$ isomer
Isomer preference, Cobalt(III) complexes, Crystal structures, Energy minimisation, 263
Syntheses
Crystal structures, Zinc complexes, Polynitrile ligands, Fluorescence, 493
Syntheses
Ruthenium(II), Diimine ligands, Tetradentate, Structures, 867
Syntheses
Nickel(II), Dithiophosphates, X-ray structures, 1341
Syntheses
Cadmium(II) pseudohalides, Pyridine derivative complexes, Spectra, Crystal structures, 3137
Synthesis
Stibine, Arsine, X-ray structures, π-Stacking, Group 15, 211
Synthesis
Iron(III) complexes, Pyrazolylthiosemicarbazone, X-ray crystal structures, 375
Synthesis
Cobalt(III) complexes, Nickel(II) complexes, Spectroscopy, Thiosemicarbazone, X-ray crystallography, 383
Synthesis
Crystal structures, Lanthanide, Samarium, Ytterbium, β-Diketiminate ligand, 441
Synthesis
Copper(I) complexes, Dimethyldipicolinate complexes, Hexa-coordinate copper(I), Spectra, Crystal structures, 515
Synthesis
N-Alkylthiourea, Cadmium(II) complexes, X-ray structures, 595
Synthesis
Equilibria, Dinuclear complexes, Polyamines, Phenol, Crystal structure, 1135
Synthesis
Ferrocene, Cyclotriphosphazene, Electrochemistry, 1237
Synthesis
Organolanthanide complex, Ytterbium, β-Diketiminate ligand, Crystal structures, 1241
Synthesis
Dirhenium, *Pseudo*-halides, Crystal structures, Di-cation, Amidato, 1281
Synthesis
Carborane, Isomerisation, Spectroscopy, Crystallographic study, Vertex labelling, 1293
Synthesis
Crystal structures, Europium organic complexes, Luminescence, Lifetime, 2719
Synthesis
Coordination polymers, Crystal structures, 4,7-Phenanthroline, Cu(I), 3015
Synthesis
Crystal structures, Magnetic properties, Oxalato complexes, 3115
Synthesis
Solid state structures, Spectroscopic data, Polymetallic complexes, 3403

Tantalum
Bicyclic guanidinate, Intermolecular hydrogen bonds, Coordination isomer, Dodecahedral geometry, 2731
Target
Kinetics, Adduct, Transmetalation, Heteropolymetallic, Formation, 2917
Tellurium
Sulfur, Clusters, Laser ablation synthesis, Mass spectrometry, Post-source decay, 2601
Tellurium
Rhenium, Clusters, Copper, Sulfur, Selenium, 3383
Template
Bimetallic coordination polymers, Dicyanamide, Crystal structures, Magnetic properties, Sandwich, 433
Template
Macrocycle, Schiff base, Nickel(II) complexes, Mixed-donor macrocycles, Aza-crown ethers, 1481
Template synthesis
Copper complexes, Direct synthesis, Schiff-base, Oxaaza macrocycles, 1701
Template synthesis
Nickel complexes, Macrocyclic complexes, Hexaazacyclohexadecane, 2633
Template synthesis
Lead(II) complexes, Lariat ether, Macrobicycle, Crystal structures, 2709
Template synthesis
Yttrium, Lanthanides, Macrocyclic Schiff base complexes, X-ray structure, 2773
Templating agents
Metalla-macrocycles, Palladium and nickel complexes, Triphenylphosphine, Anion template, Hydrogen bonding, 2991
TEMPO
Coordination polymers, Nitroxides, Copper(II) complexes, Manganese(II) complexes, 2363
Tenoxicam
Meloxicam, X-ray diffraction, Dimethylsulfoxide, 1355
Terephthalate
Coordination polymers, Cadmium(II), Hexamethylenetetramine, Thiocyanate, 2933
Terminal azido ion complex
Binuclear nickel(II) complex, Crystal structure, Magnetic properties, End-on azido ligand complex, Hexadentate ligand, 257
Ternary complexes
Guanidinoacetic acid, Guanidino–carboxylate interactions, Stability constants, Potentiometry, Copper(II), 225
Ternary complexes
Luminescence, Lanthanide, Macrocycles, 745
Ternary complexes
Acidity constants, Charge repulsion, Phosphonate complexes, Pyrimidine nucleotide analogue, Stability constants, Stacking interactions, 1067
Ternary copper(II) complexes
Copper(II)–Schiff base complexes, *N*-Salicylidene derivative, X-ray structures, Toxicity of copper(II) complexes, *Drosophila melanogaster*, 403
Trans-platinum complexes
Cytotoxic activity, NMR, (hydroxymethyl)-Pyridine, 3379
Ternary manganese(II) complexes
1,10-Phenanthroline, Neocuproine, Indole-2-carboxylic acid, Crystal structures, IR, Catalytic activity, 1461
2,2′:6′,2′-terpyridine
Ironglucose, sugar, X-ray, 687
2,2′:6′,2′-Terpyridine
Praseodymium, Neodymium, 1,10-Phenanthroline, X-ray crystal structures, 1489

Terpyridine
SERS, Perchlorate, 1673
Terpyridine
Organic based magnets, EPR radicals, Open-shell molecules, Nitronyl nitroxide, Semiempirical (AM1) calculations, 2099
Terpyridine
p-Cymene, Hexamethylbenzene, Ruthenium, 2,2′-Biquinoline, 2,9-Dimethyl, 4,7-Diphenyl-1, 10-Phenanthroline, 2,3-Bis(α-pyridyl)quinoxaline, 3155
Tetra(3-*iso*-propylpyrazolyl)borate
Cobalt, Nickel, Copper, Structures, Magnetism, 1645
Tetrabromocuprates
Two-dimensional Heisenberg antiferromagnet, Magnetic susceptibility, Ab initio, 2235
Tetracyanoethylene
Organic-based magnet, Spin glass, Low-dimensional magnetism, Susceptibility, Fractal cluster, 1751
Tetradentate
Ruthenium(II), Diimine ligands, Syntheses, Structures, 867
Tetradentate
Copper, Quadridentate, Schiff-base, Polymethylenediamine, Salicylidene, 887
Tetradentate
Cadmium, Quadradentate, Schiff-base, Polymeric, 3213
Tetrahedral cage
Self-assembly, Bridging, Ligand, Anion binding, 781
Tetrahedral manganese clusters
Generalized spin orbital, Density functional theory, Noncollinear, molecular magnetism, Hybrid methods, Three-dimensional spin structure, 2013
Tetramethyldiaminomethane
Tricarbonylrhenium (I) complexes, Dimethylamine, X-ray crystallography, 1321
Tetranaphthylporphyrins
Tetratolylporphyrins, Octabromoporphyrins, Zn(II) porphyrins, Electronic properties, Fluorescence properties, Electrochemical studies, 3145
Tetranuclear
Dicyanonitrosomethanide derived oximate ligands, Mixed valent manganese clusters, Trinuclear, Magnetism, Crystal structures, 165
Tetranuclear cluster
Inelastic neutron scattering, Magnetic anisotropy, Susceptibility, Magnetic frustration, 2471
Tetranuclear complexes
Copper(II) complexes, Magnetic properties and ferromagnetic interactions, 625
Tetranuclear copper(II) complexes
Schiff-bases, Molecular rectangles, Crystal structures, 1385
Tetranuclear nickel(II) complexes
Crystal structure, Dinickel(II) complexes, Compartmental ligands, 75
Tetraphenyldiphosphinoethane
Nickel(II) xanthates, Trinuclear nickel-sulfur cluster, Nickel(II) dithiocarbonate complexes, X-ray structures, 2895
Tetrathiafulvalene
Radical salts, Bimetallic oxalato complexes, Molecular magnetism, Conducting properties, 2381
Tetrathiafulvalenes
Metal bis-dithiolene complexes, Magnetism, Electrical conductivity, X-ray crystal structures, 2415
Tetratolylporphyrins
Tetranaphthylporphyrins, Octabromoporphyrins, Zn(II) porphyrins, Electronic properties, Fluorescence properties, Electrochemical studies, 3145
Tetrazole
Nitronyl nitroxide, Manganese complexes, Nickel complexes, 1965
TG-FTIR analysis
Manganese complexes, 1,1-Cyclobutanedicarboxylate complexes, Crystal structures, IR spectra, Thermal analysis, 2595
TGA
ZnSe, NMR, Structure, 489
TGA
Neodymium complexes, Hydrothermal synthesis, X-ray crystallography, IR, Supramolecular structures, 981
Thallium
Cadmium, Thiolates, Bis(mercaptoimidazolyl)borate complexes, Crystal structures, 3461
Thallium *meso*-tetra-(p-chlorophenyl)porphyrin
Crystal structures, Indium *meso*-tetra-(p-chlorophenyl)porphyrin, Indium *meso*-tetra-(p-bromophenyl)porphyrin, 1633
Theoretical analysis
Molecule-based magnets, Bulk ferromagnetism, *p*-(nitro)Phenyl nitronyl nitroxide, Magnetic structures, 1935
Thermal analysis
Silver carboxylates complexes, Crystal structures, 837
Thermal analysis
Manganese(II), Nickel(II), Zinc(II), Crystal structures, 2-Methyllactato complexes, 1051
Thermal analysis
Manganese complexes, 1,1-Cyclobutanedicarboxylate complexes, Crystal structures, IR spectra, TG-FTIR analysis, 2595
Thermal hysteresis loop
Monte Carlo entropic sampling technique, Spin-transition, Ising-like Hamiltonian, 2453
Thermal spin transition
2,6-bis(pyrazol-3-yl)pyridine, Transition temperature, Hydration, 2375
Thermal stability
Mn_{12}, Single molecule magnets, Thermolytic synthetic methods, 1951
Thermal studies
Copper(II) complexes, Dialkyldithiocarbamate ligands, Chemical vapor deposition, Volatility, Crystal structures, 1575
Thermogravimetric analysis
Copper complexes, Crystal structures, Pyridazine ligands, Pyrimidine ligands, Triazine ligands, 419
Thermolytic synthetic methods
Mn_{12}, Single molecule magnets, Thermal stability, 1951
Thiaether
Encapsulating ligand, Iron(II), Low-spin, π-Acceptor, 45
Thieno[3,4-*d*]imidazole
Molecule-based magnetism, Nitronyl nitroxide, Solution ESR spectra, Magnetic interaction, 1823
2-Thienyl derivatives
Arsenic, Antimony, X-ray structures, $[PdCl_2\{(C_4H_3S)_3As\}_2]$, 549
Thin film
Germanium phosphide, APCVD, 1683
Thin films
Porphyrins, Zirconium phosphonates, Diffraction gratings, 3065
Thiocarbodihydrazone and diacetyldihydrazones ligands
Oxomolybdenum(IV) complexes, X-ray crystal structure, Oxotransfer property, 3075
Thiocarbonate complexes
Iron, X-ray structure, Carbonyl, Sulfur-ligands, 3105
Thiocarboxylate
Substitution, Iron, Bisphosphine ligands, Structure, 3445
Thiocyanate
Praseodymium complexes, Lanthanide, 2,2′-Bipyridine, Chloride, Nitrate, Dithiocarbamate, Crystal structures, 347
Thiocyanate
Coordination polymers, Cadmium(II), Hexamethylenetetramine, Terephthalate, 2933
Thiodiglycolic acid complexes
Copper(II), Crystal structures, EPR, Magnetic properties, 411
Thiolate
Tungsten alkylidyne, Molybdenum alkylidyne, Electronic structure, Frontier molecular orbitals, Alkoxide, 145
Thiolate
Aluminium, Hydride, 2655
Thiolate ligands
Dirhenium complexes, Metal–metal multiple bonds, Crystal structures, Face-sharing bioctahedral complexes, Phosphine ligands, 2625
Thiolates
Thallium, Cadmium, Bis(mercaptoimidazolyl)borate complexes, Crystal structures, 3461
2-Thiophenecarboxylic acid
Single-molecule magnet, Single crystal X-ray analysis, Mn_{12} complexes, a.c. and d.c. magnetic susceptibility, PPh_4 salt, 1795

Thioquinoline units
Mononuclear complexes, Coordination polymer, 507
Thioselenocarbamate
Iron, Dithiocarbamate, Diselenocarbamate, Nitrosyl, ^{13}C NMR, ^{15}N NMR, 3423
Thiosemicarbazone
Cobalt(III) complexes, Nickel(II) complexes, Synthesis, Spectroscopy, X-ray crystallography, 383
Thiosemicarbazone
Hydroxyacetophenone, Copper, Nickel, Crystal structures, Metal(II) complexes, 2831
Thiosemicarbazone
Copper(II), Electronic spectra, IR spectra, EPR, X-ray crystal structure, 3321
Thiosemicarbazone complexes
Mercury(II) complexes, Crystal structures, Spectral data, 1147
Thiosemicarbazones
Ruthenium(II) complexes, NS-donors, X-ray crystal structures, Biological activity, 447
Thiourea
Gold(I) complexes, X-ray structures, 1349
Three-dimensional spin structure
Generalized spin orbital, Density functional theory, Tetrahedral manganese clusters, Noncollinear molecular magnetism, Hybrid methods, 2013
Tin(IV)
Diphosphino ligands, Chalcogens, Pyridine, X-ray crystallography, 1585
Tin-119 NMR
Organotin(IV), Bis(imidazolyl)borate ligand, Electrospray mass spectroscopy, 499
TiS_2
Atmospheric pressure chemical vapour deposition, Energy-dispersive X-ray analysis, 1263
Titania
Photocatalyst, Electronic spectra, Stearic acid, 35
Titanium
Amide, Chloride, Gallium, Ligand exchange, 9
Titanium
Decafluorodiphenylamido, Zirconium, Vanadium, Iron, Cobalt, 153
Titanium
Fluoride, Praseodymium, Neodymium, X-ray structure, 575
Titanium
Cyclopentadienyl ligands, Intramolecular coordination, O ligands, P ligands, Variable-temperature NMR spectroscopy, 2885
Titanium(III)
Coordination chemistry, β-Diketiminato ligand, Chloride, Fluoride, 2669
TMTSF
Molecular magnetism, Organic superconductor, Effective exchange integral, Ab initio MO method, Density functional method, BEDT-TTF, BETS, TMTTF, 2051
TMTTF
Molecular magnetism, Organic superconductor, Effective exchange integral, Ab initio MO method, Density functional method, BEDT-TTF, BETS, TMTSF, 2051
Topological isomerism
Coordination polymer, Hydro(solvo)thermal synthesis, Cobalt oxydiacetate, Interconversion, Self-assembly, 2953
Toxicity of copper(II) complexes
Copper(II)–Schiff base complexes, *N*-Salicylidene derivative, X-ray structures, Ternary copper(II) complexes, *Drosophila melanogaster*, 403
Transition metal
Carboxylate, Coordination network, Double betaine, 811
Transition metal complex
Weak-ferromagnetism, Ferrimagnet, Molecular based magnet, Crown thioether, Benzene dithiolate, 1755
Transition metal complexes
Phosphorus sulfur ligand, Monodentate bidentate, Crystal structures, 361
Transition metal ions
Macrocyclic compounds, Complexation, Conductometry, Potentiometry, 569
Transition metal ions
Coordination polymers, Crystal structures, 4,4′-bipyridine, Network solids, 2821
Transition temperature
2,6-bis(pyrazol-3-yl)pyridine, Thermal spin transition, Hydration, 2375
Transition-metal
Crystal structures, 1,4-Butylenediphosphonates, 2739
Transmetalation
Kinetics, Adduct, Heteropolymetallic, Target, Formation, 2917
Trans-platinum complexes
Cytotoxic activity, NMR, (hydroxymethyl)-Pyridine, 3379
Triazene
Triazenide, Copper(I) complex, Silver(I) complex, Dinuclear structure, 563
Triazenide
Triazene, Copper(I) complex, Silver(I) complex, Dinuclear structure, 563
Triazine ligands
Copper complexes, Crystal structures, Pyridazine ligands, Pyrimidine ligands, Thermogravimetric analysis, 419
Tricarbonylrhenium (I) complexes
Tetramethyldiaminomethane, Dimethylamine, X-ray crystallography, 1321
Tricarbonylrhenium(I) halide complexes
Diastereoisomers, ^1H NMR, DFT calculations, Acetal ligands, 3371
Tricompartmental ligands
Macrobicyclic copper(II) complexes, Magnetic properties, Electrochemical properties, Catalytic activity, 3483
Tricyanomethane anions
Ruthenium(II) complexes, Polypicolylamine ligands, X-ray crystallography, 875
Triflate
Lanthanum, X-ray structures, Alkoxides, Grafting, 127
Triflate
Cyanide, Pentafluoropropionate, Trifluoroacetate, Silver, 217
Triflate
Uranium, Lanthanides, Triphenylphosphine oxide, Iodide, X-ray crystal structure, 3475
Trifluoroacetate
Cyanide, Pentafluoropropionate, Triflate, Silver, 217
Trimeric
Phthalocyanine, Unsymmetrical, Substituted, Metal complex, s-Triazine, 819
Trimethylsilyl cyanide
Acylferrocene, Cyanohydrin trimethylsilyl ether, 1523
Trimethylthiazole
Osmium, Metallation, Methyl substituent, X-ray structures, 355
Trinuclear
Dicyanonitrosomethanide derived oximate ligands, Mixed valent manganese clusters, Tetranuclear, Magnetism, Crystal structures, 165
Trinuclear complex
Gadorinium, Copper, Magnetic property, Crystal structure, 1905
Trinuclear complexes
Tritopic hydrazide ligands, Structural property, Magnetic property, 1271
Trinuclear copper complexes
Crystal structures, Magnetic properties, 2927
Trinuclear cyanocomplexes
Molecular magnetism, Hexacyanometalates, Intermolecular interactions, 2427
Trinuclear nickel-sulfur cluster
Nickel(II) xanthates, Nickel(II) dithiocarbonate complexes, Tetraphenyldiphosphinoethane, X-ray structures, 2895
Tripeptides
β-Alanine, Dipeptides, Nickel(II), Palladium(II), Stability constants, 2607
Triphenylphosphine
Metalla-macrocycles, Templating agents, Palladium and nickel complexes, Anion template, Hydrogen bonding, 2991
Triphenylphosphine oxide
Uranium, Lanthanides, Iodide, Triflate, X-ray crystal structure, 3475
Triradical
Single-component organic ferrimagnet, Magnetic susceptibility, Electron spin resonance, Nitronyl nitroxide, Perturbation treatment, 1809
1,1,1-Tris(hydroxymethyl)ethane
Manganese cages, Single-molecule magnet, Magnetization tunnelling, 1771
Tristhiolato
Multi-functional ligand, (Arene)ruthenium, Mercaptophenol, 543
Tritopic hydrazide ligands
Trinuclear complexes, Structural property, Magnetic property, 1271

Trpn
Abpt, Monoclinic, Crystal, Octahedral geometry, Intramolecular hydrogen bonding, 3181
Tungsten
Alkoxide complexes, Phenolate ligands, Crystal structures, 2755
Tungsten alkylidyne
Molybdenum alkylidyne, Electronic structure, Frontier molecular orbitals, Alkoxide, Thiolate, 145
Tungsten clusters
Molybdenum clusters, Methoxo complexes, X-ray crystal structures, 1553
Two-dimensional Heisenberg antiferromagnet
Tetrabromocuprates, Magnetic susceptibility, Ab initio, 2235
Two-electron reduction
Single-molecule magnets, Magnetization, Crystallization, 1777

Unsymmetrical
Phthalocyanine, Substituted, Trimeric, Metal complex, s-Triazine, 819
Uranium
Lanthanides, Triphenylphosphine oxide, Iodide, Triflate, X-ray crystal structure, 3475
Uranyl
Dimalonate[C_{60}]fullerene protonation, Complexes, Stability constants, 1085
Uranyl ion
Calixarenes, Homooxacalixarenes, Clusters, Crystal structures, 3499
Uranyl ions
Schiff bases, Heteropolymetallic complexes, Crystal structures, 2683
Urea
Anion binding, Electrochemical sensing, 649
UV–Vis absorption
Oligoarylamines, Coupling reactions, Electrochemical methods, Charged high-spin systems, Organic mixed-valence system, 2003
UV–Vis and IR spectra
Cis and *trans* Co(II) isomers, Bidentate ligand, Crystal structure, 1329
UV–Vis spectroscopy
Niobium diphthalocyanine, Niobium(V) complexes, Crystal structures, 'Stapled' sandwich-type diphthalocyanine, Raman spectroscopy, 313
UV–Vis spectroscopy
Dipyridinated manganese(II) phthalocyanine, Crystal structures, Magnetic properties, Antiferromagnetic interactions, Oxidation, 2689

Valence tautomerism
Cobalt, Magnetic moment, Charge-transfer band, 2401
Vanadium
Decafluorodiphenylamido, Titanium, Zirconium, Iron, Cobalt, 153
Vanadium
Complexes, Schiff bases, 1009
Vanadium oxo clusters
Solid-state, X-ray structures, 2D coordination networks, 3037
Variable-temperature NMR spectroscopy
Titanium, Cyclopentadienyl ligands, Intramolecular coordination, O ligands, P ligands, 2885
Verdazyl
DFT calculation, Copper, Singlet–triplet separation, 2241
Verdazyl radical
Spin-Peierls transition, Heat capacity, Magnetism, Doping effect, Antiferromagnetic order, High-field magnetization, 2091
Vertex labelling
Carborane, Isomerisation, Synthesis, Spectroscopy, Crystallographic study, 1293
Very-low-temperature time-dependent specific heat
Single-molecule magnets, Mn_4, Spin-lattice relaxation, Quantum tunneling of the magnetic moment, Magnetic order, 2169
Vibration spectra
Crystal structures, Lanthanides, Rare earths, 271
Vibrational frequencies
Ab-initio methods, Cyclic phosphazines, Electron propagator methods, Electronic structures, Ionization energies, 473
VO(IV) complexes
Picolinic acid derivatives, Insulin-mimics, X-ray crystallography, Speciations, 27
Volatility
Copper(II) complexes, Dialkyldithiocarbamate ligands, Chemical vapor deposition, Crystal structures, Thermal studies, 1575

^{183}W and ^{17}O NMR shifts
Polyoxotungstate, EHMO calculations, 1183
Weak ferromagnet
Phosphonates, *Octadecyl*, Nickel(II) ion, Layered compounds, Magnetic properties, 2463
Weak ferromagnetism
Molecular conductor, Molecular magnet, π–d interaction, Magnetoresistance, Magnetic anisotropy, 2227
Weak-ferromagnetism
Ferrimagnet, Molecular based magnet, Transition metal complex, Crown thioether, Benzene dithiolate, 1755

X-ray
Copper, Silver, Ruthenium, 2,2′-Bipyridine, Metallostar, 93
X-ray
Ironglucose, 2,2′:6′,2′-terpyridine, sugar, 687
X-ray
Ni dithiolenes, Se-donors, Raman, Electrochemistry, 2175
X-ray
Antiferromagnetic interaction, Alkoxide, Late transition metal, Molecular structure, 2581
X-ray crystal structure
Oxomolybdenum(IV) complexes, Thiocarbodihydrazone and diacetyldihydrazones ligands, Oxotransfer property, 3075
X-ray crystal structure
Thiosemicarbazone, Copper(II), Electronic spectra, IR spectra, EPR, 3321
X-ray crystal structure
Uranium, Lanthanides, Triphenylphosphine oxide, Iodide, Triflate, 3475
X-ray crystal structure
Organotin compounds, Aryltin compounds, FT-IR spectroscopy, NMR spectroscopy, 3523
X-ray crystal structures
Iron(III) complexes, Synthesis, Pyrazolylthiosemicarbazone, 375
X-ray crystal structures
Ruthenium(II) complexes, NS-donors, Thiosemicarbazones, Biological activity, 447
X-ray crystal structures
Hydrogen bonding, Crystal engineering, Zinc, Carboxylates, 673
X-ray crystal structures
Hydrogen bonded coordination complexes, Lanthanide(III) complexes, *N*,*N*′-dimethylurea metal complexes, Spectroscopic characterisation, 825
X-ray crystal structures
Cobalt acetate, Oxo-centred trimers, Ancillary ligands, 947
X-ray crystal structures
Praseodymium, Neodymium, 2,2′:6′,2′-Terpyridine, 1,10-Phenanthroline, 1489
X-ray crystal structures
Molybdenum clusters, Tungsten clusters, Methoxo complexes, 1553
X-ray crystal structures
Tetrathiafulvalenes, Metal bis-dithiolene complexes, Magnetism, Electrical conductivity, 2415
X-ray crystal structures
Fe–Bisdithiolene complexes, Magnetic susceptibility, Mössbauer spectroscopy, 2481
X-ray crystal structures
Ruthenium(II) carbonyl complexes, Phosphine–phosphinesulfide, Bidentate chelating ligand, Octahedral structures, Steric effect, 2725
X-ray crystal structures
Cobalt(III) isomers, C–H$\cdots\pi$ Interaction, 2D NMR, Energy minimisation, 3467
X-ray crystallography
VO(IV) complexes, Picolinic acid derivatives, Insulin-mimics, Speciations, 27
X-ray crystallography
Pyridine, Metal amide, Silyamide, 67
X-ray crystallography
Europium complex, Photophysical property, 1,10-Phenanthroline, Succinamic acid, 323

X-ray crystallography
Cobalt(III) complexes, Nickel(II) complexes, Synthesis, Spectroscopy, Thiosemicarbazone, 383
X-ray crystallography
Asymmetrical tetradentate Schiff base, Copper(II), Cu(II) catalysed hydrolysis, 617
X-ray crystallography
Ruthenium(II) complexes, Polypicolylamine ligands, Tricyanomethane anions, 875
X-ray crystallography
Neodymium complexes, Hydrothermal synthesis, IR, TGA, Supramolecular structures, 981
X-ray crystallography
Tricarbonylrhenium (I) complexes, Tetramethyldiaminomethane, Dimethylamine, 1321
X-ray crystallography
Diphosphino ligands, Chalcogens, Pyridine, Tin(IV), 1585
X-ray crystallography diffraction
2,5-Dimercapto-4-phenyl-1,3,4-thiodiazole, Organogermanium(IV), Non-bonded interaction, Crystal structures, 2767
X-ray diffraction
Bis(2-pyridylthio)methane, Cadmium(II) complexes, Eight-membered chelate rings, Cadmium(II) halides, NMR spectroscopy, 1077
X-ray diffraction
Tenoxicam, Meloxicam, Dimethylsulfoxide, 1355
X-ray diffraction
Antimony, Bromine, Isobutyl group, Ring–ring equilibrium, NMR spectra, 1719
X-ray diffraction
Neutron powder diffraction, Pyrazine, Quantum spin chain, Copper, 2045
X-ray diffraction
Structural and magnetic properties, Chain polymers, Bridging ligands, 3025
X-ray structure
Fluoride, Praseodymium, Neodymium, Titanium, 575
X-ray structure
Supramolecular, Nickel(II), Guanidinobenzimidazole derivatives, 735
X-ray structure
Napthylazoimidazole, H-bonding, Coordination compounds, Organomercuration, 1367
X-ray structure
Yttrium, Lanthanides, Macrocyclic Schiff base complexes, Template synthesis, 2773
X-ray structure
Thiocarbonate complexes, Iron, Carbonyl, Sulfur-ligands, 3105
X-ray structure
Imidazole-4-acetic acid, Cobalt(II) complexes, Manganese(II) complexes, Absorption spectra, EPR spectra, 3123
X-ray structure
Arylazoimidazoles, Cadmium (II) complexes, Square grid, 3161
X-ray structure analyses
Chiral-at-metal complexes, Configurational stability, Epimerization, Diastereomer equilibria, 861
X-ray structure analyses
Chiral-at-metal complexes, Rhodium, Configurational stability, Epimerization, 2639
X-ray structure analyses
Rhodium complexes, Cobalt complexes, Metal–metal bonds, Electronic structures, Cyclic voltammetry, 3413
X-ray structure analysis
1,3-Diazaphenalenyl, 1,3-Diazaphenalene, Radical–metal complexes, 2215
X-ray structure determination
Coordination chemistry, Schiff bases, Cd compounds, Hydrogen bonding, Reversible absorption and desorption of water, 3451
X-ray structures
Deamination of amino acids, Diorganotin(IV) complexes, Pyridoxal 5′-phospate, Pyridoxal–pyridoxamine Schiff base, Antibacterial activity, 53
X-ray structures
Lanthanum, Alkoxides, Triflate, Grafting, 127
X-ray structures
Octakis(2-pyridyloxy)cyclotetraphosphazene, Octakis(4-methyl-2-pyridyloxy)cyclotetraphosphazene, Inclusion compounds, 189
X-ray structures
Stibine, Arsine, Synthesis, π-Stacking, Group 15, 211
X-ray structures
Naphthylazoimidazoles, Copper(I) complexes, Electrochemistry, EHMO, 247
X-ray structures
Osmium, Metallation, Methyl substituent, Trimethylthiazole, 355
X-ray structures
Copper(II)–Schiff base complexes, *N*-Salicylidene derivative, Ternary copper(II) complexes, Toxicity of copper(II) complexes, *Drosophila melanogaster*, 403
X-ray structures
Phenylazoisoquinolin, Ruthenium(II) complexes, Isomers, 535
X-ray structures
2-Thienyl derivatives, Arsenic, Antimony, $[PdCl_2\{(C_4H_3S)_3As\}_2]$, 549
X-ray structures
N-Alkylthiourea, Cadmium(II) complexes, Synthesis, 595
X-ray structures
Dithiolate complexes, Ruthenium clusters, Protonation, 633
X-ray structures
Cyclodiphosphazanes, Pentacoordinate, 843
X-ray structures
Arylazoimidazoles, 1,10-Phenanthroline, Ruthenium(II) complexes, Electrochemistry, EHMO, 849
X-ray structures
Nickel(II), Dithiophosphates, Syntheses, 1341
X-ray structures
Gold(I) complexes, Thiourea, 1349
X-ray structures
Dissymmetric Schiff base, Mixed donor set, Copper complexes, Cyclic voltammetry, 1437
X-ray structures
Heteropolynuclear cobalt(III)–dysprosium(III) complexes, Oxalato-bridged complexes, Nitrilotriacetate complexes, Diffuse reflectance spectra, 1455
X-ray structures
Salen ligands, Axial coordination cobalt(III) complexes, Circular dichroism spectra (CD), 1535
X-ray structures
(Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile, Metal complexes, Silver(I), Antifungal, *Candida albicans*, 1595
X-ray structures
Cobalt(III) complexes, Diethylenetriamnine, Isobutylenediamine, 1603
X-ray structures
Boron, Carbonyl complexes, Manganese, Octahydrotriborate(2−), Organophosphine ligands, Rhenium, 1627
X-ray structures
Lanthanide picrates complexes, Solvent extraction, 1695
X-ray structures
Rhenium, Nitrosyl, Oxo, Bipyridine, Electronic structures, 2573
X-ray structures
Arylazoimidazoles, Cobalt(II) complexes, EO azido bridged complexes, 2587
X-ray structures
Manganese, Suberato complexes, Coordination polymers, 2699
X-ray structures
Nickel(II) xanthates, Trinuclear nickel-sulfur cluster, Nickel(II) dithiocarbonate complexes, Tetraphenyldiphosphinoethane, 2895
X-ray structures
Solid-state, 2D coordination networks, Vanadium oxo clusters, 3037
X-ray structures
Rhenium, Organodiazenido, Electronic structures, 3307
X-ray structures
1,2-Bis(4-pyridinecarboxamido)ethane, Copper(II) complexes, Hydrogen bonding, Coordination polymers, Supramolecular isomers, 3493
Xanthate
Cryptands, Polyether macrocycles, Methyl viologen, 795

Ylide complexes
Crystal structures, Mercury(II), Silver(I), 3345
Ytterbium
Synthesis, Crystal structures, Lanthanide, Samarium, β-Diketiminate ligand, 441
Ytterbium
Organolanthanide complex, β-Diketiminate ligand, Synthesis, Crystal structures, 1241
Ytterbium
Europium, MVS, Dissolution in ammonia, Aryloxides, 1425
Yttrium
Lanthanides, Macrocyclic Schiff base complexes, Template synthesis, X-ray structure, 2773

Zero-field splitting
Antisymmetric double exchange, Mixed-valence clusters, 2253
(Z)-3-(1*H*-imidazol-1-yl)-2-phenylpropenenitrile
Metal complexes, X-ray structures, Silver(I), Anti-fungal, *Candida albicans*, 1595
Zinc
Hydrogen bonding, Crystal engineering, Carboxylates, X-ray crystal structures, 673
Zinc
Porphyrazines, Phthalocyanines, Magnesium, Copper, Electrochemistry, 3083
Zinc complexes
Syntheses, Crystal structures, Polynitrile ligands, Fluorescence, 493
Zinc complexes
Sulfonamide ligands, Electrochemical synthesis, Crystal structures, 1099
Zinc complexes
Dithiocarbimates, Crystal structure, NMR, IR-spectroscopy, 3355
Zinc(II)
Manganese(II), Nickel(II), Crystal structures, 2-Methyllactato complexes, Thermal analysis, 1051
Zinc(II) and cadmium(II) complexes
Di-2-pyridylketone Schiff base of *S*-benzyldithiocarbazate, Schiff bases, Dithiocarbazates, 1471
Zinc(II) and cadmium(II) complexes
Pentadentate sulfur–nitrogen ligand, 2,6-Diacetylpyridine Schiff base of *S*-benzyldithiocarbazate, 3433
Zinc(II) complex
2,2′-Bipyridine, Cadmium(II) complex, Double-helix, Isophthalate, Polymeric tubes, 1231
Zinc(II) complexes
Macrocycles, Five-coordinated, Diamine-bridged, Dinuclear complexes, Crystal structures, 529
Zinc(II) complexes
Arylazoimidazole, Crystal structures, Hydrogen bonding, 1D chain, 1213
Zirconium
Decafluorodiphenylamido, Titanium, Vanadium, Iron, Cobalt, 153
Zirconium phosphonates
Porphyrins, Thin films, Diffraction gratings, 3065
Zn(II) complexes
Co(II) complexes, Crystal structures, Multi-directional ligand, Polydentate pyridine ligand, N-donor ligand, 205
Zn(II) complexes
Purine, ^{15}N NMR, HETCOR, CPMAS, Coordination shift, 391
Zn(II) porphyrins
Tetratolylporphyrins, Tetranaphthylporphyrins, Octabromoporphyrins, Electronic properties, Fluorescence properties, Electrochemical studies, 3145
ZnSe
NMR, TGA, Structure, 489